

Dr. Bob Harrington
Inyo County Water Department
135 South Jackson Street
Independence, CA 93526

December 28, 2011

RE: Summary of Hydrologic Monitoring Activities December 2011
Rose Valley, Inyo County, California
Hay Ranch Project Conditional Use Permit #2007-03

Dear Dr. Harrington:

This letter is intended to summarize hydrologic monitoring activities conducted in December 2011 by TEAM Engineering & Management, Inc. (TEAM), related to the Hay Ranch Water Extraction Project and CUP #2007-03.

Background

As outlined in the Hay Ranch Water Extraction Final EIR's Hydrologic Monitoring and Mitigation Plan (HMMP), Phase 1: Monitoring System Setup and Supplemental Data Collection occurred prior to December 25, 2009 at monitoring points throughout Rose Valley. With the initiation of pumping by Coso Operating Company (Coso) on December 25, 2009, the Hay Ranch Water Extraction Project entered into the Phase 2: Startup Monitoring and Reporting period. Phase 3: Model Recalibration and Redefinition of Pumping Rates and Durations occurred from September 2010 to April 2011, with recalibration of the groundwater model by Daniel B. Stephens & Associates (DBS&A) and with redefinition of pumping rates and durations by Inyo County Water Department (ICWD). With the April 1, 2011 issuance of the ICWD's "Addendum to the HMMP for CUP#2007-003/Coso Operating Company, LLC" (2011 ICWD Addendum) the project has entered Phase 4: Ongoing Monitoring, Mitigation and Reporting.

Monitoring and Reporting

During the December 2011 monthly hydrologic data collection event at 30 monitoring locations in the Rose Valley area, static depth-to-water (DTW) measurements, one visual observation of the Little Lake Ranch (LLR) Siphon Well Outflow and four sets of flow rates were collected by TEAM, as summarized in the attached table (Table 1). Data for this monthly field event was collected on December 14 and 15. Pressure transducer data were downloaded from 24 units, including one "BaroTroll" measuring barometric pressure. On December 6, a DTW measurement at LADWP 816 Well was taken by LADWP personnel.

At the Hay Ranch Property, Coso has pumped groundwater from two production wells: Hay Ranch North and Hay Ranch South. For the first year of project pumping, from December 25, 2009 to December 24, 2010, a total of approximately 2992 acre feet (AF) of groundwater were

extracted from these two wells (821 AF from the Hay Ranch North Well, and 2171 AF from the Hay Ranch South Well).

During the January 1, 2011 to December 15, 2011 period, a total of approximately 3743 AF of groundwater have been extracted from the Hay Ranch property (1289 AF from the Hay Ranch North Well, and 2454 AF from the Hay Ranch South Well).

Figure 1 presents the combined amount of groundwater pumped from the Hay Ranch North and South wells (in AF) from December 25, 2009 through December 15, 2011 compared to a hypothetical pumping amount. The total amount of groundwater extracted from the Hay Ranch property from December 25, 2009 to December 15, 2011 was approximately 6735 AF. The hypothetical pumping amount assumes a pumping rate of approximately 3000 acre-feet per year (AFY) for December 25, 2009 through December 31, 2010 and assumes a pumping rate of approximately 4839 AFY from January 1, 2011 through December 31, 2011. These hypothetical pumping rates represent the maximum allowable pumping amounts for the 2010 and 2011 periods.

Trigger Levels and Maximum Acceptable Drawdowns

In Table 2 of the 2011 ICWD Addendum, drawdown at cessation of pumping trigger levels (Trigger Levels) have been set for specific monitoring wells based on an annual pumping rate of 4839 AFY.

Based on data collected by TEAM during the December 14-15, 2011 monitoring event, no Trigger Levels or Maximum Acceptable Drawdowns have been exceeded at Hay Ranch Project monitoring wells which have baselines and trigger levels established.

The groundwater elevation (GWE) at Little Lake Ranch (LLR) North Well (RV180) was at its baseline GWE level (3158.88 feet), set by Inyo County Water Department in January 2010. The GWE at LLR North as measured at 10:11 on December 15 was 3158.88 feet. The Trigger Level for LLR North is 0.00 feet. The LLR North GWE is equal to its baseline (Table 2). The December 15 LLR North GWE was 1.30 feet above its Maximum Acceptable Drawdown level.

Quarterly Groundwater Monitoring

On December 15, groundwater samples were collected from the Hay Ranch South, Coso Junction Store #2, and Little Lake Ranch North Well as part of the quarterly monitoring activities specified in the HMMP. These groundwater samples are being analyzed for total dissolved solids (TDS) by TestAmerica, Inc. a California-Certified Analytical Laboratory. During sample collection, groundwater physical parameters were monitored by a Horiba U52 MPS hand-held unit. Lab results from TestAmerica will be included in the fourth quarter report.

Operational Notes

The in-well pressure transducer at HR 1B malfunctioned and was removed from the well. This unit will be replaced and re-installed.

Data Transmittal

TEAM posted updates to the “Coso” database on the ICWD web server. New Hay Ranch Project hydrographs in PDF form were uploaded to the ICWD website (www.inyowater.org).

* * * * *

If you have any questions or require additional information, please contact TEAM at your convenience.

Sincerely,

TEAM Engineering & Management, Inc.

Keith Rainville
Staff Geologist

S:\Coso.HRMonitoring Summary_Dec_11

TABLE 1
Field Observations of Rose Valley Hydrologic Monitoring Points
December 14-15, 2011

Project Name:	Hay Ranch Project HMMP	Date: December 14-15, 2011
Location:	Rose Valley, Inyo County	
Observer(s):	K. Rainville	Page: 1 of 1

Well ID	Monitoring Point	Date	Time	DTW (ft)	Flow (cfs)	GWE (ft amsl)	Method	Transducer Log Interval	Notes
RV-10	Dews	12/14/11	12:05	231.60		3755.32	TEAM manual read	NA	
RV-20	LADWP 816	12/06/11	11:20	78.13		3436.93	LADWP manual read	NA	Data provided by LADWP
RV-30	Cal Pumice	12/14/11	8:44	255.32		3250.57	TEAM manual read	Hourly	
RV-40	Dunmovin	12/15/11	9:03	301.98		3245.89	TEAM manual read	NA	
RV-50	Hay Ranch North	12/15/11	13:29	NM	No	NM	TEAM manual read	NA	687,490,647 gallons (2110 AF) pumped since 12/25/09
RV-60	Hay Ranch 1A	12/14/11	10:52	202.59		3229.58	TEAM manual read	Hourly	
RV-61	Hay Ranch 1B	12/14/11	10:59	228.20		3203.65	TEAM manual read	Hourly	
RV-62	Hay Ranch 1C	12/14/11	11:02	217.15		3214.35	TEAM manual read	Hourly	
RV-70	Hay Ranch South	12/15/11	13:30	NM	Yes	NM	TEAM manual read	NA	1,506,972,300 gallons (4625AF) pumped since 12/25/09
RV-80	Hay Ranch 2A	12/14/11	11:38	201.84		3231.16	TEAM manual read	Hourly	
RV-81	Hay Ranch 2B	12/14/11	11:33	233.33		3199.30	TEAM manual read	Hourly	
RV-82	Hay Ranch 2C	12/14/11	11:27	215.40		3216.70	TEAM manual read	Hourly	
RV-90	Coso Jct Ranch	12/14/11	9:03	172.87		3230.26	TEAM manual read	Hourly	
RV-100	Coso Jct Store #1	12/14/11	9:17	145.82		3226.30	TEAM manual read	Hourly	
RV-110	Davis Ranch North Well	12/14/11	13:55	6.47		3886.53	TEAM manual read	Hourly	
RV-111	Davis Ranch South Well	12/14/11	14:05	11.25		3886.75	TEAM manual read	Hourly	
RV-112	Davis Ranch South Flow	12/14/11	14:26	NA	0.01	NA	TEAM manual read	Hourly	
RV-120	Red Hill Well (BLM)	12/14/11	9:35	139.95		3200.88	TEAM manual read	Hourly	
RV-130	G-36	12/14/11	13:32	180.26		3199.76	TEAM manual read	NA	
RV-140	Lego	12/14/11	13:25	222.30		3200.55	TEAM manual read	Hourly	
RV-150	Cinder Road	12/14/11	10:26	191.03		3186.93	TEAM manual read	Hourly	
RV-160	18-28 GTH	12/14/11	13:05	173.93		3188.65	TEAM manual read	Hourly	
RV-170	Fossil Falls Campground	12/14/11	10:10	141.16		3175.61	TEAM manual read	NA	
RV-180	LLR North Well	12/15/11	10:11	40.22		3158.88	TEAM manual read	Hourly	
RV-210	LLR Dock Well	12/15/11	12:20	6.36		3147.78	TEAM manual read	Hourly	
RV-220	LLR Stilling Well (lake surface)	12/15/11	12:10	3.86		3147.18	TEAM manual read	Hourly	
RV-230	LLR Little Lake Outflow	12/15/11	11:30	NA	0.14	NA	TEAM manual read	Hourly	
RV-240	LLR Coso Springs Flow	12/15/11	11:17	NA	0.38	NA	TEAM manual read	Hourly	
RV-245	LLR North Culvert Flow	12/15/11	11:55	NA	0.95	NA	TEAM manual read	Hourly	
RV-250	LLR Siphon Discharge	12/15/11	11:50	NA	Yes	NA	TEAM visual read	NA	Siphon Well flowing into Pond 2
RV-260	LLR Hotel Well	12/15/11	9:35	0.60		3138.18	TEAM manual read	Hourly	

NM - not measured; NA - not applicable; IO - Inoperative

DTW - Depth to water in feet (ft) below top of casing or other reference point; a negative DTW indicates that the groundwater elevation is above the surveyed reference point

Flow - In cubic feet per second (cfs)

GWE- Groundwater elevation in feet above mean sea level (ft amsl)

TABLE 2
Hay Ranch Project Groundwater Baselines and Trigger Levels
December 2011

Well ID	Monitoring Point	Baseline GWE ¹ (feet amsl)	Recent Date of Measurement	Recent GWE (feet amsl)	Recent GWE Compared to Baseline (feet)	Recent GWE Above Max DD ² (feet)	Trigger Level At Cessation of Pumping ³ (feet)	Recent GWE Compared to Trigger Level (feet)
RV-40	Dunmovin	3252.73	12/15/11	3245.89	-6.84	16.46	23.2	16.36
RV-80	HR 2A	3240.92	12/14/11	3231.16	-9.76	17.84	27.6	17.84
RV-90	Coso Jct Ranch	3230.65	12/14/11	3230.26	-0.39	11.31	11.3	10.91
RV-100	Coso Jct Store #1	3227.59	12/14/11	3226.30	-1.29	8.81	9.5	8.21
RV-120	Red Hill Well	3200.66	12/14/11	3200.88	0.22	4.12	1.8	2.02
RV-130	G-36	3198.35	12/14/11	3199.76	1.41	4.81	1.0	2.41
RV-140	Lego	3199.21	12/14/11	3200.55	1.34	3.64	0.0	1.34
RV-150	Cinder Road	3186.92	12/14/11	3186.93	0.01	2.31	0.2	0.21
RV-160	18-28 GTH	3187.67	12/14/11	3188.65	0.98	3.08	0.0	0.98
RV-180	LLR North Well	3158.88	12/15/11	3158.88	0.00	1.30	0.0	0.00

1) GWE: Groundwater elevation measured in feet above mean sea level. Baseline GWEs set January 2010 and March 2011 and approved by Inyo County Water Department

2) Max DD: Maximum Acceptable Drawdown from Table 2 of "Addendum to HMMP for CUP#2007-003/Coso Operating Company, LLC"

3) Trigger Level at Cessation of Pumping from Table 2 of "Addendum to HMMP for CUP#2007-003/Coso Operating Company, LLC"

FIGURE 1
HYPOTHETICAL AND ACTUAL HAY RANCH PROJECT PUMPING

