



ABD012_BLK029 (W/C): C | Type: B | Rabbitbrush Scrub
 Entisols Cartago | ESD: Sandy 5–8" P.Z.
 Geomorphic: alluvial fans



One-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 4). Current year sample size (n = 12). Error bars = 95% CI.


BGP019 (W/C): C | Type: E | Rush/Sedge Meadow
 Entisols Aquic Torripsamments | ESD: Saline Bottom
 Geomorphic: stream terraces



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 6). Current year sample size (n = 18). Error bars = 95% CI.


BGP031 (W/C): C | Type: C | Alkali Meadow
 Entisols Torrifluvents | ESD: Saline Meadow
 Geomorphic: stream terraces



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 5). Current year sample size (n = 14). Error bars = 95% CI.


BGP047 (W/C): C | Type: C | Alkali Meadow
 Entisols Aquic Torripsamments | ESD: Saline Bottom
 Geomorphic: stream terraces



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 6). Current year sample size (n = 15). Error bars = 95% CI.


BGP086 (W/C): W | Type: C | Alkali Meadow
 NA NA | ESD: NA
 Geomorphic: NA



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* $p < 0.05$).

Baseline sample size ($n = 6$). Current year sample size ($n = 16$). Error bars = 95% CI.


BGP088 (W/C): W | Type: B | Nevada Saltbush Scrub
 Mollisols Shonadow | ESD: Saline Meadow
 Geomorphic: stream terraces



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 11). Current year sample size (n = 9). Error bars = 95% CI.


BGP094 (W/C): W | Type: C | Alkali Meadow
 Mollisols Shondow | ESD: Saline Meadow
 Geomorphic: stream terraces



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 13). Current year sample size (n = 11). Error bars = 95% CI.


BGP154 (W/C): W | Type: C | Nevada Saltbush Meadow
 Mollisols Shonadow | ESD: Saline Meadow
 Geomorphic: stream terraces



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 6). Current year sample size (n = 12). Error bars = 95% CI.


BGP157 (W/C): W | Type: B | Rabbitbrush Scrub
 Entisols Hesperia | ESD: Loamy 5–8" P.Z.
 Geomorphic: alluvial fans



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* $p < 0.05$).

Baseline sample size ($n = 10$). Current year sample size ($n = 15$). Error bars = 95% CI.


BGP162 (W/C): W | Type: B | Nevada Saltbush Scrub
 Entisols Hesperia | ESD: Loamy 5–8" P.Z.
 Geomorphic: alluvial fans



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 9). Current year sample size (n = 16). Error bars = 95% CI.


BIS055_FSL214 (W/C): C | Type: C | Alkali Meadow
 Mollisols Dehy | ESD: Saline Meadow
 Geomorphic: alluvial fans, stream terraces



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 10). Current year sample size (n = 9). Error bars = 95% CI.


BIS060 (W/C): C | Type: C | Alkali Meadow
 Aridisols Lucerne | ESD: Loamy Bottom 5–8" P.Z.
 Geomorphic: fan terraces



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 8). Current year sample size (n = 9). Error bars = 95% CI.


BIS085 (W/C): W | Type: C | Rabbitbrush Meadow
 Mollisols Dehy | ESD: Saline Meadow
 Geomorphic: alluvial fans, fan terraces, stream terraces



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* $p < 0.05$).

Baseline sample size (n = 8). Current year sample size (n = 11). Error bars = 95% CI.


BLK002_TIN061 (W/C): W | Type: B | Rabbitbrush Scrub
 Entisols Hesperia | ESD: Loamy 5-8" P.Z.
 Geomorphic: fan terraces



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 6). Current year sample size (n = 19). Error bars = 95% CI.


BLK009 (W/C): W | Type: C | Alkali Meadow
 Aridisols Pokonahbe | ESD: Saline Bottom
 Geomorphic: lake terraces, stream terraces



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 6). Current year sample size (n = 15). Error bars = 95% CI.


BLK011 (W/C): W | Type: C | Alkali Meadow
 Aridisols Winnedumah | ESD: Sodic Fan 5–8" P.Z.
 Geomorphic: lakebeds (relict), stream terraces



One-Sample t-Test: Baseline (lpt) vs. reinventory (* $p < 0.05$).

Baseline sample size ($n = 4$). Current year sample size ($n = 10$). Error bars = 95% CI.


BLK016 (W/C): W | Type: C | Alkali Meadow
 Aridisols Winnedumah | ESD: Sodic Fan 5–8" P.Z.
 Geomorphic: lakebeds (relict), stream terraces



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* $p < 0.05$).

Baseline sample size (n = 10). Current year sample size (n = 16). Error bars = 95% CI.


BLK021 (W/C): W | Type: B | Nevada Saltbush Scrub
 Aridisols Winnedumah | ESD: Sodic Fan 5-8" P.Z.
 Geomorphic: lakebeds (relict), stream terraces



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 6). Current year sample size (n = 11). Error bars = 95% CI.


BLK024 (W/C): W | Type: C | Nevada Saltbush Meadow
 Aridisols Winnedumah | ESD: Sodic Fan 5–8" P.Z.
 Geomorphic: lakebeds (relict), stream terraces



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 5). Current year sample size (n = 15). Error bars = 95% CI.


BLK033 (W/C): W | Type: C | Alkali Meadow
 Aridisols Winnedumah | ESD: Sodic Fan 5–8" P.Z.
 Geomorphic: lakebeds (relict), stream terraces



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* $p < 0.05$).

Baseline sample size ($n = 6$). Current year sample size ($n = 8$). Error bars = 95% CI.


BLK039 (W/C): W | Type: C | Alkali Meadow
 Aridisols Division | ESD: Saline Bottom
 Geomorphic: lake terraces, stream terraces



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 6). Current year sample size (n = 10). Error bars = 95% CI.


BLK044 (W/C): W | Type: C | Rabbitbrush Meadow
 Aridisols Winnedumah | ESD: Sodic Fan 5–8" P.Z.
 Geomorphic: lakebeds (relict), stream terraces



One-Sample t-Test: Baseline (wvcom) vs. reinventory (* $p < 0.05$).

Baseline sample size ($n = 1$). Current year sample size ($n = 6$). Error bars = 95% CI.


BLK059 (W/C): C | Type: C | Alkali Meadow
 Aridisols Pokonahbe | ESD: Saline Bottom
 Geomorphic: lake terraces, stream terraces



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 6). Current year sample size (n = 6). Error bars = 95% CI.


BLK069 (W/C): W | Type: A | Desert Sink Scrub
 Aridisols Division | ESD: Saline Bottom
 Geomorphic: lake terraces, stream terraces



One-Sample t-Test: Baseline (wvcom) vs. reinventory (* $p < 0.05$).

Baseline sample size (n = 1). Current year sample size (n = 15). Error bars = 95% CI.


BLK074 (W/C): W | Type: B | Nevada Saltbush Scrub
 Aridisols Winnedumah | ESD: Sodic Fan 5–8" P.Z.
 Geomorphic: lakebeds (relict), stream terraces



One-Sample t-Test: Baseline (wvcom) vs. reinventory (* $p < 0.05$).

Baseline sample size ($n = 1$). Current year sample size ($n = 14$). Error bars = 95% CI.


BLK075 (W/C): W | Type: C | Alkali Meadow
 Aridisols Division | ESD: Saline Bottom
 Geomorphic: lake terraces, stream terraces



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 6). Current year sample size (n = 10). Error bars = 95% CI.


BLK077 (W/C): W | Type: A | Desert Sink Scrub
 Aridisols Winerton | ESD: Saline Bottom
 Geomorphic: stream terraces



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 6). Current year sample size (n = 8). Error bars = 95% CI.


BLK093 (W/C): W | Type: C | Alkali Meadow
 Aridisols Winerton | ESD: Saline Bottom
 Geomorphic: stream terraces



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* $p < 0.05$).

Baseline sample size ($n = 5$). Current year sample size ($n = 16$). Error bars = 95% CI.


BLK094 (W/C): W | Type: C | Alkali Meadow
 Aridisols Winerton | ESD: Saline Bottom
 Geomorphic: stream terraces



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* $p < 0.05$).

Baseline sample size ($n = 9$). Current year sample size ($n = 17$). Error bars = 95% CI.


BLK095 (W/C): W | Type: A | Alkali Meadow
 Mollisols Shondow | ESD: Saline Meadow
 Geomorphic: stream terraces



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 7). Current year sample size (n = 9). Error bars = 95% CI.


BLK096 (W/C): W | Type: A | Desert Sink Scrub
 Entisols Cartago | ESD: Sandy 5–8" P.Z.
 Geomorphic: alluvial fans



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 5). Current year sample size (n = 7). Error bars = 95% CI.


BLK099 (W/C): W | Type: C | Alkali Meadow
 Mollisols Shondow | ESD: Saline Meadow
 Geomorphic: stream terraces



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 8). Current year sample size (n = 16). Error bars = 95% CI.


BLK115 (W/C): C | Type: A | Alkali Meadow
 Aridisols Division | ESD: Saline Bottom
 Geomorphic: lake terraces, stream terraces



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* $p < 0.05$).

Baseline sample size ($n = 12$). Current year sample size ($n = 17$). Error bars = 95% CI.


BLK142 (W/C): W | Type: C | Alkali Meadow
 Aridisols Winerton | ESD: Sodic Flat
 Geomorphic: stream terraces



One-Sample t-Test: Baseline (lpt) vs. reinventory (* $p < 0.05$).

Baseline sample size ($n = 4$). Current year sample size ($n = 16$). Error bars = 95% CI.


BLK143 (W/C): W | Type: C | Alkali Meadow
 Entisols Torrifluvents | ESD: Saline Meadow
 Geomorphic: stream terraces



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 6). Current year sample size (n = 7). Error bars = 95% CI.


FSL044 (W/C): W | Type: C | Alkali Meadow
 Aridisols Numu | ESD: Saline Bottom
 Geomorphic: stream terraces



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 6). Current year sample size (n = 6). Error bars = 95% CI.


FSL051 (W/C): W | Type: C | Alkali Meadow
 Mollisols Fluvaquentic Endoaquolls | ESD: Moist Floodplain
 Geomorphic: depressions



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 6). Current year sample size (n = 8). Error bars = 95% CI.


FSL053 (W/C): W | Type: C | Alkali Meadow
 Mollisols Fluvaquentic Endoaquolls | ESD: Moist Floodplain
 Geomorphic: depressions



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* $p < 0.05$).

Baseline sample size ($n = 9$). Current year sample size ($n = 8$). Error bars = 95% CI.


FSL054 (W/C): W | Type: D | Modoc–Gr.Basin Riparian Scrub
 Mollisols Fluvaquentic Endoaquolls | ESD: Moist Floodplain
 Geomorphic: depressions



One-Sample t-Test: Baseline (wvcom) vs. reinventory (* $p < 0.05$).

Baseline sample size ($n = 1$). Current year sample size ($n = 17$). Error bars = 95% CI.


FSL064 (W/C): W | Type: C | Alkali Meadow
 NA NA | ESD: NA
 Geomorphic: NA



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 6). Current year sample size (n = 16). Error bars = 95% CI.


FSL065 (W/C): W | Type: A | Alkali Meadow
 Aridisols Pokonahbe | ESD: Saline Bottom
 Geomorphic: stream terraces



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* $p < 0.05$).

Baseline sample size ($n = 12$). Current year sample size ($n = 12$). Error bars = 95% CI.


FSL116 (W/C): W | Type: C | Alkali Meadow
 Aridisols Pokonahbe | ESD: Saline Bottom
 Geomorphic: stream terraces



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* $p < 0.05$).

Baseline sample size ($n = 8$). Current year sample size ($n = 13$). Error bars = 95% CI.


FSL118 (W/C): W | Type: A | Rabbitbrush Scrub
 Entisols Goodale | ESD: Bouldery Fan 5–8" P.Z.
 Geomorphic: alluvial fans, fan terraces



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* $p < 0.05$).

Baseline sample size ($n = 12$). Current year sample size ($n = 10$). Error bars = 95% CI.


FSL120 (W/C): W | Type: C | Alkali Meadow
 NA NA | ESD: NA
 Geomorphic: NA



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 10). Current year sample size (n = 18). Error bars = 95% CI.


FSL123 (W/C): W | Type: C | Alkali Meadow
 Mollisols Fluvaquentic Endoaquolls | ESD: Moist Floodplain
 Geomorphic: depressions



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).


Baseline sample size (n = 6). Current year sample size (n = 8). Error bars = 95% CI.

FSL124 (W/C): W | Type: C | Alkali Meadow
 Mollisols Fluvaquentic Endoaquolls | ESD: Moist Floodplain
 Geomorphic: depressions



Baseline sample size (n = 1). Current year sample size (n = 9). Error bars = 95% CI.


FSL125 (W/C): C | Type: C | Alkali Meadow
 Mollisols Fluvaquentic Endoaquolls | ESD: Moist Floodplain
 Geomorphic: depressions



One-Sample t-Test: Baseline (wvcom) vs. reinventory (* $p < 0.05$).

Baseline sample size ($n = 1$). Current year sample size ($n = 3$). Error bars = 95% CI.


FSL126 (W/C): C | Type: C | Alkali Meadow
 Mollisols Fluvaquentic Endoaquolls | ESD: Moist Floodplain
 Geomorphic: depressions



One-Sample t-Test: Baseline (wvcom) vs. reinventory (* p < 0.05).

Baseline sample size (n = 1). Current year sample size (n = 3). Error bars = 95% CI.


FSL128 (W/C): C | Type: C | Alkali Meadow
 Mollisols Fluvaquentic Endoaquolls | ESD: Moist Floodplain
 Geomorphic: depressions



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 6). Current year sample size (n = 8). Error bars = 95% CI.


FSL129 (W/C): C | Type: C | Alkali Meadow
 Aridisols Numu | ESD: Saline Bottom
 Geomorphic: stream terraces



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 10). Current year sample size (n = 10). Error bars = 95% CI.


FSL130 (W/C): W | Type: C | Alkali Meadow
 Aridisols Numu | ESD: Saline Bottom
 Geomorphic: stream terraces



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* $p < 0.05$).

Baseline sample size ($n = 12$). Current year sample size ($n = 11$). Error bars = 95% CI.


FSL138 (W/C): C | Type: E | Rush/Sedge Meadow
 Mollisols Fluvaquentic Endoaquolls | ESD: Moist Floodplain
 Geomorphic: depressions



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 8). Current year sample size (n = 10). Error bars = 95% CI.


FSL166 (W/C): C | Type: C | Alkali Meadow
 Mollisols Fluvaquentic Endoaquolls | ESD: Moist Floodplain
 Geomorphic: depressions



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 6). Current year sample size (n = 8). Error bars = 95% CI.


FSL172 (W/C): C | Type: D | Modoc–Gr.Basin Riparian Scrub
 Mollisols Fluvaquentic Endoaquolls | ESD: Moist Floodplain
 Geomorphic: depressions



One-Sample t-Test: Baseline (lpt) vs. reinventory (* $p < 0.05$).

Baseline sample size ($n = 3$). Current year sample size ($n = 9$). Error bars = 95% CI.


FSL187 (W/C): C | Type: A | Alkali Meadow
 Mollisols Fluvaquentic Endoaquolls | ESD: Moist Floodplain
 Geomorphic: depressions



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* $p < 0.05$).

Baseline sample size ($n = 12$). Current year sample size ($n = 12$). Error bars = 95% CI.


FSP004_BGP188 (W/C): W | Type: B | Rabbitbrush Meadow
 Aridisols Hessica | ESD: Saline Bottom
 Geomorphic: stream terraces



One-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 4). Current year sample size (n = 16). Error bars = 95% CI.


FSP006_BGP182 (W/C): W | Type: AC | Alkali Meadow
 Aridisols Hessica | ESD: Saline Bottom
 Geomorphic: stream terraces



One-Sample t-Test: Baseline (wvcom) vs. reinventory (* p < 0.05).

Baseline sample size (n = 1). Current year sample size (n = 7). Error bars = 95% CI.


FSP015 (W/C): W | Type: C | Alkali Meadow
 Aridisols Hessica | ESD: Saline Bottom
 Geomorphic: stream terraces



One-Sample t-Test: Baseline (wvcom) vs. reinventory (* $p < 0.05$).

Baseline sample size ($n = 1$). Current year sample size ($n = 14$). Error bars = 95% CI.


FSP020 (W/C): W | Type: B | Nevada Saltbush Scrub
 Aridisols Hessica | ESD: Saline Bottom
 Geomorphic: stream terraces



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* $p < 0.05$).

Baseline sample size ($n = 11$). Current year sample size ($n = 14$). Error bars = 95% CI.


IND011 (W/C): W | Type: C | Alkali Meadow
 Mollisols Dehy | ESD: Saline Meadow
 Geomorphic: alluvial fans, stream terraces



One-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 3). Current year sample size (n = 12). Error bars = 95% CI.


IND019 (W/C): W | Type: C | Alkali Meadow
 Mollisols Shondow | ESD: Saline Meadow
 Geomorphic: stream terraces



One-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 1). Current year sample size (n = 12). Error bars = 95% CI.


IND021 (W/C): W | Type: C | Rabbitbrush Meadow
 Mollisols Dehy | ESD: Saline Meadow
 Geomorphic: alluvial fans, stream terraces



One-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 1). Current year sample size (n = 14). Error bars = 95% CI.


IND024_BLK103 (W/C): W | Type: C | Alkali Meadow
 NA NA | ESD: NA
 Geomorphic: NA



One-Sample t-Test: Baseline (lpt) vs. reinventory (* $p < 0.05$).

Baseline sample size ($n = 2$). Current year sample size ($n = 18$). Error bars = 95% CI.


IND026 (W/C): W | Type: C | Alkali Meadow
 Histosols Rindle family | ESD: Wetland
 Geomorphic: fan terraces, stream terraces



One-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 1). Current year sample size (n = 16). Error bars = 95% CI.


IND029 (W/C): W | Type: C | Alkali Meadow
 Histosols Rindle family | ESD: Wetland
 Geomorphic: fan terraces, stream terraces



One-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 1). Current year sample size (n = 6). Error bars = 95% CI.


IND035 (W/C): W | Type: C | Alkali Meadow
 Mollisols Shondow | ESD: Saline Meadow
 Geomorphic: stream terraces



One-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 2). Current year sample size (n = 11). Error bars = 95% CI.


IND064 (W/C): C | Type: C | Alkali Meadow
 Aridisols Winnedumah | ESD: Sodic Fan 5–8" P.Z.
 Geomorphic: lakebeds (relict), stream terraces



One-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 2). Current year sample size (n = 9). Error bars = 95% CI.


IND067 (W/C): C | Type: C | Nevada Saltbush Meadow
 Aridisols Manzanar | ESD: Saline Meadow
 Geomorphic: lake terraces, stream terraces



One-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 4). Current year sample size (n = 18). Error bars = 95% CI.


IND087 (W/C): C | Type: C | Alkali Meadow
 Mollisols Shonadow | ESD: Saline Meadow
 Geomorphic: stream terraces



One-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 1). Current year sample size (n = 13). Error bars = 95% CI.


IND096 (W/C): C | Type: B | Nevada Saltbush Scrub
 Aridisols Winnedumah | ESD: Sodic Fan 5–8" P.Z.
 Geomorphic: lakebeds (relict), stream terraces



One-Sample t-Test: Baseline (lpt) vs. reinventory (* $p < 0.05$).

Baseline sample size ($n = 3$). Current year sample size ($n = 12$). Error bars = 95% CI.


IND106 (W/C): W | Type: A | Nevada Saltbush Scrub
 Histosols Rindle family | ESD: Wetland
 Geomorphic: fan terraces, stream terraces



One-Sample t-Test: Baseline (wvcom) vs. reinventory (* $p < 0.05$).

Baseline sample size ($n = 1$). Current year sample size ($n = 13$). Error bars = 95% CI.


IND111 (W/C): W | Type: C | Nevada Saltbush Meadow
 Histosols Rindle family | ESD: Wetland
 Geomorphic: fan terraces, stream terraces



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 10). Current year sample size (n = 13). Error bars = 95% CI.


IND119 (W/C): C | Type: C | Alkali Meadow
 Aridisols Mazourka | ESD: Sandy Terrace 5–8" P.Z.
 Geomorphic: stream terraces



One-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 3). Current year sample size (n = 8). Error bars = 95% CI.


IND122 (W/C): C | Type: B | Nevada Saltbush Scrub
 NA NA | ESD: NA
 Geomorphic: NA



One-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 3). Current year sample size (n = 16). Error bars = 95% CI.


IND124 (W/C): W | Type: B | Nevada Saltbush Scrub
 Histosols Rindle family | ESD: Wetland
 Geomorphic: fan terraces, stream terraces



One-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 1). Current year sample size (n = 5). Error bars = 95% CI.


IND132 (W/C): W | Type: B | Nevada Saltbush Scrub
 Histosols Rindle family | ESD: Wetland
 Geomorphic: fan terraces, stream terraces



One-Sample t-Test: Baseline (wvcom) vs. reinventory (* $p < 0.05$).

Baseline sample size ($n = 1$). Current year sample size ($n = 10$). Error bars = 95% CI.


IND133 (W/C): W | Type: A | Nevada Saltbush Scrub
 Histosols Rindle family | ESD: Wetland
 Geomorphic: fan terraces, stream terraces



One-Sample t-Test: Baseline (wvcom) vs. reinventory (* $p < 0.05$).

Baseline sample size (n = 1). Current year sample size (n = 7). Error bars = 95% CI.


IND139_MAN005 (W/C): W | Type: C | Nevada Saltbush Meadow
 Aridisols Winnedumah | ESD: Sodic Fan 5–8" P.Z.
 Geomorphic: lakebeds (relict), stream terraces



One-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 2). Current year sample size (n = 23). Error bars = 95% CI.


IND151 (W/C): C | Type: C | Alkali Meadow
 Aridisols Manzanar | ESD: Saline Meadow
 Geomorphic: lake terraces, stream terraces



One-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 2). Current year sample size (n = 15). Error bars = 95% CI.


IND163_BEE017 (W/C): C | Type: C | Alkali Meadow
 Aridisols Mazourka | ESD: Sandy Terrace 5–8" P.Z.
 Geomorphic: stream terraces



One-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 4). Current year sample size (n = 20). Error bars = 95% CI.


IND205 (W/C): W | Type: C | Alkali Meadow
 Histosols Rindle family | ESD: Wetland
 Geomorphic: fan terraces, stream terraces



One-Sample t-Test: Baseline (wvcom) vs. reinventory (* p < 0.05).

Baseline sample size (n = 1). Current year sample size (n = 8). Error bars = 95% CI.


IND231 (W/C): W | Type: A | Nevada Saltbush Scrub
 Histosols Rindle family | ESD: Wetland
 Geomorphic: fan terraces, stream terraces



One-Sample t-Test: Baseline (wvcom) vs. reinventory (* $p < 0.05$).

Baseline sample size (n = 1). Current year sample size (n = 9). Error bars = 95% CI.


LAW030 (W/C): W | Type: C | Alkali Meadow
 Entisols Sabies | ESD: Sodic Terrace
 Geomorphic: stream terraces



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* $p < 0.05$).

Baseline sample size ($n = 12$). Current year sample size ($n = 8$). Error bars = 95% CI.


LAW035 (W/C): W | Type: C | Alkali Meadow
 Entisols Sabies | ESD: Sodic Terrace
 Geomorphic: stream terraces



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 6). Current year sample size (n = 8). Error bars = 95% CI.


LAW043 (W/C): W | Type: E | Rush/Sedge Meadow
 Entisols Sabies | ESD: Sodic Terrace
 Geomorphic: stream terraces



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* $p < 0.05$).

Baseline sample size ($n = 8$). Current year sample size ($n = 9$). Error bars = 95% CI.


LAW052 (W/C): W | Type: C | Alkali Meadow
 Entisols Yaney | ESD: Sodic Terrace
 Geomorphic: stream terraces



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 6). Current year sample size (n = 5). Error bars = 95% CI.


LAW062 (W/C): W | Type: C | Rabbitbrush Meadow
 Entisols Sabies | ESD: Sodic Terrace
 Geomorphic: stream terraces



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 9). Current year sample size (n = 8). Error bars = 95% CI.


LAW063 (W/C): W | Type: A | Desert Greasewood Scrub
 Entisols Blindsights | ESD: Loamy 5–8" P.Z.
 Geomorphic: valley floors



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 8). Current year sample size (n = 8). Error bars = 95% CI.


LAW065 (W/C): W | Type: A | Alkali Meadow
 Entisols Blindsights | ESD: Loamy 5–8" P.Z.
 Geomorphic: valley floors



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* $p < 0.05$).

Baseline sample size ($n = 6$). Current year sample size ($n = 4$). Error bars = 95% CI.


LAW070 (W/C): W | Type: E | Rush/Sedge Meadow
 Entisols Sabies | ESD: Sodic Terrace
 Geomorphic: stream terraces



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 6). Current year sample size (n = 5). Error bars = 95% CI.


LAW072 (W/C): W | Type: C | Alkali Meadow
 Aridisols Numu | ESD: Saline Bottom
 Geomorphic: stream terraces



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* $p < 0.05$).

Baseline sample size ($n = 6$). Current year sample size ($n = 14$). Error bars = 95% CI.


LAW078 (W/C): W | Type: C | Alkali Meadow
 Aridisols Numu | ESD: Saline Bottom
 Geomorphic: stream terraces



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 7). Current year sample size (n = 8). Error bars = 95% CI.


LAW082 (W/C): W | Type: C | Rabbitbrush Meadow
 Entisols Sabies | ESD: Sodic Terrace
 Geomorphic: stream terraces



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 6). Current year sample size (n = 8). Error bars = 95% CI.


LAW085 (W/C): W | Type: C | Alkali Meadow
 Aridisols Pokonahbe | ESD: Saline Bottom
 Geomorphic: lake terraces, stream terraces



One-Sample t-Test: Baseline (wvcom) vs. reinventory (* $p < 0.05$).

Baseline sample size ($n = 1$). Current year sample size ($n = 4$). Error bars = 95% CI.


LAW105 (W/C): W | Type: C | Alkali Meadow
 Histosols Rindle family | ESD: Wetland
 Geomorphic: fan terraces, stream terraces



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* $p < 0.05$).

Baseline sample size ($n = 9$). Current year sample size ($n = 15$). Error bars = 95% CI.


LAW107 (W/C): W | Type: C | Alkali Meadow
 Aridisols Numu | ESD: Saline Bottom
 Geomorphic: stream terraces



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 7). Current year sample size (n = 5). Error bars = 95% CI.


LAW108_FSL047 (W/C): W | Type: C | Alkali Meadow
 Aridisols Numu | ESD: Saline Bottom
 Geomorphic: stream terraces



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 8). Current year sample size (n = 19). Error bars = 95% CI.


LAW109_FSL048 (W/C): W | Type: AC | Alkali Meadow
 NA NA | ESD: NA
 Geomorphic: NA



Two-Sample t-Test: Baseline (NA) vs. reinventory (* p < 0.05).

Baseline sample size (n = 6). Current year sample size (n = 20). Error bars = 95% CI.


LAW112 (W/C): W | Type: C | Nevada Saltbush Meadow
 Histosols Rindle family | ESD: Wetland
 Geomorphic: fan terraces, stream terraces



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 6). Current year sample size (n = 4). Error bars = 95% CI.


LAW120 (W/C): W | Type: C | Alkali Meadow
 Aridisols Numu | ESD: Saline Bottom
 Geomorphic: stream terraces



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* $p < 0.05$).

Baseline sample size ($n = 12$). Current year sample size ($n = 9$). Error bars = 95% CI.


LAW122 (W/C): W | Type: C | Alkali Meadow
 Entisols Torrifluvents | ESD: Saline Meadow
 Geomorphic: stream terraces



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 9). Current year sample size (n = 12). Error bars = 95% CI.


LAW137_PLC210 (W/C): W | Type: C | Rabbitbrush Meadow
 Entisols Yermo | ESD: Gravelly Loam 5–8" P.Z.
 Geomorphic: fan terraces



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 12). Current year sample size (n = 20). Error bars = 95% CI.


LNP018 (W/C): C | Type: C | Alkali Meadow
 Aridisols Mazourka | ESD: Sandy Terrace 5–8" P.Z.
 Geomorphic: stream terraces



One-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 3). Current year sample size (n = 11). Error bars = 95% CI.


LNP019 (W/C): C | Type: B | Nevada Saltbush Scrub
 NA NA | ESD: NA
 Geomorphic: NA



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 6). Current year sample size (n = 15). Error bars = 95% CI.


LNP045 (W/C): W | Type: C | Nevada Saltbush Meadow
 Aridisols Winnedumah | ESD: Sodic Fan 5–8" P.Z.
 Geomorphic: lakebeds (relict), stream terraces



One-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 3). Current year sample size (n = 7). Error bars = 95% CI.


LNP050 (W/C): C | Type: C | Alkali Meadow
 Aridisols Winnedumah | ESD: Sodic Fan 5–8" P.Z.
 Geomorphic: lakebeds (relict), stream terraces



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* $p < 0.05$).

Baseline sample size ($n = 6$). Current year sample size ($n = 18$). Error bars = 95% CI.


LNP095 (W/C): C | Type: C | Alkali Meadow
 NA NA | ESD: NA
 Geomorphic: NA



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* $p < 0.05$).

Baseline sample size ($n = 12$). Current year sample size ($n = 18$). Error bars = 95% CI.


MAN006_IND229 (W/C): W | Type: C | Alkali Meadow
 Aridisols Winnedumah | ESD: Sodic Fan 5-8" P.Z.
 Geomorphic: lakebeds (relict), stream terraces



One-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 4). Current year sample size (n = 11). Error bars = 95% CI.


MAN007 (W/C): W | Type: B | Nevada Saltbush Scrub
 Aridisols Winnedumah | ESD: Sodic Fan 5–8" P.Z.
 Geomorphic: lakebeds (relict), stream terraces



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* $p < 0.05$).

Baseline sample size ($n = 8$). Current year sample size ($n = 22$). Error bars = 95% CI.


MAN014 (W/C): C | Type: C | Nevada Saltbush Meadow
 Aridisols Rienhakel | ESD: Saline Bottom
 Geomorphic: lake terraces, stream terraces



One-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 3). Current year sample size (n = 6). Error bars = 95% CI.


MAN034 (W/C): W | Type: A | Desert Sink Scrub
 Aridisols Rienhakel | ESD: Saline Bottom
 Geomorphic: lake terraces, stream terraces



One-Sample t-Test: Baseline (lpt) vs. reinventory (* $p < 0.05$).

Baseline sample size ($n = 3$). Current year sample size ($n = 6$). Error bars = 95% CI.


MAN037 (W/C): W | Type: B | Nevada Saltbush Scrub
 Aridisols Winnedumah | ESD: Sodic Fan 5-8" P.Z.
 Geomorphic: lakebeds (relict), stream terraces



One-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 3). Current year sample size (n = 14). Error bars = 95% CI.


MAN042 (W/C): W | Type: A | Rabbitbrush Scrub
 Histosols Rindle family | ESD: Wetland
 Geomorphic: fan terraces, stream terraces



One-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 2). Current year sample size (n = 14). Error bars = 95% CI.


MAN060 (W/C): C | Type: C | Alkali Meadow
 Mollisols Conway | ESD: Wet Meadow
 Geomorphic: alluvial fans



One-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 3). Current year sample size (n = 4). Error bars = 95% CI.


PLC007 (W/C): W | Type: B | Nevada Saltbush Scrub
 Mollisols Shonadow | ESD: Saline Meadow
 Geomorphic: stream terraces



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* $p < 0.05$).

Baseline sample size ($n = 10$). Current year sample size ($n = 18$). Error bars = 95% CI.


PLC024 (W/C): C | Type: C | Alkali Meadow
 Entisols Torrifluvents | ESD: Saline Meadow
 Geomorphic: stream terraces



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* $p < 0.05$).

Baseline sample size ($n = 12$). Current year sample size ($n = 8$). Error bars = 95% CI.


PLC028 (W/C): C | Type: C | Alkali Meadow
 Mollisols Shondow | ESD: Saline Meadow
 Geomorphic: stream terraces



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 6). Current year sample size (n = 18). Error bars = 95% CI.


PLC056 (W/C): C | Type: C | Rabbitbrush Meadow
 NA NA | ESD: NA
 Geomorphic: NA



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 6). Current year sample size (n = 15). Error bars = 95% CI.


PLC059 (W/C): C | Type: B | Nevada Saltbush Scrub
 NA NA | ESD: NA
 Geomorphic: NA



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* $p < 0.05$).

Baseline sample size ($n = 9$). Current year sample size ($n = 16$). Error bars = 95% CI.


PLC070 (W/C): C | Type: C | Nevada Saltbush Meadow
 Aridisols Rienhakel | ESD: Saline Bottom
 Geomorphic: lake terraces, stream terraces



One-Sample t-Test: Baseline (wvcom) vs. reinventory (* $p < 0.05$).

Baseline sample size ($n = 1$). Current year sample size ($n = 9$). Error bars = 95% CI.


PLC072 (W/C): C | Type: B | Rabbitbrush Scrub
 Aridisols Poleta | ESD: Loamy 5–8" P.Z.
 Geomorphic: stream terraces



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 6). Current year sample size (n = 11). Error bars = 95% CI.


PLC088 (W/C): C | Type: C | Alkali Meadow
 Aridisols Manzanar | ESD: Saline Meadow
 Geomorphic: stream terraces



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* $p < 0.05$).

Baseline sample size ($n = 6$). Current year sample size ($n = 16$). Error bars = 95% CI.


PLC092 (W/C): C | Type: B | Rabbitbrush Scrub
 NA NA | ESD: NA
 Geomorphic: NA



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* $p < 0.05$).

Baseline sample size ($n = 6$). Current year sample size ($n = 15$). Error bars = 95% CI.


PLC097 (W/C): C | Type: C | Alkali Meadow
 Aridisols Manzanar | ESD: Saline Meadow
 Geomorphic: stream terraces



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* $p < 0.05$).

Baseline sample size ($n = 6$). Current year sample size ($n = 6$). Error bars = 95% CI.


PLC106 (W/C): C | Type: C | Rabbitbrush Meadow
 Aridisols Rienhakel | ESD: Saline Bottom
 Geomorphic: lake terraces, stream terraces



One-Sample t-Test: Baseline (wvcom) vs. reinventory (* $p < 0.05$).

Baseline sample size ($n = 1$). Current year sample size ($n = 6$). Error bars = 95% CI.


PLC107 (W/C): C | Type: C | Rabbitbrush Meadow
 Aridisols Rienhakel | ESD: Saline Bottom
 Geomorphic: lake terraces, stream terraces



One-Sample t-Test: Baseline (wvcom) vs. reinventory (* p < 0.05).

Baseline sample size (n = 1). Current year sample size (n = 4). Error bars = 95% CI.


PLC121 (W/C): C | Type: C | Alkali Meadow
 Mollisols Fluvaquentic Endoaquolls | ESD: Moist Floodplain
 Geomorphic: depressions



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 9). Current year sample size (n = 14). Error bars = 95% CI.


PLC136 (W/C): C | Type: A | Alkali Meadow
 NA NA | ESD: NA
 Geomorphic: NA



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 10). Current year sample size (n = 15). Error bars = 95% CI.


PLC137 (W/C): C | Type: C | Rabbitbrush Meadow
 Aridisols Manzanar | ESD: Saline Meadow
 Geomorphic: stream terraces




Two-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 10). Current year sample size (n = 16). Error bars = 95% CI.

PLC144 (W/C): C | Type: C | Alkali Meadow
 NA NA | ESD: NA
 Geomorphic: NA




PLC223 (W/C): C | Type: C | Alkali Meadow
 Aridisols Mazourka | ESD: Sodic Terrace
 Geomorphic: stream terraces



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 6). Current year sample size (n = 15). Error bars = 95% CI.


TIN028_FSP022_FSP019 (W/C): W | Type: A | Desert Greasewood Scrub
 Aridisols Hessica | ESD: Saline Bottom
 Geomorphic: stream terraces



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 6). Current year sample size (n = 16). Error bars = 95% CI.


TIN030 (W/C): W | Type: C | Alkali Meadow
 Entisols Hesperia | ESD: Loamy 5–8" P.Z.
 Geomorphic: alluvial fans



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 12). Current year sample size (n = 24). Error bars = 95% CI.


TIN050 (W/C): W | Type: C | Alkali Meadow
 Mollisols Fluvaquentic Endoaquolls | ESD: Moist Floodplain
 Geomorphic: depressions



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 9). Current year sample size (n = 14). Error bars = 95% CI.


TIN053 (W/C): W | Type: A | Alkali Meadow
 Mollisols Fluvaquentic Endoaquolls | ESD: Moist Floodplain
 Geomorphic: depressions



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* $p < 0.05$).

Baseline sample size ($n = 6$). Current year sample size ($n = 16$). Error bars = 95% CI.


TIN064 (W/C): W | Type: C | Alkali Meadow
 Mollisols Shondow | ESD: Saline Meadow
 Geomorphic: stream terraces



One-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 4). Current year sample size (n = 8). Error bars = 95% CI.


TIN068 (W/C): W | Type: A | Alkali Meadow
 Aridisols Winerton | ESD: Sodic Flat
 Geomorphic: stream terraces



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 8). Current year sample size (n = 9). Error bars = 95% CI.


UNW029 (W/C): C | Type: C | Alkali Meadow
 Aridisols Rienhakel | ESD: Saline Bottom
 Geomorphic: lake terraces, stream terraces



One-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 4). Current year sample size (n = 5). Error bars = 95% CI.


UNW031 (W/C): C | Type: E | Rush/Sedge Meadow
 NA NA | ESD: NA
 Geomorphic: NA



One-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 2). Current year sample size (n = 16). Error bars = 95% CI.


UNW039 (W/C): C | Type: B | Nevada Saltbush Scrub
 Aridisols Winnedumah | ESD: Sodic Fan 5–8" P.Z.
 Geomorphic: lakebeds (relict), stream terraces



Two-Sample t-Test: Baseline (lpt) vs. reinventory (* $p < 0.05$).

Baseline sample size ($n = 6$). Current year sample size ($n = 23$). Error bars = 95% CI.

UNW079 (W/C): C | Type: C | Nevada Saltbush Meadow
 Mollisols Fluvaquentic Endoaquolls | ESD: Moist Floodplain
 Geomorphic: depressions



One-Sample t-Test: Baseline (lpt) vs. reinventory (* p < 0.05).

Baseline sample size (n = 4). Current year sample size (n = 0). Error bars = 95% CI.