



TEAMENVIRONMENTAL.COM

760-872-1033

459 W. Line Street, Suite A

Bishop, CA 93514

July 6, 2022

Dr. Aaron Steinwand
Inyo County Water Department
135 South Jackson Street
Independence, CA 93526

RE: Bi-Monthly Groundwater Monitoring per GMMRP, May to June 2022

Crystal Geyser Roxane, Cabin Bar Ranch, Inyo County, California

Dear Dr. Steinwand:


This letter summarizes hydrologic monitoring activities conducted in May and June 2022 by TEAM Environmental (TEAM), in support of the Crystal Geyser Roxane (CGR) Cabin Bar Ranch Bottling Plant Groundwater Monitoring, Mitigation, and Reporting Plan (GMMRP).

BACKGROUND

As outlined in the GMMRP for Cabin Bar Ranch, dated June 18, 2014, a network of groundwater monitoring wells has been established for collection of water level and water quality data in support of the proposed Cabin Bar Ranch Bottling Facility (see Figure 1). The conditions of the GMMRP required a minimum of four months of continuous baseline groundwater data collection to characterize pre-project conditions and to assess the functionality of the monitoring system. In February 2016, TEAM (formerly TEAM Engineering & Management, Inc.) was retained by CGR to collect the required baseline groundwater data and report directly to the Inyo County Water Department (ICWD), as an objective third-party monitor.

Baseline groundwater monitoring was initiated on March 1, 2016. The first four months of baseline groundwater monitoring data, including laboratory results of water quality samples, were summarized in the "Baseline Groundwater Monitoring Report, First and Second Quarter 2016" dated August 4, 2016. Monthly groundwater level monitoring activities continued, with bi-monthly reporting, until project pumping commenced in order to accurately document pre-pumping baseline conditions. Project pumping at the Cabin Bar Ranch Bottling Facility commenced on March 19, 2018.

In a letter to ICWD dated April 6, 2017, CGR provided a summary of the water level and water quality data to document pre-pumping baseline conditions and provided recommendations for the refinement of site-wide groundwater elevation trigger levels and water quality trigger levels in monitoring well OW-10m. In a letter dated July 6, 2017, the ICWD concurred with these recommendations, which formalized the project trigger levels discussed herein.



March 2020 marked the end of the initial 2-year post-pumping groundwater monitoring period as outlined in the GMMRP. In accordance with the GMMRP Section 6.1.1 and Section 6.1.2, following two years of groundwater level and groundwater quality data, TEAM submitted to ICWD a report titled *Recommendations for Reduced Monitoring per GMMRP*, dated October 7, 2020. ICWD conditionally approved the recommendations in a letter dated November 1, 2020, requiring CGR to continue water level monitoring on a bi-monthly basis. The ICWD letter also required CGR to perform two more quarterly groundwater sampling events during the Fourth Quarter 2020 and First Quarter 2021, at which point the data and monitoring program were to be reassessed.

Additional monitoring recommendations were developed and presented by TEAM in the *Bi-Monthly Groundwater Monitoring per GMMRP, January to February 2021* report, dated March 12, 2021. ICWD conditionally approved the recommendations in a letter dated May 20, 2021, requiring CGR to continue water level monitoring on a bi-monthly basis with semi-annual groundwater sampling events to be conducted during the Second and Fourth Quarters of each year.

WATER LEVEL MONITORING

TEAM completed the June 2022 bi-monthly hydrologic data collection event at the GMMRP groundwater monitoring locations in the area of Cabin Bar Ranch (See Figure 2) on June 14, 2022. Static depth-to-water (DTW) measurements were collected by TEAM, as summarized in Table 2. Manual DTW measurements were referenced to a surveyed mark on the top of the well casing and converted to groundwater elevation (GWE), in feet above mean sea level. Any adjustments to the GWE calculation (e.g. for riser height) are included in the table.

Monitoring well datalogging systems (pressure transducers) have been installed and activated by CGR in all fourteen (14) GMMRP wells: CMW-2, MW-3, P-5, P-10, P-15, PAT-1, OW-7u, OW-7m, OW-8us, OW-9u, OW-10u, OW-10m, RP-1 and SS-1A (see Figure 2). During the June 2022 monitoring event, water level or pressure measurements were collected from all fourteen of the measuring points defined in the GMMRP.

On June 14, 2022, a round of manual DTWs were collected by TEAM personnel, and the transducer data were downloaded for the period of April 5 to June 14, 2022. Manual DTWs and corresponding GWEs are included in Table 2. Pressure readings were collected from OW-8us and OW-9u, which both remained artesian in June. The data from each datalogger were correlated to manual DTWs from the beginning of the data period, or to the closest correlated data point when necessary. Hydrographs of each well have been provided in Attachment A.

WATER QUALITY MONITORING

The GMMRP for Cabin Bar Ranch required pre-pumping water quality monitoring to establish baseline conditions for the project. Baseline water quality sample collection was conducted in March, April, June, and September 2016. Due to delays in project implementation, and as agreed upon between CGR and ICWD, a final round of water quality samples representative of baseline conditions was collected on March 27, 2018.

Subsequent to the initiation of pumping in March 2018, the first round of quarterly water quality samples to be compared to the baseline dataset was collected in June 2018. Water quality samples have been collected quarterly from June 2018 to June 2021, and semi-annually from June 2021 to June 2022. The results of water quality analysis collected from GMMRP monitoring locations are summarized in Table 3.

Groundwater samples were collected from all ten (10) GMMRP monitoring points in June 2022. Wells CMW-2, PAT-1, OW-8us, and OW-9u were sampled on June 14, 2022, and wells MW-3, OW-7u, OW-7m, OW-10m, OW-10u, and P-5 were sampled on June 15, 2022. The samples were transported to the analytical laboratories via expedited overnight mail with completed chain-of-custody forms. Monitoring Parameters were analyzed by Eurofins Calscience of Tustin, California, and Pace Analytical Laboratories of Bakersfield, California. Eurofins and Pace are both California state-certified laboratories.

Based on the analysis of total Title 22 priority pollutant metals, arsenic, barium, chromium, lead, molybdenum, vanadium, and zinc were detected above laboratory detection limits in one or more GMMRP wells in June 2022. Of these detections, only the arsenic concentrations identified in OW-7u and OW-7m (0.023 mg/L each) exceed the maximum contaminant level (MCL) for arsenic in drinking water in California (0.010 mg/L). These detections are similar to samples collected previously at OW-7u and OW-7m. All other metal concentrations are below applicable primary MCLs. It should be noted that the trigger level for arsenic (0.0075 mg/L) is only applicable to wells CMW-2, OW-8us, OW-9u, OW-10u, OW-10m, and PAT-1 in accordance with the GMMRP. The approved water quality trigger levels for select wells are included in Table 5 for reference.

As indicated in the GMMRP Section 6.1.1, groundwater quality data is also required to be collected on a daily basis using sensors installed with the datalogging systems. Project monitoring wells OW-10m, OW-7u, OW-7m, OW-8us, OW-9u and P-5 were equipped with AquaTroll 200 transducers and were set to record Electrical Conductivity (eC) every 4 hours. Off-site wells CMW-2 and PAT-1 were also equipped with AquaTroll 200 transducers. The conductivity data is plotted on the hydrographs in Attachment A.

PRODUCTION WELL TOTALIZER READINGS

Totalizer readings for the three Cabin Bar Ranch production wells (CGR-8, CGR-9, and CGR-10) were first collected on March 13, 2018, prior to the commencement of pumping on March 19, 2018, and during each subsequent monthly or bi-monthly monitoring event. Per the GMMRP and ICWD direction, the combined annual allowable pumping amount for the Cabin Bar Ranch production wells is 360 acre-feet per year. The first annual project pumping total, from March 19, 2018, to March 14, 2019, was approximately 155 acre-feet. The second-annual project pumping total, from March 14, 2019, to March 18, 2020, was approximately 263 acre-feet. The third-annual project pumping total, from March 18, 2020, to March 18, 2021, was approximately 280 acre-feet. The fourth-annual project pumping total, from March 18, 2021, to March 15, 2022, was approximately 262 acre-feet. The current annual project pumping

amount, from March 15, 2022, to June 14, 2022, is approximately 66 acre-feet. The totalizer readings and a summary of project pumping amounts are provided in Table 6.

TRIGGER LEVELS

A summary of baseline GWEs and water level trigger levels, based on drawdown (from baseline GWEs) or depth-to-water (P-15 only) for wells in which triggers have been established, is provided in Table 4. The reference baseline GWEs were approved by the ICWD in their July 2017 letter. No GWE trigger levels were exceeded based on the water level data collected in June 2022, nor during the project thus far.

Trigger levels for six water quality parameters, which apply to quarterly sampling data, are included in Table 5. No water quality trigger levels have been exceeded based on the samples collected during the project thus far. Per the GMMRP, an analysis of water quality data is required to be conducted to determine if an upward statistically significant trend in one of the water quality parameters indicates that a trigger level will be reached within a three-year period. Trends are reassessed approximately every six months with the addition of new data.

STATISTICAL ANALYSIS

A limited statistical analysis was conducted in June 2022 after the collection of semi-annual groundwater sample data. A linear regression analysis was performed on the six designated water quality parameters (sodium, chloride, bicarbonate, total dissolved solids [TDS], arsenic, and barium) at all trigger well locations. Graphs showing the concentrations over time and trendlines are included in Attachment C. Of the six water quality parameters, a potentially increasing trend was noted in TDS concentrations at OW-8us. The R-squared value for TDS at OW-8us (0.22) indicates a weak positive correlation between the trendline and the data. A projection of this trendline for three years after the last sample collection (through June 2024) indicates that no exceedances of the respective trigger level are predicted. Only trendlines with R-squared values greater than 0.10 are shown on the graphs. Values below 0.10 indicate that there is no positive correlation between the trendlines and the data and are considered statistically insignificant. No other potentially increasing trends were noted among the other water quality parameters at any of the trigger well locations. It should be noted that the accuracy of any trends is limited due to the small dataset and is subject to further analysis after the collection of additional data points or as directed by ICWD.

OPERATIONAL NOTES

Totalizer data from May 2022 was collected by CGR and reported to TEAM. Totalizer data from June 2022 was collected directly by TEAM. There were no significant operational issues during the reporting period.

ANTICIPATED ACTIVITIES

Bi-monthly reporting and semi-annual groundwater sampling will continue according to the requirements of the updated GMMRP. Collection of depth to water and download of transducer data is anticipated to be conducted in August 2022. In addition, totalizer reads

from all three production wells (CGR-8, CGR-9 and CGR-10) will be collected in July by CGR and in August by TEAM. Collection of semi-annual water quality samples is anticipated to be conducted in December 2022.

* * * * *


If you have any questions or require additional information, please contact TEAM at your convenience.

Sincerely,

TEAM Environmental



Richard Shore
Project Geologist
richard@teamenvironmental.com



**FIGURE 1
SITE LOCATION
CABIN BAR RANCH**

**Crystal Geyser Roxane
Inyo County**

Date created: 2/14/22
Created by: RS File:
CGRFig1.mxd

Approximate Location

Printed from TOPO! ©2000 National Geographic Holdings (www.topo.com)




TABLE 1: SUMMARY OF GROUNDWATER MONITORING PROGRAM

Monitoring Area	Well #	Monitored Zone	Pressure Transducer Installed (Y/N)	Depth of Well Screen Interval (ft) (2)	Monthly Water Level Monitoring	Quarterly Groundwater Quality Monitoring	Trigger Level (drawdown in ft btoc)	Purpose or Rationale
Northern	P-10	Shallow	Y	33 - 48	X	-	6	Monitor area north of production wells and provide sentinel monitoring to Cartago Area.
	OW-10U	Shallow	Y	65 – 85	X	X	6	
	OW-10M	Deep	Y	115 – 150	X	X	6	
Western	P-5	Shallow	Y	23 - 28	X	X	-	Monitor area hydraulically upgradient of production wells.
	MW-3	Deep	Y	200 – 420	X	X	-	
Southern	OW-7U	Shallow	Y	54 - 74	X	X	10	Monitor area south of production wells.
	OW-7M	Deep	Y	212 – 252	X	X	10	
Eastern	OW-8US	Shallow	Y	55 – 75	X	X	-	Provide sentinel monitoring to potential brine intrusion from the east.
	OW-9U	Shallow	Y	55 – 75	X	X	7	
Off-Site	CMW-2	Deep	Y	115 - 150	X	X	-	Monitor Cartago area.
	PAT-1	Shallow/Deep	Y	50 – 155	X	X	-	
Vegetation Monitoring	P-15	Shallow	Y	4-9	X	-	DTW>5.4 (1)	Monitor wetland area east of production wells.
	SS-1A	Shallow	Y	~5 – 15a	X	-	-	
	RP-1	Shallow	Y	~7.5 - 8.5	X	-	-	

Explanation:

Y/N: Yes/No

X: Designated for monitoring per table heading.

ft.: feet

ft btoc: feet below top of casing

- : Not Required by GMMRP

Notes:

1: Proposed trigger level for P-15 is water level below 5.4 feet for any continuous 12-month period

2: Well information as provided by Geosyntec to TEAM in March 2015.

TABLE 2
BASELINE GROUNDWATER ELEVATION DATA
Cabin Bar Ranch GMMRP Monitoring Points

Well ID	Monitoring Point	Surveyed TOC Elevation (ft amsl)	Date	Time	DTW (ft) (2)	Measuring Point Adjustment	GWE (ft amsl) (3)
CMW-2	Cartago MWC Supply Well #2	3635.52	6/15/2016	11:45	20.29	0.0	3615.23
			7/26/2016	9:16	21.00	0.0	3614.52
			8/24/2016	10:10	20.91	0.0	3614.61
			9/15/2016	9:53	20.93	0.0	3614.59
			11/22/2016	9:42	20.60	0.0	3614.92
			12/14/2016	9:39	20.40	0.0	3615.12
			1/25/2017	10:02	20.31	0.0	3615.21
			2/23/2017	9:37	19.98	0.0	3615.54
			3/22/2017	9:47	19.74	0.0	3615.78
			4/27/2017	9:50	19.25	0.0	3616.27
			5/30/2017	9:00	18.39	0.0	3617.13
			6/21/2017	10:00	18.30	0.0	3617.22
			7/18/2017	9:23	18.15	0.0	3617.37
			8/22/2017	9:31	17.90	0.0	3617.62
			9/26/2017	9:59	17.40	0.0	3618.12
			10/30/2017	9:39	17.22	0.0	3618.30
			11/21/2017	9:15	16.92	0.0	3618.60
			12/19/2017	9:47	16.85	0.0	3618.67
			1/18/2018	9:57	16.75	0.0	3618.77
			2/15/2018	10:10	16.74	0.0	3618.78
			3/13/2018	9:30	16.62	0.0	3618.90
			4/18/2018	9:30	16.90	0.0	3618.62
			5/22/2018	10:09	17.30	0.0	3618.22
			6/12/2018	8:50	17.94	0.0	3617.58
			7/17/2018	9:54	17.97	0.0	3617.55
			8/14/2018	8:40	18.17	0.0	3617.35
			9/19/2018	9:45	18.25	0.0	3617.27
			10/16/2018	10:08	18.26	0.0	3617.26
			11/13/2018	9:08	18.09	0.0	3617.43
			12/11/2018	9:15	18.08	0.0	3617.44
			1/16/2019	9:45	17.83	0.0	3617.69
			2/12/2019	9:13	17.87	0.0	3617.65
			3/14/2019	9:45	17.85	0.0	3617.67
			4/16/2019	10:20	18.11	0.0	3617.41
			5/21/2019	9:45	17.60	0.0	3617.92
			6/18/2019	9:15	16.82	0.0	3618.70
			7/16/2019	9:35	16.45	0.0	3619.07
			8/13/2019	9:21	16.59	0.0	3618.93
			9/17/2019	9:45	16.22	0.0	3619.30
			10/10/2019	9:30	16.10	0.0	3619.42
			11/13/2019	9:15	16.23	0.0	3619.29
			12/10/2019	8:40	15.97	0.0	3619.55
			1/14/2020	9:20	15.98	0.0	3619.54
			2/18/2020	9:15	15.73	0.0	3619.79
			3/18/2020	9:20	15.76	0.0	3619.76
			4/14/2020	9:50	15.54	0.0	3619.98
			5/19/2020	9:30	15.60	0.0	3619.92
			6/18/2020	9:30	15.81	0.0	3619.71
			7/14/2020	9:45	15.84	0.0	3619.68
			8/12/2020	8:50	16.36	0.0	3619.16
			9/15/2020	9:50	16.25	0.0	3619.27
			10/13/2020	8:35	16.78	0.0	3618.74
			12/8/2020	9:10	16.33	0.0	3619.19
			2/16/2021	8:40	16.21	0.0	3619.31
			4/13/2021	9:40	16.67	0.0	3618.85
			6/15/2021	8:32	17.25	0.0	3618.27
			8/12/2021	8:55	17.95	0.0	3617.57
			10/12/2021	9:57	18.12	0.0	3617.40
			12/6/2021	9:30	17.95	0.0	3617.57
			2/11/2022	9:20	18.01	0.0	3617.51
			4/5/2022	9:35	18.10	0.0	3617.42
			6/14/2022	10:00	18.88	0.0	3616.64

TABLE 2
BASELINE GROUNDWATER ELEVATION DATA
Cabin Bar Ranch GMMRP Monitoring Points

Well ID	Monitoring Point	Surveyed TOC Elevation (ft amsl)	Date	Time	DTW (ft) (2)	Measuring Point Adjustment	GWE (ft amsl) (3)
MW-3	Cabin Bar Monitoring Well #3	3676.13	3/1/2016	10:15	53.43	0.0	3622.70
			4/5/2016	12:41	53.65	0.0	3622.48
			5/9/2016	11:37	54.28	0.0	3621.85
			6/14/2016	12:00	54.57	0.0	3621.56
			7/26/2016	11:22	55.04	0.0	3621.09
			8/24/2016	11:25	55.27	0.0	3620.86
			9/14/2016	14:00	55.46	0.0	3620.67
			11/22/2016	12:34	54.81	0.0	3621.32
			12/14/2016	11:55	54.64	0.0	3621.49
			1/25/2017	NM	NM	NM	NM
			2/23/2017	11:54	54.09	0.0	3622.04
			3/22/2017	11:50	53.60	0.0	3622.53
			4/27/2017	11:22	53.20	0.0	3622.93
			5/30/2017	9:37	52.29	0.0	3623.84
			6/21/2017	11:12	51.74	0.0	3624.39
			7/18/2017	NM	NM	NM	NM
			8/22/2017	10:58	51.40	0.0	3624.73
			9/26/2017	12:40	50.35	0.0	3625.78
			10/30/2017	11:01	50.80	0.0	3625.33
			11/21/2017	12:18	50.73	0.0	3625.40
			12/19/2017	13:40	50.48	0.0	3625.65
			1/18/2018	12:26	50.28	0.0	3625.85
			2/15/2018	12:40	50.24	0.0	3625.89
			3/13/2018	12:15	50.04	0.0	3626.09
			4/18/2018	12:44	50.53	0.0	3625.60
			5/22/2018	11:53	50.93	0.0	3625.20
			6/12/2018	12:27	51.15	0.0	3624.98
			7/17/2018	12:48	51.52	0.0	3624.61
			8/14/2018	11:53	51.81	0.0	3624.32
			9/19/2018	11:45	52.17	0.0	3623.96
			10/16/2018	11:50	52.02	0.0	3624.11
			11/13/2018	12:14	51.91	0.0	3624.22
			12/11/2018	9:40	51.66	0.0	3624.47
			1/16/2019	11:25	51.50	0.0	3624.63
			2/12/2019	11:50	51.43	0.0	3624.70
			3/14/2019	10:44	51.37	0.0	3624.76
			4/16/2019	11:35	51.11	0.0	3625.02
			5/21/2019	11:06	50.45	0.0	3625.68
			6/18/2019	11:05	49.80	0.0	3626.33
			7/16/2019	11:25	49.28	0.0	3626.85
			8/13/2019	10:50	49.63	0.0	3626.50
			9/17/2019	11:30	49.83	0.0	3626.30
			10/10/2019	11:30	49.65	0.0	3626.48
			11/13/2019	11:05	49.21	0.0	3626.92
			12/10/2019	10:05	49.09	0.0	3627.04
			1/14/2020	11:25	48.71	0.0	3627.42
			2/18/2020	11:00	48.56	0.0	3627.57
			3/18/2020	10:55	48.42	0.0	3627.71
			4/14/2020	11:35	48.75	0.0	3627.38
			5/19/2020	11:30	48.75	0.0	3627.38
			6/18/2020	11:40	48.77	0.0	3627.36
			7/14/2020	12:40	49.03	0.0	3627.10
			8/12/2020	11:50	49.40	0.0	3626.73
			9/15/2020	12:10	49.85	0.0	3626.28
			10/13/2020	10:25	50.04	0.0	3626.09
			12/8/2020	12:00	49.55	0.0	3626.58
			2/16/2021	11:45	49.32	0.0	3626.81
			4/13/2021	10:37	49.70	0.0	3626.43
			6/15/2021	11:48	50.63	0.0	3625.50
			8/12/2021	9:50	51.38	0.0	3624.75
			10/12/2021	10:51	51.70	0.0	3624.43
			12/6/2021	11:05	51.32	0.0	3624.81
			2/11/2022	10:25	51.14	0.0	3624.99
			4/5/2022	10:30	51.33	0.0	3624.80
			6/14/2022	12:00	52.48	0.0	3623.65

TABLE 2
BASELINE GROUNDWATER ELEVATION DATA
Cabin Bar Ranch GMMRP Monitoring Points

Well ID	Monitoring Point	Surveyed TOC Elevation (ft amsl)	Date	Time	DTW (ft) (2)	Measuring Point Adjustment	GWE (ft amsl) (3)
OW-7U	Observation Well 7U	3626.12	3/1/2016	13:20	13.06	0.5	NC
			4/5/2016	11:24	12.43	0.0	3613.69
			5/9/2016	9:42	12.75	0.0	3613.37
			6/14/2016	9:46	13.18	0.0	3612.94
			7/26/2016	10:29	14.07	0.0	3612.05
			8/24/2016	10:32	14.25	0.0	3611.87
			9/14/2016	10:07	14.16	0.0	3611.96
			11/22/2016	11:16	13.68	0.0	3612.44
			12/14/2016	10:52	13.24	0.0	3612.88
			1/25/2017	NM	NM	NM	NM
			2/23/2017	10:56	12.64	0.0	3613.48
			3/22/2017	10:56	12.53	0.0	3613.59
			4/27/2017	10:25	12.63	0.0	3613.49
			5/30/2017	10:36	12.81	0.0	3613.31
			6/21/2017	10:20	12.25	0.0	3613.87
			7/18/2017	10:31	12.25	0.0	3613.87
			8/22/2017	10:40	12.36	0.0	3613.76
			9/26/2017	12:26	12.22	0.0	3613.90
			10/30/2017	10:40	11.59	0.0	3614.53
			11/21/2017	11:43	11.55	0.0	3614.57
			12/19/2017	13:26	11.42	0.0	3614.70
			1/18/2018	10:47	11.36	0.0	3614.76
			2/15/2018	11:00	11.35	0.0	3614.77
			3/13/2018	10:33	11.64	0.0	3614.48
			4/27/2018	10:54	11.70	0.0	3614.42
			5/22/2018	11:30	11.59	0.0	3614.53
			6/12/2018	10:18	12.13	0.0	3613.99
			7/17/2018	12:34	12.39	0.02	3613.71
			8/14/2018	10:43	12.76	0.02	3613.34
			9/24/2018	11:46	12.75	0.02	3613.35
			10/16/2018	10:40	12.78	0.02	3613.32
			11/13/2018	12:42	12.50	0.02	3613.60
			12/11/2018	10:15	11.81	0.02	3614.29
			1/16/2019	11:10	12.17	0.02	3613.93
			2/12/2019	10:55	11.94	0.02	3614.16
			3/14/2019	10:35	11.92	0.02	3614.18
			4/16/2019	10:50	11.88	0.02	3614.22
			5/21/2019	12:30	12.01	0.02	3614.09
			6/18/2019	10:10	11.67	0.02	3614.43
			7/16/2019	10:25	11.98	0.02	3614.12
			8/13/2019	12:24	12.19	0.02	3613.91
			9/17/2019	10:45	12.13	0.02	3613.97
			10/10/2019	10:25	11.91	0.02	3614.19
			11/13/2019	12:49	11.53	0.02	3614.57
			12/10/2019	9:20	11.26	0.02	3614.84
			1/14/2020	10:20	11.51	0.02	3614.59
			2/18/2020	12:25	11.07	0.02	3615.03
			3/18/2020	10:00	11.53	0.02	3614.57
			4/14/2020	10:40	11.43	0.02	3614.67
			5/19/2020	12:30	10.98	0.02	3615.12
			6/18/2020	10:35	11.44	0.02	3614.66
			7/14/2020	10:40	11.51	0.02	3614.59
			8/12/2020	10:32	11.52	0.02	3614.58
			9/15/2020	10:55	11.78	0.02	3614.32
			10/13/2020	9:55	11.44	0.02	3614.66
			12/8/2020	10:10	11.27	0.02	3614.83
			2/16/2021	10:12	11.17	0.02	3614.93
			4/13/2021	12:02	11.33	0.02	3614.77
			6/15/2021	9:53	12.05	0.02	3614.05
			8/12/2021	11:07	12.70	0.02	3613.40
			10/12/2021	12:43	12.75	0.02	3613.35
			12/6/2021	13:30	11.96	0.02	3614.14
			2/11/2022	10:45	11.98	0.02	3614.12
			4/5/2022	10:50	11.78	0.02	3614.32
			6/14/2022	11:20	12.78	0.02	3613.32

TABLE 2
BASELINE GROUNDWATER ELEVATION DATA
Cabin Bar Ranch GMMRP Monitoring Points

Well ID	Monitoring Point	Surveyed TOC Elevation (ft amsl)	Date	Time	DTW (ft) (2)	Measuring Point Adjustment	GWE (ft amsl) (3)
OW-7M	Observation Well 7M	3626.30	3/1/2016	13:25	3.05	0.0	3623.25
			4/5/2016	11:26	3.68	0.0	3622.62
			5/9/2016	9:47	4.38	0.0	3621.92
			6/14/2016	9:52	4.76	0.0	3621.54
			7/26/2016	10:34	5.19	0.0	3621.11
			8/24/2016	10:37	5.39	0.0	3620.91
			9/14/2016	10:09	5.60	0.0	3620.70
			11/22/2016	11:21	4.32	0.0	3621.98
			12/14/2016	10:57	4.18	0.0	3622.12
			1/25/2017	NM	NM	NM	NM
			2/23/2017	11:03	3.51	0.0	3622.79
			3/22/2017	11:01	3.13	0.0	3623.17
			4/27/2017	10:30	3.20	0.0	3623.10
			5/30/2017	10:39	2.28	0.0	3624.02
			6/21/2017	10:26	1.92	0.0	3624.38
			7/18/2017	10:36	1.80	0.0	3624.50
			8/22/2017	10:46	1.91	0.0	3624.39
			9/26/2017	12:32	1.95	0.0	3624.35
			10/30/2017	10:48	0.90	0.0	3625.40
			11/21/2017	11:50	0.75	0.0	3625.55
			12/19/2017	13:30	0.55	0.0	3625.75
			1/18/2018	11:12	0.41	0.0	3625.89
			2/15/2018	10:56	0.32	0.0	3625.98
			3/13/2018	10:20	0.15	0.0	3626.15
			4/18/2018	10:50	1.09	0.0	3625.21
			5/22/2018	11:33	1.51	0.0	3624.79
			6/12/2018	10:27	1.66	0.0	3624.64
			7/17/2018	12:30	2.02	0.0	3624.28
			8/14/2018	10:39	2.42	0.0	3623.88
			9/24/2018	11:41	2.81	0.0	3623.49
			10/16/2018	10:45	2.14	0.0	3624.16
			11/13/2018	12:50	1.94	0.0	3624.36
			12/11/2018	10:10	1.68	0.0	3624.62
			1/16/2019	11:15	1.51	0.0	3624.79
			2/12/2019	10:58	1.43	0.0	3624.87
			3/14/2019	10:32	1.29	0.0	3625.01
			4/16/2019	10:55	1.46	0.0	3624.84
			5/21/2019	12:35	0.63	0.0	3625.67
			6/18/2019	10:15	Artesian (5)	0.0	>3626.30 (5)
			7/16/2019	10:30	Artesian (5)	0.0	>3626.30 (5)
			8/13/2019	12:28	0.46	0.0	3625.84
			9/17/2019	10:50	0.71	0.0	3625.59
			10/10/2019	10:20	0.07	0.0	3626.23
			11/13/2019	12:53	Artesian (5)	0.0	>3626.30 (5)
			12/10/2019	9:25	Artesian (5)	0.0	>3626.30 (5)
			1/14/2020	10:25	Artesian (5)	0.0	>3626.30 (5)
			2/18/2020	12:29	Artesian (5)	0.0	>3626.30 (5)
			3/18/2020	10:05	Artesian (5)	0.0	>3626.30 (5)
			4/14/2020	10:45	Artesian (5)	0.0	>3626.30 (5)
			5/19/2020	12:34	Artesian (5)	0.0	>3626.30 (5)
			6/18/2020	12:34	Artesian (5)	0.0	>3626.30 (5)
			7/14/2020	10:45	0.16	0.0	3626.14
			8/12/2020	10:36	0.57	0.0	3625.73
			9/15/2020	11:00	0.95	0.0	3625.35
			10/13/2020	10:00	0.93	0.0	3625.37
			12/8/2020	10:20	0.09	0.0	3626.21
			2/16/2021	10:20	Artesian (5)	0.0	>3626.30 (5)
			4/13/2021	12:07	0.68	0.0	3625.62
			6/15/2021	10:05	1.62	0.0	3624.68
			8/12/2021	11:13	2.35	0.0	3623.95
			10/12/2021	12:38	2.11	0.0	3624.19
			12/6/2021	13:20	1.68	0.0	3624.62
			2/11/2022	10:50	1.53	0.0	3624.77
			4/5/2022	10:55	2.07	0.0	3624.23
			6/14/2022	11:30	3.18	0.0	3623.12

TABLE 2
BASELINE GROUNDWATER ELEVATION DATA
Cabin Bar Ranch GMMRP Monitoring Points

Well ID	Monitoring Point	Surveyed TOC Elevation (ft amsl)	Date	Time	DTW (ft) (2)	Measuring Point Adjustment	GWE (ft amsl) (3)
OW-8US	Observation Well 8US	3598.80	3/1/2016	13:33	Artesian	0.0	NC
			4/5/2016	13:18	0 psi	0.0	NC
			5/9/2016	10:09	-1 psi	0.0	NC
			6/14/2016	10:45	0 psi	0.0	NC
			7/26/2016	10:57	0 psi	0.0	NC
			8/24/2016	10:59	0 psi	0.0	NC
			9/14/2016	11:16	2.2 psi	0.0	3604.0
			11/22/2016	10:47	2.5 psi	0.0	3604.7
			12/14/2016	12:58	2.5 psi	0.0	3604.7
			1/25/2017	12:12	2.75 psi	0.0	3605.3
			2/23/2017	10:43	2.75 psi	0.0	3605.3
			3/22/2017	10:44	3.0 psi	0.0	3605.8
			4/27/2017	10:42	2.75 psi	0.0	3605.3
			5/30/2017	10:19	2.8 psi	0.0	3605.4
			6/21/2017	10:40	2.8 psi	0.0	3605.4
			7/18/2017	11:10	2.6 psi	0.0	3604.9
			8/22/2017	11:20	2.4 psi	0.0	3604.4
			9/26/2017	10:35	2.4 psi	0.0	3604.4
			10/30/2017	12:28	2.5 psi	0.0	3604.7
			11/21/2017	11:03	2.8 psi	0.0	3605.4
			12/19/2017	11:39	2.8 psi	0.0	3605.4
			1/18/2018	10:33	NM	0.0	NC
			2/15/2018	12:15	NM	0.0	NC
			3/13/2018	11:30	NM	0.0	NC
			4/18/2018	11:53	NM	0.0	NC
			5/22/2018	11:07	0.5 psi	0.0	NC
			6/12/2018	9:50	1.8 psi	0.0	3603.0
			7/17/2018	10:24	NM	0.0	NC
			8/14/2018	9:42	0.8 psi	0.0	3600.7
			9/19/2018	10:50	0.7 psi	0.0	3600.4
			10/16/2018	10:30	0.8 psi	0.0	3600.7
			11/13/2018	9:54	0.9 psi	0.0	3600.9
			12/11/2018	10:00	1.1 psi	0.0	3601.4
			1/16/2019	11:40	1.2 psi	0.0	3601.6
			2/12/2019	9:57	1.4 psi	0.0	3602.1
			3/14/2019	12:16	1.4 psi	0.0	3602.1
			4/16/2019	10:40	1.7 psi	0.0	3602.8
			5/21/2019	10:10	1.8 psi	0.0	3603.0
			6/18/2019	10:00	1.8 psi	0.0	3603.0
			7/16/2019	10:15	1.8 psi	0.0	3603.0
			8/13/2019	10:02	1.7 psi	0.0	3602.8
			9/17/2019	10:40	1.6 psi	0.0	3602.6
			10/10/2019	10:10	1.6 psi	0.0	3602.6
			11/13/2019	10:02	1.8 psi	0.0	3603.0
			12/10/2019	9:10	1.7 psi	0.0	3602.8
			1/14/2020	10:10	2.7 psi	0.0	3605.1
			2/18/2020	10:08	2.3 psi	0.0	3604.2
			3/18/2020	9:50	2.6 psi	0.0	3604.9
			4/14/2020	10:30	1.8 psi	0.0	3603.0
			5/19/2020	9:55	1.5 psi	0.0	3602.3
			6/18/2020	10:20	0.8 psi	0.0	3600.7
			7/14/2020	10:20	1.8 psi	0.0	3603.0
			8/12/2020	10:06	1.7 psi	0.0	3602.8
			9/15/2020	10:45	1.6 psi	0.0	3602.6
			10/13/2020	9:50	1.6 psi	0.0	3602.6
			12/8/2020	9:50	1.6 psi	0.0	3602.6
			2/16/2021	9:27	1.8 psi	0.0	3603.0
			4/13/2021	10:23	1.6 psi	0.0	3602.6
			6/15/2021	9:18	1.6 psi	0.0	3602.6
			8/12/2021	9:35	1.2 psi	0.0	3601.6
			10/12/2021	10:35	1.2 psi	0.0	3601.6
			12/6/2021	10:35	1.4 psi	0.0	3602.1
			2/11/2022	9:55	1.5 psi	0.0	3602.3
			4/5/2022	10:15	1.8 psi	0.0	3603.0
			6/14/2022	11:00	1.6 psi	0.0	3602.6

TABLE 2
BASELINE GROUNDWATER ELEVATION DATA
Cabin Bar Ranch GMMRP Monitoring Points

Well ID	Monitoring Point	Surveyed TOC Elevation (ft amsl)	Date	Time	DTW (ft) (2)	Measuring Point Adjustment	GWE (ft amsl) (3)
OW-9U	Observation Well 9U	3601.26	3/1/2016	12:45	Artesian	0.0	NC
			4/5/2016	11:56	3-5 psi	0.0	NC
			5/9/2016	11:15	3.8 psi	0.0	3610.0
			6/14/2016	13:40	3.9 psi	0.0	3610.3
			7/26/2016	12:02	3.9 psi	0.0	3610.3
			8/24/2016	11:43	3.9 psi	0.0	3610.3
			9/14/2016	12:19	4.2 psi	0.0	3611.0
			11/22/2016	11:53	2.8 psi	0.0	3607.7
			12/14/2016	11:28	2.5 psi	0.0	3607.0
			1/25/2017	13:02	NM	0.0	NM
			2/23/2017	11:32	NM	0.0	NM
			3/22/2017	11:29	4.6 psi	0.0	3611.9
			4/27/2017	11:11	2.8 psi	0.0	3607.7
			5/30/2017	11:25	3.4 psi	0.0	3609.1
			6/21/2017	11:44	4.4 psi	0.0	3611.4
			7/18/2017	11:49	5.2 psi	0.0	3613.3
			8/22/2017	12:06	5.3 psi	0.0	3613.5
			9/26/2017	11:17	5.75 psi	0.0	3614.5
			10/30/2017	11:51	5.9 psi	0.0	3614.9
			11/21/2017	12:39	6.2 psi	0.0	3615.6
			12/19/2017	11:28	6.4 psi	0.0	3616.0
			1/18/2018	12:01	6.6 psi	0.0	3616.5
			2/15/2018	11:59	NM	0.0	NC
			3/13/2018	11:20	NM	0.0	NC
			4/18/2018	11:42	NM	0.0	NC
			4/27/2018	12:30	4.5 psi	0.0	3611.7
			5/22/2018	12:35	6.4 psi	0.0	3616.0
			6/12/2018	11:40	5.8 psi	0.0	3614.7
			7/17/2018	11:20	4.8 psi	0.0	3612.3
			8/14/2018	10:20	5.0 psi	0.0	3612.8
			9/19/2018	11:30	5.3 psi	0.0	3613.5
			10/16/2018	11:10	5.7 psi	0.0	3614.4
			11/13/2018	10:35	6.3 psi	0.0	3615.8
			12/11/2018	10:40	7.2 psi	0.0	3617.9
			1/16/2019	11:00	13.4 psi	0.0	3632.2
			2/12/2019	10:30	5.6 psi	0.0	3614.2
			3/14/2019	12:00	3.9 psi	0.0	3610.3
			4/16/2019	11:20	4.3 psi	0.0	3611.2
			5/21/2019	10:42	5.1 psi	0.0	3613.1
			6/18/2019	10:40	4.9 psi	0.0	3612.6
			7/16/2019	11:05	4.9 psi	0.0	3612.6
			8/13/2019	10:36	5.0 psi	0.0	3612.8
			9/17/2019	11:15	5.0 psi	0.0	3612.8
			10/10/2019	11:05	5.1 psi	0.0	3613.1
			11/13/2019	10:40	4.8 psi	0.0	3612.3
			12/10/2019	9:55	5.5 psi	0.0	3614.0
			1/14/2020	11:00	4.8 psi	0.0	3612.3
			2/18/2020	10:43	5.1 psi	0.0	3613.1
			3/18/2020	10:30	5.6 psi	0.0	3614.2
			4/14/2020	11:15	5.2 psi	0.0	3613.3
			5/19/2020	10:38	5.8 psi	0.0	3614.7
			6/18/2020	11:15	5.4 psi	0.0	3613.7
			7/14/2020	12:00	5.0 psi	0.0	3612.8
			8/12/2020	12:25	4.3 psi	0.0	3611.2
			9/15/2020	11:50	5.0 psi	0.0	3612.8
			10/13/2020	9:25	5.3 psi	0.0	3613.5
			12/8/2020	11:10	4.7 psi	0.0	3612.1
			2/16/2021	11:04	4.6 psi	0.0	3611.9
			4/13/2021	11:25	3.3 psi	0.0	3608.9
			6/15/2021	11:00	2.7 psi	0.0	3607.5
			8/12/2021	10:50	2.4 psi	0.0	3606.8
			10/12/2021	11:50	3.6 psi	0.0	3609.6
			12/6/2021	11:55	3.3 psi	0.0	3608.9
			2/11/2022	11:20	4.0 psi	0.0	3610.5
			4/5/2022	11:30	4.2 psi	0.0	3611.0
			6/14/2022	11:30	4.2 psi	0.0	3611.0

TABLE 2
BASELINE GROUNDWATER ELEVATION DATA
Cabin Bar Ranch GMMRP Monitoring Points

Well ID	Monitoring Point	Surveyed TOC Elevation (ft amsl)	Date	Time	DTW (ft) (2)	Measuring Point Adjustment	GWE (ft amsl) (3)
OW-10U	Observation Well 10U	3639.10	3/1/2016	10:45	21.07	0.0	3618.03
			4/5/2016	12:18	21.10	0.0	3618.00
			5/9/2016	10:42	21.33	0.0	3617.77
			6/14/2016	12:47	21.60	0.0	3617.50
			7/26/2016	12:24	21.94	0.0	3617.16
			8/24/2016	12:07	22.12	0.0	3616.98
			9/14/2016	13:25	22.24	0.0	3616.86
			11/22/2016	13:07	22.18	0.0	3616.92
			12/14/2016	12:25	22.05	0.0	3617.05
			1/25/2017	13:21	21.58	0.0	3617.52
			2/23/2017	12:07	21.31	0.0	3617.79
			3/22/2017	12:18	21.30	0.0	3617.80
			4/27/2017	11:42	21.04	0.0	3618.06
			5/30/2017	11:37	20.18	0.0	3618.92
			6/21/2017	12:08	19.36	0.0	3619.74
			7/18/2017	12:07	19.24	0.0	3619.86
			8/22/2017	12:34	19.31	0.0	3619.79
			9/26/2017	11:51	19.36	0.0	3619.74
			10/30/2017	12:41	19.23	0.0	3619.87
			11/21/2017	12:56	19.15	0.0	3619.95
			12/19/2017	13:02	19.01	0.0	3620.09
			1/18/2018	12:52	18.85	0.0	3620.25
			2/15/2018	13:00	18.81	0.0	3620.29
			3/13/2018	12:00	18.75	0.0	3620.35
			4/18/2018	12:26	18.86	0.0	3620.24
			5/22/2018	12:58	19.11	0.0	3619.99
			6/12/2018	12:53	19.32	0.0	3619.78
			7/17/2018	11:42	19.64	0.0	3619.46
			8/14/2018	12:22	19.94	0.0	3619.16
			9/19/2018	12:15	20.23	0.0	3618.87
			10/16/2018	11:35	20.42	0.0	3618.68
			11/13/2018	11:10	20.40	0.0	3618.70
			12/11/2018	11:10	20.26	0.0	3618.84
			1/16/2019	12:25	20.23	0.0	3618.87
			2/12/2019	12:43	20.13	0.0	3618.97
			3/14/2019	11:14	19.98	0.0	3619.12
			4/16/2019	11:45	19.84	0.0	3619.26
			5/21/2019	12:00	18.95	0.0	3620.15
			6/18/2019	11:25	18.25	0.0	3620.85
			7/16/2019	11:40	18.34	0.0	3620.76
			8/13/2019	11:59	18.62	0.0	3620.48
			9/17/2019	11:50	18.82	0.0	3620.28
			10/10/2019	11:45	18.86	0.0	3620.24
			11/13/2019	12:14	18.68	0.0	3620.42
			12/10/2019	8:25	18.58	0.0	3620.52
			1/14/2020	11:40	18.42	0.0	3620.68
			2/18/2020	11:58	18.11	0.0	3620.99
			3/18/2020	11:10	18.24	0.0	3620.86
			4/14/2020	11:55	18.19	0.0	3620.91
			5/19/2020	11:57	17.31	0.0	3621.79
			6/18/2020	11:50	17.48	0.0	3621.62
			7/14/2020	12:20	17.77	0.0	3621.33
			8/12/2020	12:55	18.26	0.0	3620.84
			9/15/2020	12:25	18.55	0.0	3620.55
			10/13/2020	9:10	18.73	0.0	3620.37
			12/8/2020	11:30	18.82	0.0	3620.28
			2/16/2021	12:17	18.69	0.0	3620.41
			4/13/2021	11:01	18.85	0.0	3620.25
			6/15/2021	12:35	19.42	0.0	3619.68
			8/12/2021	10:23	20.04	0.0	3619.06
			10/12/2021	11:24	20.44	0.0	3618.66
			12/6/2021	11:25	20.21	0.0	3618.89
			2/11/2022	11:45	20.20	0.0	3618.90
			4/5/2022	12:00	20.22	0.0	3618.88
			6/14/2022	13:10	20.73	0.0	3618.37

TABLE 2
BASELINE GROUNDWATER ELEVATION DATA
Cabin Bar Ranch GMMRP Monitoring Points

Well ID	Monitoring Point	Surveyed TOC Elevation (ft amsl)	Date	Time	DTW (ft) (2)	Measuring Point Adjustment	GWE (ft amsl) (3)
OW-10M	Observation Well 10M	3639.50	3/1/2016	12:08	20.73	0.05	3618.82
			4/5/2016	12:22	20.71	0.0	3618.79
			5/9/2016	10:53	20.94	0.0	3618.56
			6/14/2016	12:44	21.21	0.0	3618.29
			7/26/2016	12:28	21.55	0.0	3617.95
			8/24/2016	12:11	21.71	0.0	3617.79
			9/14/2016	13:06	21.84	0.0	3617.66
			11/22/2016	13:03	21.74	0.0	3617.76
			12/14/2016	12:22	21.61	0.0	3617.89
			1/25/2017	13:16	21.30	0.0	3618.20
			2/23/2017	12:11	21.07	0.0	3618.43
			3/22/2017	12:11	20.91	0.0	3618.59
			4/27/2017	11:45	20.57	0.0	3618.93
			5/30/2017	11:41	19.77	0.0	3619.73
			6/21/2017	12:13	18.88	0.0	3620.62
			7/18/2017	12:11	18.48	0.0	3621.02
			8/22/2017	12:39	18.57	0.0	3620.93
			9/26/2017	11:57	18.55	0.0	3620.95
			10/30/2017	12:45	18.42	0.0	3621.08
			11/21/2017	13:02	18.36	0.0	3621.14
			12/19/2017	12:57	18.23	0.0	3621.27
			1/18/2018	13:00	18.07	0.0	3621.43
			2/15/2018	13:07	18.04	0.0	3621.46
			3/13/2018	12:05	18.03	0.0	3621.47
			4/18/2018	12:30	18.12	0.0	3621.38
			5/22/2018	13:01	18.32	0.0	3621.18
			6/12/2018	12:50	18.52	0.0	3620.98
			7/17/2018	11:47	18.82	0.0	3620.68
			8/14/2018	12:20	19.09	0.0	3620.41
			9/19/2018	12:05	19.37	0.0	3620.13
			10/16/2018	11:30	19.50	0.0	3620.00
			11/13/2018	10:59	19.55	0.0	3619.95
			12/11/2018	11:05	19.38	0.0	3620.12
			1/16/2019	12:20	19.28	0.0	3620.22
			2/12/2019	12:38	19.24	0.0	3620.26
			3/14/2019	11:17	19.17	0.0	3620.33
			4/16/2019	11:50	19.03	0.0	3620.47
			5/21/2019	11:53	18.30	0.0	3621.20
			6/18/2019	11:20	17.58	0.0	3621.92
			7/16/2019	11:45	17.32	0.0	3622.18
			8/13/2019	11:46	17.52	0.0	3621.98
			9/17/2019	11:45	17.68	0.0	3621.82
			10/10/2019	11:40	17.74	0.0	3621.76
			11/13/2019	12:05	17.54	0.0	3621.96
			12/10/2019	8:35	17.41	0.0	3622.09
			1/14/2020	11:35	17.15	0.0	3622.35
			2/18/2020	11:54	16.95	0.0	3622.55
			3/18/2020	11:05	16.91	0.0	3622.59
			4/14/2020	11:50	16.91	0.0	3622.59
			5/19/2020	11:52	16.41	0.0	3623.09
			6/18/2020	11:55	16.31	0.0	3623.19
			7/14/2020	12:15	16.59	0.0	3622.91
			8/12/2020	13:00	17.09	0.0	3622.41
			9/15/2020	12:20	17.41	0.0	3622.09
			10/13/2020	9:05	17.68	0.0	3621.82
			12/8/2020	11:35	17.71	0.0	3621.79
			2/16/2021	12:14	17.63	0.0	3621.87
			4/13/2021	10:57	17.75	0.0	3621.75
			6/15/2021	12:15	18.34	0.0	3621.16
			8/12/2021	10:15	18.97	0.0	3620.53
			10/12/2021	11:20	19.42	0.0	3620.08
			12/6/2021	11:30	19.28	0.0	3620.22
			2/11/2022	11:40	19.22	0.0	3620.28
			4/5/2022	11:55	19.26	0.0	3620.24
			6/14/2022	13:05	19.82	0.0	3619.68

TABLE 2
BASELINE GROUNDWATER ELEVATION DATA
Cabin Bar Ranch GMMRP Monitoring Points

Well ID	Monitoring Point	Surveyed TOC Elevation (ft amsl)	Date	Time	DTW (ft) (2)	Measuring Point Adjustment	GWE (ft amsl) (3)
P-5	Piezometer P-5	3629.90	3/1/2016	13:05	15.14	0.0	3614.76
			4/5/2016	12:54	15.11	0.0	3614.79
			5/9/2016	10:25	15.46	0.0	3614.44
			6/14/2016	11:23	15.85	0.0	3614.05
			7/26/2016	11:33	16.35	0.0	3613.55
			8/24/2016	11:57	16.56	0.0	3613.34
			9/14/2016	14:34	16.67	0.0	3613.23
			11/22/2016	12:19	16.30	0.0	3613.60
			12/14/2016	12:11	16.05	0.0	3613.85
			1/25/2017	12:43	15.53	0.0	3614.37
			2/23/2017	11:43	15.24	0.0	3614.66
			3/22/2017	11:59	15.19	0.0	3614.71
			4/27/2017	11:32	15.12	0.0	3614.78
			5/30/2017	9:51	14.64	0.0	3615.26
			6/21/2017	11:22	14.08	0.0	3615.82
			7/18/2017	11:28	14.07	0.0	3615.83
			8/22/2017	12:22	14.26	0.0	3615.64
			9/26/2017	11:40	14.33	0.0	3615.57
			10/30/2017	12:59	14.01	0.0	3615.89
			11/21/2017	13:15	13.84	0.0	3616.06
			12/19/2017	12:46	13.63	0.0	3616.27
			1/18/2018	12:37	13.49	0.0	3616.41
			2/15/2018	12:48	13.46	0.0	3616.44
			3/13/2018	11:46	13.38	0.0	3616.52
			4/18/2018	12:10	14.03	0.0	3615.87
			5/22/2018	12:49	13.94	0.0	3615.96
			6/12/2018	12:08	14.64	0.0	3615.26
			7/17/2018	11:32	14.97	0.0	3614.93
			8/14/2018	11:31	15.40	0.0	3614.50
			9/19/2018	11:50	15.46	0.0	3614.44
			10/16/2018	11:25	15.75	0.0	3614.15
			11/13/2018	11:43	15.61	0.0	3614.29
			12/11/2018	10:55	15.07	0.0	3614.83
			1/16/2019	10:35	15.66	0.0	3614.24
			2/12/2019	12:13	15.47	0.0	3614.43
			3/14/2019	10:54	15.07	0.0	3614.83
			4/16/2019	11:30	15.12	0.0	3614.78
			5/21/2019	11:33	14.62	0.0	3615.28
			6/18/2019	10:55	14.36	0.0	3615.54
			7/16/2019	11:30	14.52	0.0	3615.38
			8/13/2019	11:21	14.89	0.0	3615.01
			9/17/2019	11:35	14.96	0.0	3614.94
			10/10/2019	11:25	14.67	0.0	3615.23
			11/13/2019	11:37	14.66	0.0	3615.24
			12/10/2019	8:15	14.47	0.0	3615.43
			1/14/2020	11:20	14.40	0.0	3615.50
			2/18/2020	11:37	13.92	0.0	3615.98
			3/18/2020	10:45	14.51	0.0	3615.39
			4/14/2020	11:30	14.39	0.0	3615.51
			5/19/2020	11:00	13.18	0.0	3616.72
			6/18/2020	11:30	14.22	0.0	3615.68
			7/14/2020	12:30	14.47	0.0	3615.43
			8/12/2020	12:10	14.44	0.0	3615.46
			9/15/2020	12:00	14.67	0.0	3615.23
			10/13/2020	8:55	14.57	0.0	3615.33
			12/8/2020	11:50	15.02	0.0	3614.88
			2/16/2021	11:21	14.37	0.0	3615.53
			4/13/2021	10:44	15.01	0.0	3614.89
			6/15/2021	11:25	15.70	0.0	3614.20
			8/12/2021	10:05	15.98	0.0	3613.92
			10/12/2021	11:04	16.55	0.0	3613.35
			12/6/2021	11:15	15.97	0.0	3613.93
			2/11/2022	10:35	15.93	0.0	3613.97
			4/5/2022	10:40	15.57	0.0	3614.33
			6/14/2022	12:55	16.73	0.0	3613.17

TABLE 2
BASELINE GROUNDWATER ELEVATION DATA

Cabin Bar Ranch GMMRP Monitoring Points

Well ID	Monitoring Point	Surveyed TOC Elevation (ft amsl)	Date	Time	DTW (ft) (2)	Measuring Point Adjustment	GWE (ft amsl) (3)
P-10	Piezometer P-10	3637.66	3/1/2016	12:15	22.48	0.0	3615.18
			4/5/2016	12:29	22.50	0.0	3615.16
			5/9/2016	10:57	22.72	0.0	3614.94
			6/14/2016	12:51	22.99	0.0	3614.67
			7/26/2016	12:33	23.32	0.0	3614.34
			8/24/2016	12:16	23.51	0.0	3614.15
			9/14/2016	13:03	23.63	0.0	3614.03
			11/22/2016	13:13	23.58	0.0	3614.08
			12/14/2016	12:31	23.45	0.0	3614.21
			1/25/2017	13:28	23.00	0.0	3614.66
			2/23/2017	12:18	22.72	0.0	3614.94
			3/22/2107	12:22	22.71	0.0	3614.95
			4/27/2017	11:48	22.45	0.0	3615.21
			5/30/2017	11:43	21.62	0.0	3616.04
			6/21/2017	12:20	20.80	0.0	3616.86
			7/18/2017	12:16	20.65	0.0	3617.01
			8/22/2017	12:44	20.72	0.0	3616.94
			9/26/2017	12:01	20.76	0.0	3616.90
			10/30/2017	12:50	20.62	0.0	3617.04
			11/21/2017	13:08	20.55	0.0	3617.11
			12/19/2017	13:06	20.40	0.0	3617.26
			1/18/2018	13:07	20.26	0.0	3617.40
			2/15/2018	13:11	20.22	0.0	3617.44
			3/13/2018	12:10	20.16	0.0	3617.50
			4/18/2018	12:33	20.24	0.0	3617.42
			5/22/2018	13:04	20.49	0.0	3617.17
			6/12/2018	12:56	20.70	0.0	3616.96
			7/17/2018	11:50	21.02	0.0	3616.64
			8/14/2018	12:25	21.30	0.0	3616.36
			9/19/2018	12:20	21.62	0.0	3616.04
			10/16/2018	11:40	21.78	0.0	3615.88
			11/13/2018	10:56	21.78	0.0	3615.88
			12/11/2018	11:15	21.64	0.0	3616.02
			1/16/2019	12:30	21.61	0.0	3616.05
			2/12/2019	12:56	21.53	0.0	3616.13
			3/14/2019	11:20	21.37	0.0	3616.29
			4/16/2019	11:55	21.23	0.0	3616.43
			5/21/2019	12:05	20.39	0.0	3617.27
			6/18/2019	11:30	19.66	0.0	3618.00
			7/16/2019	11:50	19.71	0.0	3617.95
			8/13/2019	11:54	19.98	0.0	3617.68
			9/17/2019	11:55	20.17	0.0	3617.49
			10/10/2019	11:50	20.21	0.0	3617.45
			11/13/2019	12:18	20.05	0.0	3617.61
			12/10/2019	8:30	19.95	0.0	3617.71
			1/14/2020	11:45	19.78	0.0	3617.88
			2/18/2020	12:01	19.49	0.0	3618.17
			3/18/2020	11:15	19.59	0.0	3618.07
			4/14/2020	11:45	19.55	0.0	3618.11
			5/19/2020	12:02	18.70	0.0	3618.96
			6/18/2020	12:00	18.84	0.0	3618.82
			7/14/2020	12:10	19.12	0.0	3618.54
			8/12/2020	13:05	19.60	0.0	3618.06
			9/15/2020	12:30	19.90	0.0	3617.76
			10/13/2020	9:15	20.09	0.0	3617.57
			12/8/2020	11:33	20.19	0.0	3617.47
			2/16/2021	12:22	20.05	0.0	3617.61
			4/13/2021	11:07	20.20	0.0	3617.46
			6/15/2021	12:55	20.78	0.0	3616.88
			8/12/2021	10:27	21.38	0.0	3616.28
			10/12/2021	11:15	21.80	0.0	3615.86
			12/6/2021	11:35	21.58	0.0	3616.08
			2/11/2022	11:35	21.57	0.0	3616.09
			4/5/2022	12:05	21.59	0.0	3616.07
			6/14/2022	13:15	22.08	0.0	3615.58

TABLE 2
BASELINE GROUNDWATER ELEVATION DATA
Cabin Bar Ranch GMMRP Monitoring Points

Well ID	Monitoring Point	Surveyed TOC Elevation (ft amsl)	Date	Time	DTW (ft) (2)	Measuring Point Adjustment	GWE (ft amsl) (3)
P-15	Piezometer P-15	3605.99	3/1/2016	12:35	2.73	0.13	3603.39
			4/5/2016	11:50	3.05	0.13	3603.07
			5/9/2016	11:10	3.58	0.13	3602.54
			6/14/2016	14:00	4.87	0.13	3601.25
			7/26/2016	11:56	> 7 (4)	0.13	NC
			8/24/2016	11:38	> 7 (4)	0.13	NC
			9/14/2016	12:14	> 7 (4)	0.13	NC
			11/22/2016	11:48	6.15	0.13	3599.71
			12/14/2016	11:18	4.90	0.13	3600.96
			1/25/2017	12:55	2.31	0.13	3603.55
			2/23/2017	11:25	2.14	0.13	3603.72
			3/22/2017	11:21	2.44	0.13	3603.42
			4/27/2017	10:57	2.82	0.13	3603.04
			5/30/2017	11:20	3.65	0.13	3602.21
			6/21/2017	11:37	4.27	0.13	3601.59
			7/18/2017	11:42	5.04	0.13	3600.82
			8/22/2017	11:58	5.21	0.13	3600.65
			9/26/2017	10:59	3.92	0.13	3601.94
			10/30/2017	11:44	2.66	0.13	3603.20
			11/21/2017	12:33	2.28	0.13	3603.58
			12/19/2017	12:23	2.01	0.13	3603.85
			1/18/2018	11:53	1.95	0.13	3603.91
			2/15/2018	11:51	1.94	0.13	3603.92
			3/13/2018	11:14	1.85	0.13	3604.01
			4/18/2018	11:38	2.21	0.13	3603.65
			5/22/2018	12:28	2.50	0.13	3603.36
			6/12/2018	11:35	3.16	0.13	3602.70
			7/17/2018	11:15	4.08	0.13	3601.78
			8/14/2018	10:15	4.89	0.13	3600.97
			9/19/2018	11:25	5.92	0.13	3599.94
			10/16/2018	11:05	5.27	0.13	3600.59
			11/13/2018	10:29	3.98	0.13	3601.88
			12/11/2018	10:35	2.79	0.13	3603.07
			1/16/2019	10:50	2.48	0.13	3603.38
			2/12/2019	10:27	2.41	0.13	3603.45
			3/14/2019	11:30	2.24	0.13	3603.62
			4/16/2019	11:15	2.48	0.13	3603.38
			5/21/2019	10:46	2.95	0.13	3602.91
			6/18/2019	10:35	3.39	0.13	3602.47
			7/16/2019	11:00	4.21	0.13	3601.65
			8/13/2019	10:31	5.03	0.13	3600.83
			9/17/2019	11:10	5.44	0.13	3600.42
			10/10/2019	11:00	4.44	0.13	3601.42
			11/13/2019	10:33	2.75	0.13	3603.11
			12/10/2019	9:50	2.06	0.13	3603.80
			1/14/2020	10:55	1.78	0.13	3604.08
			2/18/2020	10:48	1.59	0.13	3604.27
			3/18/2020	10:25	1.99	0.13	3603.87
			4/14/2020	11:10	2.06	0.13	3603.80
			5/19/2020	10:29	2.55	0.13	3603.31
			6/18/2020	11:10	3.07	0.13	3602.79
			7/14/2020	11:55	3.68	0.13	3602.18
			8/12/2020	12:20	4.29	0.13	3601.57
			9/15/2020	11:45	4.30	0.13	3601.56
			10/13/2020	9:20	3.68	0.13	3602.18
			12/8/2020	11:00	2.39	0.13	3603.47
			2/16/2021	10:59	2.21	0.13	3603.65
			4/13/2021	11:18	2.38	0.13	3603.48
			6/15/2021	11:10	4.04	0.13	3601.82
			8/12/2021	10:41	6.21	0.13	3599.65
			10/12/2021	11:41	> 7 (4)	0.13	NC
			12/6/2021	11:50	3.86	0.13	3602.00
			2/11/2022	11:15	2.92	0.13	3602.94
			4/5/2022	11:25	2.99	0.13	3602.87
			6/14/2022	12:45	4.96	0.13	3600.90

TABLE 2
BASELINE GROUNDWATER ELEVATION DATA
Cabin Bar Ranch GMMRP Monitoring Points

Well ID	Monitoring Point	Surveyed TOC Elevation (ft amsl)	Date	Time	DTW (ft) (2)	Measuring Point Adjustment	GWE (ft amsl) (3)
PAT-1	PAT-1	3657.49	3/1/2016	11:10	40.29	0.0	3617.20
			4/5/2016	10:05	40.30	0.0	3617.19
			5/9/2016	12:15	40.59	0.0	3616.90
			6/15/2016	11:06	40.82	0.0	3616.67
			7/26/2016	9:30	41.28	0.0	3616.21
			8/24/2016	NM	NM	0.0	NM
			9/15/2016	10:49	41.59	0.0	3615.90
			11/22/2016	10:13	41.27	0.0	3616.22
			12/14/2016	10:00	41.09	0.0	3616.40
			1/25/2017	10:53	40.89	0.0	3616.60
			2/23/2017	10:00	40.67	0.0	3616.82
			3/22/2017	10:06	40.41	0.0	3617.08
			4/27/2017	NA	NM	0.0	NM
			5/30/2017	NA	NM	0.0	NM
			6/15/2017	9:05	39.81	0.0	3617.68
			7/18/2017	9:39	38.25	0.0	3619.24
			8/22/2017	9:59	38.19	0.0	3619.30
			9/26/2017	10:16	37.97	0.0	3619.52
			10/30/2017	9:52	37.81	0.0	3619.68
			11/21/2017	10:30	37.65	0.0	3619.84
			12/19/2017	10:00	37.56	0.0	3619.93
			1/30/2018	9:44	37.43	0.0	3620.06
			2/15/2018	10:25	37.44	0.0	3620.05
			3/13/2018	9:45	37.37	0.0	3620.12
			4/18/2018	10:08	37.49	0.0	3620.00
			5/22/2018	9:53	37.75	0.0	3619.74
			6/12/2018	9:10	38.05	0.0	3619.44
			7/17/2018	9:40	38.56	0.0	3618.93
			8/14/2018	9:10	38.54	0.0	3618.95
			9/19/2018	10:05	38.75	0.0	3618.74
			10/16/2018	9:55	38.78	0.0	3618.71
			11/13/2018	9:25	38.73	0.0	3618.76
			12/11/2018	9:30	38.60	0.0	3618.89
			1/16/2019	9:55	38.58	0.0	3618.91
			2/12/2019	9:28	38.55	0.0	3618.94
			3/14/2019	9:52	38.58	0.0	3618.91
			4/16/2019	10:05	38.41	0.0	3619.08
			5/21/2019	9:30	37.92	0.0	3619.57
			6/18/2019	9:25	37.32	0.0	3620.17
			7/16/2019	9:50	36.85	0.0	3620.64
			8/13/2019	9:38	37.02	0.0	3620.47
			9/17/2019	10:05	36.77	0.0	3620.72
			10/10/2019	9:35	36.82	0.0	3620.67
			11/13/2019	9:30	36.70	0.0	3620.79
			12/10/2019	8:50	36.54	0.0	3620.95
			1/14/2020	12:00	36.30	0.0	3621.19
			2/18/2020	NA	NM	0.0	NM
			3/18/2020	9:30	36.07	0.0	3621.42
			4/14/2020	10:00	36.04	0.0	3621.45
			5/19/2020	13:10	36.05	0.0	3621.44
			6/18/2020	9:45	36.95	0.0	3620.54
			7/14/2020	9:30	36.20	0.0	3621.29
			8/12/2020	9:25	36.62	0.0	3620.87
			9/15/2020	10:00	36.73	0.0	3620.76
			10/13/2020	8:45	37.06	0.0	3620.43
			12/8/2020	9:20	36.91	0.0	3620.58
			2/16/2021	8:57	36.81	0.0	3620.68
			4/13/2021	9:53	37.32	0.0	3620.17
			6/15/2021	8:52	37.17	0.0	3620.32
			8/12/2021	9:08	38.37	0.0	3619.12
			10/12/2021	10:06	38.64	0.0	3618.85
			12/6/2021	9:55	38.58	0.0	3618.91
			2/11/2022	9:30	38.55	0.0	3618.94
			4/5/2022	9:50	38.68	0.0	3618.81
			6/14/2022	10:15	39.27	0.0	3618.22

TABLE 2
BASELINE GROUNDWATER ELEVATION DATA
Cabin Bar Ranch GMMRP Monitoring Points

Well ID	Monitoring Point	Surveyed TOC Elevation (ft amsl)	Date	Time	DTW (ft) (2)	Measuring Point Adjustment	GWE (ft amsl) (3)
RP-1	Riparian Well #1	3615.33	3/1/2016	13:50	NM	0.0	NC
			4/5/2016	11:35	2.06	0.0	3613.27
			5/11/2016	9:41	2.43	0.0	3612.90
			6/14/2016	14:13	2.79	0.0	3612.54
			7/26/2016	11:42	3.39	0.0	3611.94
			8/24/2016	10:47	3.31	0.0	3612.02
			9/14/2016	11:57	3.32	0.0	3612.01
			11/22/2016	11:33	2.75	0.0	3612.58
			12/14/2016	11:06	2.56	0.0	3612.77
			1/25/2017	13:32	2.16	0.0	3613.17
			2/23/2017	11:06	2.08	0.0	3613.25
			3/22/2017	11:11	2.17	0.0	3613.16
			4/27/2017	10:48	2.37	0.0	3612.96
			5/30/2017	11:02	2.97	0.0	3612.36
			6/21/2017	11:00	2.38	0.0	3612.95
			7/18/2017	10:48	2.38	0.0	3612.95
			8/22/2017	11:44	2.38	0.0	3612.95
			9/26/2017	10:49	2.26	0.0	3613.07
			10/30/2017	11:17	1.90	0.0	3613.43
			11/21/2017	12:04	1.75	0.0	3613.58
			12/19/2017	12:04	1.65	0.0	3613.68
			1/18/2018	11:34	1.62	0.0	3613.71
			2/15/2018	11:23	1.62	0.0	3613.71
			3/13/2018	10:54	1.58	0.0	3613.75
			4/18/2018	11:25	1.73	0.0	3613.60
			5/22/2018	12:15	1.92	0.0	3613.41
			6/12/2018	11:20	2.28	0.0	3613.05
			7/17/2018	10:47	2.45	0.0	3612.88
			8/14/2018	10:03	2.65	0.0	3612.68
			9/19/2018	11:15	2.63	0.0	3612.70
			10/16/2018	10:55	2.60	0.0	3612.73
			11/13/2018	10:12	2.23	0.0	3613.10
			12/11/2018	10:25	2.03	0.0	3613.30
			1/16/2019	12:10	2.02	0.0	3613.31
			2/12/2019	10:13	2.00	0.0	3613.33
			3/14/2019	12:08	1.95	0.0	3613.38
			4/16/2019	11:05	2.10	0.0	3613.23
			5/21/2019	10:28	2.18	0.0	3613.15
			6/18/2019	10:25	2.29	0.0	3613.04
			7/16/2019	10:40	2.41	0.0	3612.92
			8/13/2019	10:18	2.41	0.0	3612.92
			9/17/2019	11:00	2.38	0.0	3612.95
			10/10/2019	10:45	2.23	0.0	3613.10
			11/13/2019	10:18	1.91	0.0	3613.42
			12/10/2019	9:40	1.75	0.0	3613.58
			1/14/2020	10:40	1.84	0.0	3613.49
			2/18/2020	10:26	1.61	0.0	3613.72
			3/18/2020	10:15	1.90	0.0	3613.43
			4/14/2020	10:55	1.56	0.0	3613.77
			5/19/2020	10:17	1.66	0.0	3613.67
			6/18/2020	10:50	1.82	0.0	3613.51
			7/14/2020	11:00	1.98	0.0	3613.35
			8/12/2020	10:25	1.97	0.0	3613.36
			9/15/2020	11:20	2.00	0.0	3613.33
			10/13/2020	10:10	1.85	0.0	3613.48
			12/8/2020	10:45	1.68	0.0	3613.65
			2/16/2021	10:01	1.63	0.0	3613.70
			4/13/2021	11:55	1.87	0.0	3613.46
			6/15/2021	9:42	2.26	0.0	3613.07
			8/12/2021	11:32	2.46	0.0	3612.87
			10/12/2021	12:56	2.29	0.0	3613.04
			12/6/2021	12:45	1.91	0.0	3613.42
			2/11/2022	11:00	1.94	0.0	3613.39
			4/5/2022	11:05	1.98	0.0	3613.35
			6/14/2022	11:40	2.45	0.0	3612.88

TABLE 2
BASELINE GROUNDWATER ELEVATION DATA
Cabin Bar Ranch GMMRP Monitoring Points

Well ID	Monitoring Point	Surveyed TOC Elevation (ft amsl)	Date	Time	DTW (ft) (2)	Measuring Point Adjustment	GWE (ft amsl) (3)
SS-1A	Monitoring Well SS-1A (SSW-1)	3627.21	3/1/2016	13:42	8.65	0.0	3618.56
			4/5/2016	13:31	8.54	0.0	3618.67
			5/9/2016	11:47	8.88	0.0	3618.33
			6/14/2016	14:35	9.36	0.0	3617.85
			7/26/2016	11:12	10.09	0.0	3617.12
			8/24/2016	11:15	10.43	0.0	3616.78
			9/14/2016	11:48	10.51	0.0	3616.70
			11/22/2016	12:51	10.09	0.0	3617.12
			12/14/2016	12:45	9.75	0.0	3617.46
			1/25/2017	11:58	9.15	0.0	3618.06
			2/23/2017	12:28	8.87	0.0	3618.34
			3/22/2017	10:31	8.51	0.0	3618.70
			4/27/2017	10:11	8.02	0.0	3619.19
			5/30/2017	10:04	7.21	0.0	3620.00
			6/21/2017	12:32	7.33	0.0	3619.88
			7/18/2017	12:31	7.51	0.0	3619.70
			8/22/2017	11:08	7.70	0.0	3619.51
			9/26/2017	12:11	7.78	0.0	3619.43
			10/30/2017	10:32	7.23	0.0	3619.98
			11/21/2017	10:50	6.92	0.0	3620.29
			12/19/2017	11:26	6.78	0.0	3620.43
			1/18/2018	10:16	6.50	0.0	3620.71
			2/15/2018	12:25	6.54	0.0	3620.67
			3/13/2018	11:40	6.24	0.0	3620.97
			4/18/2018	12:03	6.27	0.0	3620.94
			5/22/2018	10:37	6.58	0.0	3620.63
			6/12/2018	9:40	6.90	0.0	3620.31
			7/17/2018	10:12	7.29	0.0	3619.92
			8/14/2018	9:34	7.97	0.0	3619.24
			9/19/2018	10:30	9.04	0.0	3618.17
			10/16/2018	10:20	9.10	0.0	3618.11
			11/13/2018	9:38	7.87	0.0	3619.34
			12/11/2018	9:50	7.35	0.0	3619.86
			1/16/2019	11:50	7.18	0.0	3620.03
			2/12/2019	9:46	6.90	0.0	3620.31
			3/14/2019	12:37	6.63	0.0	3620.58
			4/16/2019	10:30	6.48	0.0	3620.73
			5/21/2019	9:58	6.19	0.0	3621.02
			6/18/2019	9:45	5.98	0.0	3621.23
			7/16/2019	10:05	6.15	0.0	3621.06
			8/13/2019	9:53	6.32	0.0	3620.89
			9/17/2019	10:30	6.58	0.0	3620.63
			10/10/2019	9:50	6.49	0.0	3620.72
			11/13/2019	9:49	6.11	0.0	3621.10
			12/10/2019	9:05	5.70	0.0	3621.51
			1/14/2020	10:00	5.57	0.0	3621.64
			2/18/2020	9:54	5.31	0.0	3621.90
			3/18/2020	9:40	5.40	0.0	3621.81
			4/14/2020	10:20	5.35	0.0	3621.86
			5/19/2020	9:40	5.21	0.0	3622.00
			6/18/2020	10:05	5.72	0.0	3621.49
			7/14/2020	10:10	6.16	0.0	3621.05
			8/12/2020	9:49	6.49	0.0	3620.72
			9/15/2020	10:30	6.74	0.0	3620.47
			10/13/2020	9:40	6.49	0.0	3620.72
			12/8/2020	9:36	6.17	0.0	3621.04
			2/16/2021	9:16	5.78	0.0	3621.43
			4/13/2021	10:11	5.88	0.0	3621.33
			6/15/2021	9:04	6.76	0.0	3620.45
			8/12/2021	9:25	7.57	0.0	3619.64
			10/12/2021	10:23	7.82	0.0	3619.39
			12/6/2021	10:25	7.24	0.0	3619.97
			2/11/2022	9:45	7.00	0.0	3620.21
			4/5/2022	10:00	6.93	0.0	3620.28
			6/14/2022	10:45	7.79	0.0	3619.42

1) NM - not measured; NC = not calculated; UA - Data currently unavailable

2) DTW - Depth to water in feet (ft) below top of casing or other reference point. Pressure reading recorded in lieu of DTW when artesian

3) GWE- Groundwater elevation in feet above mean sea level (ft amsl). GWE for artesian wells OW-9u and OW-8us,
calculated based on manual pressure readings and are shown in italics.

4) Well P-15 was dry to approximately 7 feet below top of casing during monitoring event.

5) Well OW-7m was artesian during the monitoring event with a water level above the top of casing.

The GWE listed is the surveyed top of casing.

TABLE 3
WATER QUALITY DATA

TABLE 3
WATER QUALITY DATA

TABLE 3
WATER QUALITY DATA

		Date Collected:	pH (field)	Electric Conductivity (field)	Temperature (field)	Turbidity (field)	Total Dissolved Solids (field)	Specific Conductance (lab)	Turbidity (lab)	Calcium	Magnesium	Sodium	Chloride	Sulfate	pH (lab)	Bicarbonate (as CaCO ₃)	Total Dissolved Solids (lab)	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	Cobalt	Copper	Lead	Mercury	Molybdenum	Nickel	Selenium	Silver	Thallium	Vanadium	Zinc
		Field Parameters				Lab Parameters												Total Metals																
Units:		pH units	μS/cm	deg C	NTU	mg/L	odor units	umhos/cm	NTU	mg/L	mg/L	mg/L	mg/L	mg/L	pH units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	
OW-10u	03/23/16	8.0	206	12.6	0.0	134	ND	160	3.40	17.0	2.34	14.8	ND	5.6	7.09	72.0	122	ND	0.004	0.017	ND	ND	ND	ND	0.002	ND	ND	ND	0.001	0.005				
	06/14/16	7.8	164	16.9	0.9	107	ND	NA	0.57	17.4	2.21	13.4	1.2	5.1	7.26	NA	NA	ND	0.003	0.017	ND	ND	ND	ND	0.003	0.001	ND	ND	ND	ND				
	09/14/16	7.6	159	17.4	0.0	104	2.0	NA	1.30	17.1	2.1	13.4	ND	5.3	7.45	73.0	85	ND	0.003	0.019	ND	ND	ND	ND	0.003	0.002	ND	ND	ND	0.008				
	03/27/18	6.1	160	17.3	0.0	104	NA	NA	0.56	16.0	2.01	13.1	ND	5.5	7.52	58.0	95	0.001	0.004	0.020	ND	ND	ND	ND	0.003	0.004	ND	ND	ND	0.002	0.008			
	06/12/18	-	-	-	-	-	ND	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA				
	06/12/18	7.0	163	17.9	0.0	108	ND	NA	0.11	18.0	2.17	13.8	ND	5.0	7.46	68.0	95	0.007	0.004	0.021	ND	ND	ND	ND	0.003	0.008	ND	ND	ND	0.001	0.013			
	08/14/18	6.9	159	18.6	0.0	103	1.0	NA	0.56	16.7	2.16	13.0	ND	5.3	5.99	62.0	90	ND	0.003	0.021	ND	ND	ND	ND	0.003	0.003	ND	ND	ND	0.001	0.021			
	11/13/18	6.7	149	7.2	0.0	97	1.0	NA	0.91	15.7	2.02	12.6	ND	4.8	7.5	63.0	100	ND	0.004	0.022	ND	ND	0.001	ND	ND	ND	0.003	0.004	ND	ND	ND	0.001	ND	
	02/12/19	-	-	-	-	-	ND	NA	0.58	15.2	1.98	12.0	ND	4.5	7.56	63.0	95	ND	0.004	0.020	ND	ND	ND	ND	ND	ND	0.002	0.003	ND	ND	ND	0.002	ND	
	02/12/19	6.6	145	17.4	0.0	94	ND	NA	0.39	15.4	1.86	12.1	ND	4.5	7.54	63.0	85	ND	0.003	0.020	ND	ND	ND	ND	0.002	ND	ND	0.003	0.003	ND	ND	ND	0.001	0.008
(QCMW)	05/21/19	6.4	153	17.8	3.4	99	ND	NA	0.36	17.4	2.12	10.6	ND	5.3	7.45	70.0	90	ND	0.004	0.022	ND	ND	ND	ND	0.002	ND	ND	0.001	ND	ND	0.005			
	08/13/19	-	-	-	-	-	ND	NA	0.27	14.6	2.01	13.2	ND	5.2	7.60	67.6	ND	0.003	0.020	ND	ND	ND	ND	ND	ND	0.0003	0.003	ND	ND	ND	0.001	ND		
	08/13/19	6.2	145	18.1	0.0	94	ND	NA	0.23	14.8	1.98	13.5	1.0	5.2	7.60	67.4	145	ND	0.003	0.019	ND	ND	ND	ND	ND	ND	0.002	0.001	ND	ND	ND	0.001	ND	
	11/13/19	6.6	153	17.9	0.0	99	ND	NA	0.50	15.6	2.07	13.6	1.2	4.6	7.40	75.8	97.5	ND	0.003	0.019	ND	ND	ND	ND	ND	ND	0.002	ND	ND	ND	0.001	ND		
	02/18/20	NA	NA	NA	NA	NA	ND	NA	2.37	13.1	1.82	12.1	ND	5.0	7.40	72.0	115	ND	0.007	0.028	ND	ND	0.006	0.001	ND	ND	0.002	ND	ND	0.002	0.006			
	05/19/20	5.9	142	17.8	0.0	93	ND	NA	0.35	14.1	1.82	11.2	ND	4.9	7.70	66.9	138	ND	0.003	0.021	ND	ND	ND	ND	ND	ND	0.003	ND	ND	ND	0.002	ND		
	08/18/20	6.9	138	19.2	0.0	89	1.0	NA	0.21	14.7	1.92	13.4	ND	5.2	7.40	65.4	113	ND	0.003	0.019	ND	ND	ND	ND	ND	ND	0.003	0.002	0.002	ND	ND	0.001	ND	
	12/09/20	7.4	142	18.8	0.0	92	ND	NA	1.35	14.1	1.83	13.5	1.1	4.6	7.60	64.4	85	ND	0.002	0.020	ND	ND	ND	ND	ND	ND	0.003	ND	ND	ND	0.001	ND		
	02/16/21	6.9	142	18.9	0.0	92	ND	NA	1.55	13.0	1.81	11.6	1.2	5.3	7.50	63.5	65	ND	0.003	0.021	ND	ND	ND	ND	ND	ND	0.002	ND	ND	ND	0.001	ND		
	06/15/21	-	-	-	-	-	ND	NA	1.66	14.5	1.99	13.3	ND	5.0	7.70	65.7	95	ND	0.002	0.021	ND	ND	ND	ND	ND	ND	0.002	ND	ND	ND	0.002	ND		
(QCMW)	06/15/21	5.9	141	19.3	0.0	91	ND	NA	1.25	15.0	2.03	13.7	ND	5.1	7.70	65.6	118	ND	0.003	0.021	ND	ND	ND	ND	ND	ND	0.003	ND	ND	ND	0.001	ND		
	12/07/21	6.6	143	18.9	0.0	93	ND	NA	0.85	14.7	2.04	12.9	ND	5.3	7.60	67.0	85	ND	0.003	0.022	ND	ND	ND	ND	ND	ND	0.002	ND	ND	ND	0.002	0.008		
	06/15/22	6.8	148	19.2	0.0	96	ND	NA	0.30	15.4	2.08	12.7	ND	5.5	7.70	62.5	94	ND	0.003	0.021	ND	ND	ND	ND	ND	ND	0.002	ND	ND	ND	0.001	ND		
	03/23/16	6.9	136	16.9	14.1	89	ND	230	0.48	6.10	0.764	37.5	2.0	2.1	8.33	110	178	ND	0.003	ND	ND	ND	ND	ND	0.001	ND	ND	ND	ND	ND	0.008			
	06/14/16	9.3	241	17.2	0.0	156	ND	NA	0.88	7.52	0.910	34.4	2.1	1.0	8.30	NA	NA	ND	0.003	ND	ND	ND	ND	ND	0.002	ND	ND	ND	ND	ND	0.005			
	09/14/16	9.2	236	17.3	0.0	153	ND	NA	1.60	6.63	0.819	32.0	1.6	2.6	8.32	107	175	ND	0.003	ND	ND	ND	ND	ND	0.001	ND	ND	ND	ND	ND	ND			
	03/27/18	7.2	239	17.3	5.7	155	8.0	NA	0.24	5.90	0.657	37.3	1.5	1.2	8.54	86.0	150	ND	0.003	ND	ND	ND	ND	ND	0.001	ND	ND	ND	ND	ND	0.007			
	06/12/18	8.2	240	18.2	0.9	156	1.0	NA	0.36	6.49	0.707	37.7	1.8	2.2	8.39	108	135	ND	0.003	ND	ND	ND	ND	ND	0.001	0.002	ND	ND	ND	0.020				
	08/14/18	8.3	239	18.9	0.0	155	2.0	NA	1.20	6.27	0.700	34.3	2.0	2.5	8.24	86.0	130	ND	0.003	ND	ND	ND	ND	ND	0.001	ND	ND	ND	ND	ND	0.021			
OW-10m	11/13/18	8.0	228	17.2	6.0	148	>200	NA	0.45	5.60	0.606	34.9	1.7	1.2	8.47	98.0	145	ND	0.003	ND	ND	ND	ND	ND	0.002	ND	ND	ND	ND	ND	0.009			
	02/12/19	7.9	226	17.4	0.0	147	1.0	NA	1.70	5.33	0.566	33.1	1.9	ND	8.57	91.0	145	ND	0.003	ND	ND	ND	ND	ND	0.001	ND	ND	ND	ND	ND	0.019			
	05/21/19	7.6	231	17.7	4.0	150	2.0	NA	1.30	6.60	0.707	30.3	1.8	1.1	8.56	110	135	ND	0.003	ND	ND	ND	ND	ND	0.001	ND	ND	ND	ND	ND	0.006			
	08/13/19	7.5	222	18.1	2.4	145	2.0	NA	1.43	5.76	0.633	35.2	2.0	ND	8.60	97.3	80	ND	0.003	ND	ND	ND	ND	ND	0.001	ND	ND	ND	ND	ND	ND			
	11/13/19	7.5	235	17.9</																														

TABLE 3
WATER QUALITY DATA

Date Collected:	pH (field)	Electric Conductivity (field)	Temperature (field)	Turbidity (field)	Total Dissolved Solids (field)	Specific Conductance (lab)	Turbidity (lab)	Calcium	Magnesium	Sodium	Chloride	Sulfate	pH (lab)	Bicarbonate (as CaCO3)	Total Dissolved Solids (lab)	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	Cobalt	Copper	Lead	Mercury	Molybdenum	Nickel	Selenium	Silver	Thallium	Vanadium	Zinc	
	Field Parameters					Lab Parameters												Total Metals															
Units:	pH units	µS/cm	deg C	NTU	mg/L	odor units	umhos/cm	NTU	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L		
PAT-1	03/01/16	NA	NA	NA	NA	ND	190	0.12	18.7	1.58	9.97	ND	3.2	7.52	67.0	NA	ND	ND	0.007	ND	ND	ND	ND	ND	0.002	ND	ND	ND	ND	0.011			
	06/15/16	8.7	154	17.3	0.0	100	ND	NA	0.24	20.9	1.65	9.98	1.1	2.9	7.42	NA	NA	ND	ND	0.006	ND	ND	ND	ND	ND	0.002	ND	ND	ND	ND	0.005		
	09/15/16	7.7	140	20.3	0.0	91	ND	NA	ND	19.2	1.58	9.25	ND	3.3	7.52	76.0	150	ND	ND	0.007	ND	ND	ND	ND	ND	0.001	ND	ND	ND	ND	0.015		
	03/27/18	6.1	162	10.2	3.8	105	ND	NA	1.80	19.5	1.59	9.70	ND	3.8	7.77	68.0	70	ND	ND	0.007	ND	ND	ND	ND	ND	0.002	ND	ND	ND	ND	0.030		
	06/12/18	7.4	156	17.4	0.0	101	ND	NA	ND	20.8	1.65	9.76	ND	3.3	7.83	68.0	90	ND	0.001	0.008	ND	ND	ND	0.002	ND	ND	0.002	ND	0.001	ND	ND	0.018	
	08/14/18	7.9	161	21.7	5.2	104	ND	NA	ND	19.3	1.65	9.30	ND	3.7	7.48	68.0	85	ND	ND	0.007	ND	ND	ND	ND	ND	0.002	ND	ND	ND	ND	0.023		
	11/13/18	7.0	164	9.9	0.0	107	ND	NA	0.07	18.8	1.59	9.24	ND	3.6	7.50	63.0	95	ND	ND	0.007	ND	ND	ND	ND	ND	0.002	ND	ND	ND	ND	0.015		
	02/12/19	6.4	150	4.1	0.0	97	ND	NA	0.60	19.5	1.58	9.21	ND	3.4	8.01	66.0	80	0.007	ND	ND	0.007	ND	ND	ND	ND	ND	0.003	ND	ND	ND	ND	0.007	
	05/21/19	6.8	152	15.6	1.9	99	1.0	NA	0.18	19.7	1.63	7.48	ND	3.3	7.81	70.0	95	ND	0.001	0.007	ND	ND	ND	0.003	ND	ND	0.002	ND	ND	0.001	0.021		
	08/13/19	7.0	153	23.5	14.2	99	1.0	NA	0.07	18.2	1.49	9.67	ND	3.5	8.10	70.3	100	ND	ND	0.007	ND	ND	ND	ND	ND	0.002	ND	ND	ND	ND	0.008		
	11/13/19	6.5	156	13.2	0.0	101	ND	NA	0.28	20.7	1.67	10.1	1.0	3.4	8.00	94.5	110	ND	0.001	0.007	ND	ND	ND	ND	ND	0.001	ND	ND	ND	ND	0.013		
	02/18/20	NA	NA	NA	NA	NA	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	05/19/20	6.5	140	17.6	0.0	91	ND	NA	ND	17.0	1.43	8.14	ND	50	8.10	68.9	133	ND	ND	0.007	ND	ND	ND	ND	ND	0.002	ND	ND	ND	ND	0.006		
	08/12/20	7.0	151	25.0	0.0	98	ND	NA	0.49	18.1	1.46	9.64	ND	3.4	8.00	68.8	100	ND	ND	0.007	ND	ND	ND	ND	ND	0.001	ND	ND	ND	ND	0.008		
	12/08/20	7.4	155	17.9	0.0	95	ND	NA	1.15	18.4	1.47	9.69	ND	3.1	8.00	67.9	120	0.001	ND	0.007	ND	ND	ND	ND	ND	0.002	0.002	ND	ND	0.001	0.006		
	02/16/21	6.9	144	10.7	0.0	93	ND	NA	0.44	17.9	1.46	8.56	1.1	3.6	8.10	67.0	52.5	ND	ND	0.007	ND	ND	ND	ND	ND	0.002	ND	ND	ND	ND	0.014		
	06/15/21	7.0	136	20.6	0.0	89	ND	NA	ND	16.7	1.41	8.93	1.1	3.2	8.10	71.8	75	ND	ND	0.008	ND	ND	ND	ND	ND	0.002	ND	ND	ND	ND	ND		
	12/06/21	7.7	139	11.5	0.0	90	ND	NA	0.25	18.6	1.57	9.16	ND	3.3	8.00	71.6	82.5	ND	ND	0.007	ND	ND	ND	ND	ND	0.001	ND	ND	ND	ND	0.019		
	06/14/22	7.0	150	23.3	0.0	98	ND	NA	ND	19.1	1.54	8.99	ND	32	8.10	64.4	96	ND	ND	0.007	ND	ND	ND	ND	ND	0.002	ND	ND	ND	ND	0.001		
Detection Limit	-	-	-	-	-	1.0	1.0	0.05	0.1	0.1(4)	0.5	1.0	1.0	0.01	1.0	1.0	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.0002	0.001	0.001	0.001	0.001	0.005			
Drinking Water MCL	-	-	-	-	-	500	-	-	-	-	-	250	-	-	-	500	0.006	0.010	1.0	0.004	0.005	0.05	-	1.3	0.015	0.002	-	0.1	0.05	-	0.002	-	-

Notes: Metals are Total Metals by EPA Method 200.8 (Title 22 Priority Pollutant)

1) ND indicates not-detected at or above the listed laboratory detection limit. NS indicates not sampled. NA indicates not analyzed. "-" indicated not applicable.

2) Constituents in bold (Na, Cl, CaCO₃, TDS, As, Ba) are proposed for water quality trigger in selected wells per GMMR. See Table 5 for additional water quality trigger data.

2) Constituents in bold (Na, Cl, CaCO₃, TDS, As, Ba) are proposed for water quality triggers in selected cells shaded in light gray represent water quality samples collected during the baseline data period.

4) The detection limit for Magnesium was raised to 0.5 mg/l during the February, 2019 sampling event and all subsequent sampling events.

TABLE 4
SUMMARY OF GROUNDWATER ELEVATION AND TRIGGER LEVELS
Cabin Bar Ranch GMMRP Monitoring Points
June 2022

Monitoring Area	Monitoring Point	Baseline GWE ¹ (feet amsl)	Recent Date of Measurement	Recent GWE (feet amsl)	Change from Baseline ² (feet)	Drawdown Trigger Level ³ (feet)	Trigger Level Exceeded? YES/NO
Northern	P-10	3614.03	06/14/22	3615.58	1.55	-6.0	NO
	OW-10u	3616.86	06/14/22	3618.37	1.51	-6.0	NO
	OW-10m	3617.66	06/14/22	3619.68	2.02	-6.0	NO
Southern	OW-7u	3611.87	06/14/22	3613.32	1.45	-10.0	NO
	OW-7m	3620.70	06/14/22	3623.12	2.42	-10.0	NO
Eastern	OW-9u	3607.03	06/14/22	3611.00	3.97	-7.0	NO
Vegetation	P-15	N/A	06/14/22	3600.90	DTW = 4.96 ⁴	DTW > 5.4 ⁴	NO

1) GWE: Groundwater elevation measured in feet above mean sea level. Baseline GWEs set July 6, 2017 and approved by Inyo County Water Department (ICWD)

2) Recent GWE measurement compared to Baseline GWE. Positive numbers indicate an increase in GWE from baseline, and negative numbers indicate drawdown.

3) "Trigger Level" from Table 1 of Geosyntec GMMRP and updated in April 6, 2017 letter. Negative values indicate drawdown from baseline GWEs.

4) Trigger for P-15 is Depth-to-Water (DTW) greater than 5.4 feet below top of casing in any continuous 12-month period. If exceeded, duration of exceedance is indicated in parentheses.

TABLE 5
SUMMARY OF WATER QUALITY DATA AND TRIGGER LEVELS
Cabin Bar Ranch GMMRP Monitoring Points

Units:	Date Collected	Sodium (Na)		Chloride (Cl)		Chloride Trigger Level		Bicarbonate (CaCO ₃)		Bicarbonate Trigger Level		Total Dissolved Solids (TDS)		Total Dissolved Solids Trigger Level		Arsenic (As)		Arsenic Trigger Level (5)		Barium (Ba)		Barium Trigger Level		Trigger Levels Exceeded?		Constituents in Exceedance of Trigger Levels (Na/Cl/CaCO ₃ /TDS/As/Ba)	
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	Yes/No	-	-	-	-	-	
Cartago Supply CMW-2	06/12/18	13.5		1.3		89.0		115		0.0032		0.007		No	-												
	08/14/18	12.6		1.1		78.0		110		0.0021		0.007		No	-												
	11/13/18	12.2		1.1		82.0		130		0.0023		0.007		No	-												
	02/12/19	12.6		1.2		83.0		125		0.0019		0.007		No	-												
	05/21/19	10.9		1.1		91.0		115		0.0023		0.007		No	-												
	08/13/19	12.9		1.1		88.3		85		0.0023		0.007		No	-												
	11/13/19	13.9		1.3		103.0		145		0.0019		0.007		No	-												
	02/18/20	12.8		ND		97.1		138		0.0021		0.007		No	-												
	05/19/20	12.8		1.2		87.9		188		0.0021		0.007		No	-												
	08/12/20	12.9		1.2		85.8		155		0.0023		0.006		No	-												
	12/08/20	13.1		1.1		82.9		ND		0.0023		0.006		No	-												
	02/16/21	11.8		1.4		84.5		115		0.0020		0.007		No	-												
	06/15/21	12.5		1.1		86.8		108		0.0021		0.006		No	-												
	12/06/21	12.3		1.1		88.8		115		0.0024		0.006		No	-												
	06/14/22	12.0		1.0		81.2		129		0.0022		0.006		No	-												
OW-7u	06/12/18	20.2				2.2		77.0		125		0.0167		0.008		No	-										
	08/14/18	21.0				1.8		68.0		115		0.0143		0.008		No	-										
	11/13/18	17.4				1.8		67.0		135		0.0160		0.009		No	-										
	02/12/19	16.9				2.1		65.0		95		0.0224		0.008		No	-										
	05/21/19	14.9				1.8		73.0		120		0.0244		0.009		No	-										
	08/13/19	19.2				2.2		68.4		105		0.0261		0.007		No	-										
	11/13/19	20.5				2.0		79.7		105		0.0271		0.007		No	-										
	02/18/20	17.7				1.5		76.3		155		0.0266		0.007		No	-										
	05/19/20	15.8				1.7		68.5		175		0.0262		0.007		No	-										
	08/18/20	18.8				1.7		69.1		170		0.0258		0.007		No	-										
	12/09/20	18.6				1.7		66.8		133		0.0246		0.007		No	-										
	02/16/21	16.1				2.0		67.0		115		0.0232		0.007		No	-										
	06/15/21	18.3				1.6		68.8		110		0.0240		0.007		No	-										
	12/07/21	16.5				1.7		70.8		113		0.0239		0.007		No	-										
	06/15/22	16.5				1.7		68.1		128		0.0225		0.008		No	-										
OW-8us	06/12/18	17.1				3.9		75.0		115		0.0069		0.002		No	-										
	08/14/18	16.7				4.5		66.0		105		0.0056		0.002		No	-										
	11/13/18	16.4				3.8		67.0		120		0.0050		0.002		No	-										
	02/12/19	15.7				4.1		68.0		120		0.0049		0.002		No	-										
	05/21/19	13.8				3.8		75.0		110		0.0053		0.002		No	-										
	08/13/19	17.3				4.2		73.6		130		0.0052		0.002		No	-										
	11/13/19	19.1				4.0		85.6		110		0.0051		0.002		No	-										
	02/18/20	16.0				3.6		78.0		160		0.0047		0.0075		No	-										
	05/19/20	14.9				3.9		74.5		170		0.0048		0.002		No	-										
	08/12/20	17.5				4.0		74.7																			

TABLE 6
PRODUCTION WELL TOTALIZER READINGS AND PROJECT PUMPING TOTALS
Cabin Bar Ranch GMMRP Monitoring Points


Date	CGR-8 Totalizer Value	CGR-9 Totalizer Value	CGR-10 Totalizer Value	Total Pumped in Period (gallons)	Total Pumped in Period (acre-feet)
3/13/2018	523,472	477,554	484,541	0	0.00
4/18/2018	1,140,345	1,413,780	1,074,325	2,142,883	6.58
5/22/2018	2,061,409	2,806,639	1,988,179	3,227,777	9.91
6/12/2018	2,466,815	3,421,720	2,383,008	1,415,316	4.34
7/17/2018	3,527,725	5,027,030	3,433,470	3,716,682	11.41
8/14/2018	4,453,727	6,430,638	4,360,637	3,256,777	9.99
9/24/2018	6,131,242	8,956,504	6,026,207	5,868,951	18.01
10/16/2018	7,184,746	10,684,484	7,214,499	3,969,776	12.18
11/13/2018	8,236,009	12,738,215	8,751,254	4,641,749	14.25
12/11/2018	9,242,438	14,727,848	10,265,388	4,510,196	13.84
1/16/2019	10,618,269	17,440,069	12,338,478	6,161,142	18.91
2/12/2019	11,868,799	19,869,156	14,147,894	5,489,033	16.85
3/14/2019	13,313,452	22,553,382	16,108,130	6,089,115	18.69
4/16/2019	14,909,440	25,570,945	18,396,092	6,901,513	21.18
5/21/2019	16,669,772	29,181,570	21,198,548	8,173,413	25.08
6/18/2019	18,044,860	31,914,282	23,302,450	6,211,702	19.06
7/16/2019	19,607,588	34,999,621	25,736,440	8,334,463	25.58
8/13/2019	21,295,258	38,278,786	28,387,933	7,618,328	23.38
9/17/2019	23,213,402	41,849,344	31,474,533	8,575,302	26.32
10/10/2019	24,402,886	44,078,559	33,375,760	5,319,926	16.33
11/13/2019	25,895,652	46,907,487	35,921,208	6,867,142	21.07
12/10/2019	27,118,333	49,326,544	38,016,920	5,737,450	17.61
1/14/2020	28,675,620	52,375,905	40,674,708	7,264,436	22.29
2/18/2020	30,232,240	55,306,671	43,445,912	7,258,590	22.28
3/18/2020	32,114,055	58,773,658	46,562,248	8,465,138	25.98
4/14/2020	33,417,538	62,861,789	50,642,628	9,471,994	29.07
5/19/2020	34,794,997	66,571,456	54,349,591	8,794,089	26.99
6/18/2020	35,176,055	69,636,454	57,420,175	6,516,640	20.00
7/14/2020	35,936,207	72,073,600	59,815,394	5,592,517	17.16
8/12/2020	36,776,060	75,378,349	63,096,969	7,426,177	22.79
9/15/2020	37,836,602	79,327,770	67,070,040	8,983,034	27.57
10/13/2020	38,857,236	82,170,369	69,953,872	6,747,065	20.71
11/16/2020	39,898,668	84,912,304	72,864,889	6,694,384	20.54
12/8/2020	40,944,721	87,877,026	75,757,142	6,903,028	21.18
1/22/2021	42,573,486	92,207,047	80,145,026	10,346,670	31.75
2/16/2021	43,461,148	94,722,503	82,722,988	5,981,080	18.36
3/18/2021	44,538,655	97,933,500	86,032,504	7,598,020	23.32
4/13/2021	45,350,411	100,630,072	88,771,312	6,247,136	19.17
5/21/2021	45,765,783	104,795,520	92,986,676	8,796,184	26.99
6/15/2021	45,968,760	107,240,610	95,472,942	5,134,333	15.76
7/14/2021	46,369,238	110,748,758	99,024,142	7,459,826	22.89
8/12/2021	47,039,467	114,273,150	102,589,210	7,759,689	23.81
9/23/2021	47,971,848	118,832,668	107,203,284	10,105,973	31.01
10/12/2021	48,436,498	121,054,940	109,451,978	4,935,616	15.15
12/6/2021	49,825,996	126,267,698	114,696,750	11,847,028	36.36
1/13/2022	50,806,313	129,867,780	118,339,832	8,223,481	25.24
2/11/2022	51,510,218	133,403,692	121,947,356	7,847,341	24.08
3/15/2022	52,151,393	136,629,568	125,197,700	7,117,395	21.84
4/5/2022	52,343,621	138,981,796	127,595,056	4,941,812	15.17
5/17/2022	53,145,871	143,471,587	132,125,729	9,822,714	30.14
6/14/2022	53,767,857	146,497,795	135,231,455	6,753,920	20.73
Annual Period	CGR-8 Total	CGR-9 Total	CGR-10 Total	Total (gallons)	Total (acre-feet)
March 2018 - March 2019	12,789,980	22,075,828	15,623,589	50,489,397	154.95
March 2019 - March 2020	18,800,603	36,220,276	30,454,118	85,474,997	262.31
March 2020 - March 2021	12,424,600	39,159,842	39,470,256	91,054,698	279.44
March 2021 - March 2022	7,612,738	38,696,068	39,165,196	85,474,002	262.31
March 2022 - March 2023 (as of 06/14/22)	1,616,464	9,868,227	10,033,755	21,518,446	66.04

1) All units in Gallons unless otherwise specified. Final column in Acre-Feet.

2) Totals given reflect volumes pumped since project commencement on March 19, 2018 for individual production wells (CGR-8, 9, and 10) and combined project totals.


APPENDIX A
TRANSDUCER DATA
GROUNDWATER HYDROGRAPHS AND CONDUCTIVITY

GROUNDWATER ELEVATION DATA - Transducer CMW-2 - Cabin Bar Ranch GMMRP



Note: Transducer data from AquaTroll 200 correlated to Manual DTW.
Transducer was found to be faulty on April 18, 2018 and replaced on May 22, 2018.

GROUNDWATER ELEVATION DATA - Transducer MW-3 - Cabin Bar Ranch GMMRP




Note: Transducer data from LevelTroll 500 correlated to Manual DTW.

Transducer was found to be faulty on March 13, 2018 and was replaced on May 22, 2018.

Data gap from October 2021 to February 2022 due to transducer failure.

GROUNDWATER ELEVATION DATA - Transducer OW-7u - Cabin Bar Ranch GMMRP




Note: Transducer data from AquaTroll 200 correlated to Manual DTW.

Data gap from December 2017 to February 2018 and August 2021 to December 2021 due to transducer malfunction.

GROUNDWATER ELEVATION DATA - Transducer

OW-7m - Cabin Bar Ranch GMMRP




Note: Transducer data from AquaTroll 200 correlated to Manual DTW.

Data gap from Feb to May 2018 and Aug to Oct 2021 due to transducer malfunction.

No manual GWE was collected from 07 to 08/19, 11/19 to 06/20, or 02/21 due to artesian conditions.

GROUNDWATER ELEVATION DATA - Transducer OW-10u - Cabin Bar Ranch GMMRP




Note: Transducer data from LevelTroll 500 correlated to Manual DTW.

Original transducer was found to be faulty and was replaced on May 9, 2016.

Data gap from 08/20 to 12/20 due to transducer malfunction.


GROUNDWATER ELEVATION DATA - Transducer OW-10m - Cabin Bar Ranch GMMRP



Note: Transducer data from AquaTroll 200 correlated to Manual DTW.

GROUNDWATER ELEVATION DATA - Transducer

PAT-1 - Cabin Bar Ranch GMMRP




Note: Transducer data from AquaTroll 200 correlated to Manual DTW.

Data gap from 06/20 to 08/20 due to transducer failure.

GROUNDWATER ELEVATION DATA - Transducer


P-5 - Cabin Bar Ranch GMMRP



Note: Transducer data from AquaTroll 200 correlated to Manual DTW.


GROUNDWATER ELEVATION DATA - Transducer

P-10 - Cabin Bar Ranch GMMRP



Note: Transducer data from LevelTroll 500 correlated to Manual DTW.

GROUNDWATER ELEVATION DATA - Transducer P-15 - Cabin Bar Ranch GMMRP




Note: Transducer data from LevelTroll 500 correlated to Manual DTW.

Well was measured to be dry in July, August, and September 2016, and October 2021.


Trigger level indicated may not be exceeded for any continuous 12 month period.

GROUNDWATER ELEVATION DATA - Transducer RP-1 - Cabin Bar Ranch GMMRP



Note: Transducer data from LevelTroll 500 correlated to Manual DTW.


GROUNDWATER ELEVATION DATA - Transducer SS-1A - Cabin Bar Ranch GMMRP



Note: Transducer data from LevelTroll 500 correlated to Manual DTW.


Well Pressure - Transducer Data

OW-9u - Cabin Bar Ranch GMMRP



Note: Artesian Well. Transducer data from AquaTroll 200 correlated to reference pressure and converted to GWE.
Transducer was pulled from the well for evaluation in January 2018 and February 2019.

Well Pressure - Transducer Data OW-8u - Cabin Bar Ranch GMMRP



Note: Artesian Well. Transducer data from AquaTroll 200 correlated to reference pressure and converted to GWE.
Transducer was found to be faulty on January 18, 2018 and was replaced on May 22, 2018.

APPENDIX B
LABORATORY DATA FOR SAMPLES
COLLECTED JUNE 14 & 15, 2022



Environment Testing America



ANALYTICAL REPORT

Eurofins Calscience
2841 Dow Avenue, Suite 100
Tustin, CA 92780
Tel: (714)895-5494

Laboratory Job ID: 570-100026-1
Client Project/Site: CG Roxane

For:
TEAM Environmental, Inc.
PO BOX 1265
Bishop, California 93515

Attn: Naomi Jensen

Authorized for release by:
6/27/2022 11:03:09 AM
Sandy Tat, Project Manager I
(714)895-5494
Sandy.Tat@et.eurofinsus.com

LINKS

Review your project
results through



Have a Question?



Visit us at:

www.eurofinsus.com/Env

The test results in this report meet all 2003 NELAC, 2009 TNI, and 2016 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Detection Summary	5
Client Sample Results	10
QC Sample Results	25
QC Association Summary	33
Lab Chronicle	38
Certification Summary	44
Method Summary	45
Sample Summary	46
Chain of Custody	47
Receipt Checklists	50

Definitions/Glossary

Client: TEAM Environmental, Inc.
Project/Site: CG Roxane

Job ID: 570-100026-1

Qualifiers

Metals

Qualifier	Qualifier Description
4	MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable.
F1	MS and/or MSD recovery exceeds control limits.
F2	MS/MSD RPD exceeds control limits

General Chemistry

Qualifier	Qualifier Description
H	Sample was prepped or analyzed beyond the specified holding time
H3	Sample was received and analyzed past holding time.
HF	Field parameter with a holding time of 15 minutes. Test performed by laboratory at client's request.

Glossary

Abbreviation

These commonly used abbreviations may or may not be present in this report.	
□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: TEAM Environmental, Inc.
Project/Site: CG Roxane

Job ID: 570-100026-1

Job ID: 570-100026-1

Laboratory: Eurofins Calscience

Narrative

Job Narrative 570-100026-1

Comments

No additional comments.

Receipt

The samples were received on 6/16/2022 2:10 PM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 5.8° C and 5.9° C.

HPLC/IC

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Metals

Method 200.8: The following samples were diluted due to the nature of the sample matrix: OW-9u (570-100026-5) and OW-10m (570-100026-7). Elevated reporting limits (RLs) are provided.

Method 200.8: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 570-242560 and analytical batch 570-242845 were outside control limits. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery was within acceptance limits.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

General Chemistry

Method SM 2130B: The following sample(s) was received with less than 2 days remaining on the holding time or less than one shift (8 hours) remaining on a test with a holding time of 48 hours or less. As such, the laboratory had insufficient time remaining to perform the analysis within holding time: MW-3 (570-100026-1), OW-7u (570-100026-2), OW-7m (570-100026-3), OW-10u (570-100026-6), OW-10m (570-100026-7), P-5 (570-100026-8) and QCMW (570-100026-11).

Method SM 2130B: The following samples were received outside of holding time: OW-8us (570-100026-4), OW-9u (570-100026-5), CMW-2 (570-100026-9) and PAT-1 (570-100026-10).

Method SM 4500 H+ B: This analysis is normally performed in the field and has a method-defined holding time of 15 minutes. The following samples has been qualified with the "HF" flag to indicate analysis was performed in the laboratory outside the 15 minute timeframe: MW-3 (570-100026-1), OW-7u (570-100026-2), OW-7m (570-100026-3), OW-8us (570-100026-4), OW-9u (570-100026-5), OW-10u (570-100026-6), OW-10m (570-100026-7), P-5 (570-100026-8), CMW-2 (570-100026-9), PAT-1 (570-100026-10) and QCMW (570-100026-11).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Detection Summary

Client: TEAM Environmental, Inc.
Project/Site: CG Roxane

Job ID: 570-100026-1

Client Sample ID: MW-3

Lab Sample ID: 570-100026-1

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Chloride	1.8		1.0	mg/L	1	300.0		Total/NA
Calcium	7.60		2.00	mg/L	1	200.7 Rev 4.4		Total Recoverable
Sodium	27.2		2.00	mg/L	1	200.7 Rev 4.4		Total Recoverable
Barium	0.00346		0.00100	mg/L	1	200.8		Total Recoverable
Molybdenum	0.00281		0.00100	mg/L	1	200.8		Total Recoverable
Turbidity	4.5 H		0.05	NTU	1	SM 2130B		Total/NA
Alkalinity, Total (As CaCO ₃)	73.1		5.00	mg/L	1	SM 2320B		Total/NA
Bicarbonate (as CaCO ₃)	73.1		5.00	mg/L	1	SM 2320B		Total/NA
Total Dissolved Solids	82.0		10.0	mg/L	1	SM 2540C		Total/NA
pH	8.3 HF		0.01	S.U.	1	SM 4500 H+ B		Total/NA
Temperature	23.5 HF		1.0	Deg. C	1	SM 4500 H+ B		Total/NA

Client Sample ID: OW-7u

Lab Sample ID: 570-100026-2

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Chloride	1.7		1.0	mg/L	1	300.0		Total/NA
Sulfate	17		1.0	mg/L	1	300.0		Total/NA
Calcium	19.3		2.00	mg/L	1	200.7 Rev 4.4		Total Recoverable
Magnesium	2.09		0.500	mg/L	1	200.7 Rev 4.4		Total Recoverable
Sodium	16.5		2.00	mg/L	1	200.7 Rev 4.4		Total Recoverable
Arsenic	0.0225		0.00100	mg/L	1	200.8		Total Recoverable
Barium	0.00761		0.00100	mg/L	1	200.8		Total Recoverable
Molybdenum	0.00626		0.00100	mg/L	1	200.8		Total Recoverable
Vanadium	0.00434		0.00100	mg/L	1	200.8		Total Recoverable
Alkalinity, Total (As CaCO ₃)	68.1		5.00	mg/L	1	SM 2320B		Total/NA
Bicarbonate (as CaCO ₃)	68.1		5.00	mg/L	1	SM 2320B		Total/NA
Total Dissolved Solids	128		10.0	mg/L	1	SM 2540C		Total/NA
pH	8.2 HF		0.01	S.U.	1	SM 4500 H+ B		Total/NA
Temperature	23.5 HF		1.0	Deg. C	1	SM 4500 H+ B		Total/NA

Client Sample ID: OW-7m

Lab Sample ID: 570-100026-3

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Chloride	3.0		1.0	mg/L	1	300.0		Total/NA
Sulfate	27		1.0	mg/L	1	300.0		Total/NA
Calcium	22.1		2.00	mg/L	1	200.7 Rev 4.4		Total Recoverable
Magnesium	1.63		0.500	mg/L	1	200.7 Rev 4.4		Total Recoverable
Sodium	19.5		2.00	mg/L	1	200.7 Rev 4.4		Total Recoverable
Antimony	0.00104		0.00100	mg/L	1	200.8		Total Recoverable
Arsenic	0.0232		0.00100	mg/L	1	200.8		Total Recoverable

This Detection Summary does not include radiochemical test results.

Eurofins Calscience

Detection Summary

Client: TEAM Environmental, Inc.
Project/Site: CG Roxane

Job ID: 570-100026-1

Client Sample ID: OW-7m (Continued)

Lab Sample ID: 570-100026-3

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Barium	0.00989		0.00100	mg/L	1		200.8	Total Recoverable
Chromium	0.00163		0.00100	mg/L	1		200.8	Total Recoverable
Molybdenum	0.00360		0.00100	mg/L	1		200.8	Total Recoverable
Vanadium	0.00491		0.00100	mg/L	1		200.8	Total Recoverable
Alkalinity, Total (As CaCO ₃)	66.1		5.00	mg/L	1		SM 2320B	Total/NA
Bicarbonate (as CaCO ₃)	66.1		5.00	mg/L	1		SM 2320B	Total/NA
Total Dissolved Solids	153		10.0	mg/L	1		SM 2540C	Total/NA
pH	8.1 HF		0.01	S.U.	1		SM 4500 H+ B	Total/NA
Temperature	23.5 HF		1.0	Deg. C	1		SM 4500 H+ B	Total/NA

Client Sample ID: OW-8us

Lab Sample ID: 570-100026-4

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Chloride	4.0		1.0	mg/L	1		300.0	Total/NA
Sulfate	7.8		1.0	mg/L	1		300.0	Total/NA
Calcium	11.6		2.00	mg/L	1		200.7 Rev 4.4	Total Recoverable
Magnesium	2.12		0.500	mg/L	1		200.7 Rev 4.4	Total Recoverable
Sodium	16.3		2.00	mg/L	1		200.7 Rev 4.4	Total Recoverable
Arsenic	0.00476		0.00100	mg/L	1		200.8	Total Recoverable
Barium	0.00171		0.00100	mg/L	1		200.8	Total Recoverable
Molybdenum	0.00195		0.00100	mg/L	1		200.8	Total Recoverable
Alkalinity, Total (As CaCO ₃)	70.0		5.00	mg/L	1		SM 2320B	Total/NA
Bicarbonate (as CaCO ₃)	70.0		5.00	mg/L	1		SM 2320B	Total/NA
Total Dissolved Solids	149		10.0	mg/L	1		SM 2540C	Total/NA
pH	8.3 HF		0.01	S.U.	1		SM 4500 H+ B	Total/NA
Temperature	23.5 HF		1.0	Deg. C	1		SM 4500 H+ B	Total/NA

Client Sample ID: OW-9u

Lab Sample ID: 570-100026-5

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Chloride	3.7		1.0	mg/L	1		300.0	Total/NA
Sulfate	11		1.0	mg/L	1		300.0	Total/NA
Calcium	11.0		2.00	mg/L	1		200.7 Rev 4.4	Total Recoverable
Magnesium	1.06		0.500	mg/L	1		200.7 Rev 4.4	Total Recoverable
Sodium	17.4		2.00	mg/L	1		200.7 Rev 4.4	Total Recoverable
Alkalinity, Total (As CaCO ₃)	70.1		5.00	mg/L	1		SM 2320B	Total/NA
Bicarbonate (as CaCO ₃)	68.8		5.00	mg/L	1		SM 2320B	Total/NA
Total Dissolved Solids	114		10.0	mg/L	1		SM 2540C	Total/NA
pH	8.4 HF		0.01	S.U.	1		SM 4500 H+ B	Total/NA
Temperature	23.6 HF		1.0	Deg. C	1		SM 4500 H+ B	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Calscience

Detection Summary

Client: TEAM Environmental, Inc.
Project/Site: CG Roxane

Job ID: 570-100026-1

Client Sample ID: OW-10u

Lab Sample ID: 570-100026-6

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Sulfate	5.5		1.0	mg/L	1	300.0		Total/NA
Calcium	15.4		2.00	mg/L	1	200.7 Rev 4.4		Total Recoverable
Magnesium	2.08		0.500	mg/L	1	200.7 Rev 4.4		Total Recoverable
Sodium	12.7		2.00	mg/L	1	200.7 Rev 4.4		Total Recoverable
Arsenic	0.00275		0.00100	mg/L	1	200.8		Total Recoverable
Barium	0.0208		0.00100	mg/L	1	200.8		Total Recoverable
Molybdenum	0.00243		0.00100	mg/L	1	200.8		Total Recoverable
Vanadium	0.00147		0.00100	mg/L	1	200.8		Total Recoverable
Turbidity	0.30	H	0.05	NTU	1	SM 2130B		Total/NA
Alkalinity, Total (As CaCO ₃)	62.5		5.00	mg/L	1	SM 2320B		Total/NA
Bicarbonate (as CaCO ₃)	62.5		5.00	mg/L	1	SM 2320B		Total/NA
Total Dissolved Solids	94.0		10.0	mg/L	1	SM 2540C		Total/NA
pH	7.7	HF	0.01	S.U.	1	SM 4500 H+ B		Total/NA
Temperature	23.8	HF	1.0	Deg. C	1	SM 4500 H+ B		Total/NA

Client Sample ID: OW-10m

Lab Sample ID: 570-100026-7

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Chloride	2.0		1.0	mg/L	1	300.0		Total/NA
Sulfate	2.4		1.0	mg/L	1	300.0		Total/NA
Calcium	5.66		2.00	mg/L	1	200.7 Rev 4.4		Total Recoverable
Magnesium	0.604		0.500	mg/L	1	200.7 Rev 4.4		Total Recoverable
Sodium	32.9		2.00	mg/L	1	200.7 Rev 4.4		Total Recoverable
Turbidity	5.3	H	0.05	NTU	1	SM 2130B		Total/NA
Alkalinity, Total (As CaCO ₃)	101		5.00	mg/L	1	SM 2320B		Total/NA
Bicarbonate (as CaCO ₃)	95.5		5.00	mg/L	1	SM 2320B		Total/NA
Total Dissolved Solids	166		10.0	mg/L	1	SM 2540C		Total/NA
pH	8.5	HF	0.01	S.U.	1	SM 4500 H+ B		Total/NA
Temperature	23.8	HF	1.0	Deg. C	1	SM 4500 H+ B		Total/NA

Client Sample ID: P-5

Lab Sample ID: 570-100026-8

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Chloride	1.0		1.0	mg/L	1	300.0		Total/NA
Sulfate	3.5		1.0	mg/L	1	300.0		Total/NA
Calcium	10.5		2.00	mg/L	1	200.7 Rev 4.4		Total Recoverable
Magnesium	1.44		0.500	mg/L	1	200.7 Rev 4.4		Total Recoverable
Sodium	13.2		2.00	mg/L	1	200.7 Rev 4.4		Total Recoverable
Barium	0.0219		0.00100	mg/L	1	200.8		Total Recoverable
Lead	0.0113		0.00100	mg/L	1	200.8		Total Recoverable

This Detection Summary does not include radiochemical test results.

Eurofins Calscience

Detection Summary

Client: TEAM Environmental, Inc.
Project/Site: CG Roxane

Job ID: 570-100026-1

Client Sample ID: P-5 (Continued)

Lab Sample ID: 570-100026-8

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Molybdenum	0.00313		0.00100	mg/L	1		200.8	Total Recoverable
Vanadium	0.00208		0.00100	mg/L	1		200.8	Total Recoverable
Zinc	0.608		0.00500	mg/L	1		200.8	Total Recoverable
Turbidity	2.6 H		0.05	NTU	1		SM 2130B	Total/NA
Alkalinity, Total (As CaCO ₃)	52.5		5.00	mg/L	1		SM 2320B	Total/NA
Bicarbonate (as CaCO ₃)	52.5		5.00	mg/L	1		SM 2320B	Total/NA
Total Dissolved Solids	96.0		10.0	mg/L	1		SM 2540C	Total/NA
pH	7.6 HF		0.01	S.U.	1		SM 4500 H+ B	Total/NA
Temperature	23.8 HF		1.0	Deg. C	1		SM 4500 H+ B	Total/NA

Client Sample ID: CMW-2

Lab Sample ID: 570-100026-9

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Chloride	1.0		1.0	mg/L	1		300.0	Total/NA
Sulfate	7.2		1.0	mg/L	1		300.0	Total/NA
Calcium	24.5		2.00	mg/L	1		200.7 Rev 4.4	Total Recoverable
Magnesium	2.14		0.500	mg/L	1		200.7 Rev 4.4	Total Recoverable
Sodium	12.0		2.00	mg/L	1		200.7 Rev 4.4	Total Recoverable
Arsenic	0.00219		0.00100	mg/L	1		200.8	Total Recoverable
Barium	0.00615		0.00100	mg/L	1		200.8	Total Recoverable
Molybdenum	0.00130		0.00100	mg/L	1		200.8	Total Recoverable
Vanadium	0.00120		0.00100	mg/L	1		200.8	Total Recoverable
Alkalinity, Total (As CaCO ₃)	81.2		5.00	mg/L	1		SM 2320B	Total/NA
Bicarbonate (as CaCO ₃)	81.2		5.00	mg/L	1		SM 2320B	Total/NA
Total Dissolved Solids	129		10.0	mg/L	1		SM 2540C	Total/NA
pH	8.2 HF		0.01	S.U.	1		SM 4500 H+ B	Total/NA
Temperature	23.7 HF		1.0	Deg. C	1		SM 4500 H+ B	Total/NA

Client Sample ID: PAT-1

Lab Sample ID: 570-100026-10

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Sulfate	3.2		1.0	mg/L	1		300.0	Total/NA
Calcium	19.1		2.00	mg/L	1		200.7 Rev 4.4	Total Recoverable
Magnesium	1.54		0.500	mg/L	1		200.7 Rev 4.4	Total Recoverable
Sodium	8.99		2.00	mg/L	1		200.7 Rev 4.4	Total Recoverable
Barium	0.00672		0.00100	mg/L	1		200.8	Total Recoverable
Molybdenum	0.00167		0.00100	mg/L	1		200.8	Total Recoverable
Vanadium	0.00114		0.00100	mg/L	1		200.8	Total Recoverable
Alkalinity, Total (As CaCO ₃)	64.4		5.00	mg/L	1		SM 2320B	Total/NA
Bicarbonate (as CaCO ₃)	64.4		5.00	mg/L	1		SM 2320B	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Calscience

Detection Summary

Client: TEAM Environmental, Inc.

Project/Site: CG Roxane

Job ID: 570-100026-1

Client Sample ID: PAT-1 (Continued)

Lab Sample ID: 570-100026-10

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Total Dissolved Solids	96.0		10.0	mg/L	1		SM 2540C	Total/NA
pH	8.1	HF	0.01	S.U.	1		SM 4500 H+ B	Total/NA
Temperature	23.7	HF	1.0	Deg. C	1		SM 4500 H+ B	Total/NA

Client Sample ID: QCMW

Lab Sample ID: 570-100026-11

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Chloride	1.7		1.0	mg/L	1		300.0	Total/NA
Sulfate - RA	17		1.0	mg/L	1		300.0	Total/NA
Calcium	19.4		2.00	mg/L	1		200.7 Rev 4.4	Total Recoverable
Magnesium	2.14		0.500	mg/L	1		200.7 Rev 4.4	Total Recoverable
Sodium	16.3		2.00	mg/L	1		200.7 Rev 4.4	Total Recoverable
Arsenic	0.0217		0.00100	mg/L	1		200.8	Total Recoverable
Barium	0.00726		0.00100	mg/L	1		200.8	Total Recoverable
Molybdenum	0.00639		0.00100	mg/L	1		200.8	Total Recoverable
Vanadium	0.00365		0.00100	mg/L	1		200.8	Total Recoverable
Alkalinity, Total (As CaCO ₃)	68.5		5.00	mg/L	1		SM 2320B	Total/NA
Bicarbonate (as CaCO ₃)	68.5		5.00	mg/L	1		SM 2320B	Total/NA
Total Dissolved Solids	123		10.0	mg/L	1		SM 2540C	Total/NA
pH	8.1	HF	0.01	S.U.	1		SM 4500 H+ B	Total/NA
Temperature	23.9	HF	1.0	Deg. C	1		SM 4500 H+ B	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Calscience

Client Sample Results

Client: TEAM Environmental, Inc.
Project/Site: CG Roxane

Job ID: 570-100026-1

Method: 300.0 - Anions, Ion Chromatography

Client Sample ID: MW-3 Date Collected: 06/15/22 10:22 Date Received: 06/16/22 14:10							Lab Sample ID: 570-100026-1 Matrix: Water			
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac		
Chloride	1.8		1.0	mg/L			06/20/22 21:21	1		1
Sulfate	ND		1.0	mg/L			06/20/22 21:21	1		1
Client Sample ID: OW-7u Date Collected: 06/15/22 12:13 Date Received: 06/16/22 14:10							Lab Sample ID: 570-100026-2 Matrix: Water			
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac		
Chloride	1.7		1.0	mg/L			06/20/22 21:38	1		1
Sulfate	17		1.0	mg/L			06/20/22 21:38	1		1
Client Sample ID: OW-7m Date Collected: 06/15/22 12:40 Date Received: 06/16/22 14:10							Lab Sample ID: 570-100026-3 Matrix: Water			
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac		
Chloride	3.0		1.0	mg/L			06/20/22 21:56	1		1
Sulfate	27		1.0	mg/L			06/20/22 21:56	1		1
Client Sample ID: OW-8us Date Collected: 06/14/22 11:10 Date Received: 06/16/22 14:10							Lab Sample ID: 570-100026-4 Matrix: Water			
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac		
Chloride	4.0		1.0	mg/L			06/20/22 22:14	1		1
Sulfate	7.8		1.0	mg/L			06/20/22 22:14	1		1
Client Sample ID: OW-9u Date Collected: 06/14/22 12:40 Date Received: 06/16/22 14:10							Lab Sample ID: 570-100026-5 Matrix: Water			
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac		
Chloride	3.7		1.0	mg/L			06/20/22 22:32	1		1
Sulfate	11		1.0	mg/L			06/20/22 22:32	1		1
Client Sample ID: OW-10u Date Collected: 06/15/22 11:35 Date Received: 06/16/22 14:10							Lab Sample ID: 570-100026-6 Matrix: Water			
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac		
Chloride	ND		1.0	mg/L			06/20/22 22:50	1		1
Sulfate	5.5		1.0	mg/L			06/20/22 22:50	1		1
Client Sample ID: OW-10m Date Collected: 06/15/22 11:18 Date Received: 06/16/22 14:10							Lab Sample ID: 570-100026-7 Matrix: Water			
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac		
Chloride	2.0		1.0	mg/L			06/20/22 23:08	1		1
Sulfate	2.4		1.0	mg/L			06/20/22 23:08	1		1
Client Sample ID: P-5 Date Collected: 06/15/22 10:52 Date Received: 06/16/22 14:10							Lab Sample ID: 570-100026-8 Matrix: Water			
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac		
Chloride	1.0		1.0	mg/L			06/20/22 23:26	1		1
Sulfate	3.5		1.0	mg/L			06/20/22 23:26	1		1

Eurofins Calscience

Client Sample Results

Client: TEAM Environmental, Inc.

Job ID: 570-100026-1

Project/Site: CG Roxane

Method: 300.0 - Anions, Ion Chromatography

Client Sample ID: CMW-2

Date Collected: 06/14/22 10:10

Date Received: 06/16/22 14:10

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	1.0		1.0	mg/L			06/20/22 23:43	1
Sulfate	7.2		1.0	mg/L			06/20/22 23:43	1

Client Sample ID: PAT-1

Date Collected: 06/14/22 10:25

Date Received: 06/16/22 14:10

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		1.0	mg/L			06/21/22 00:01	1
Sulfate	3.2		1.0	mg/L			06/21/22 00:01	1

Client Sample ID: QCMW

Date Collected: 06/15/22 00:00

Date Received: 06/16/22 14:10

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	1.7		1.0	mg/L			06/21/22 00:55	1

Lab Sample ID: 570-100026-9

Matrix: Water

Lab Sample ID: 570-100026-10

Matrix: Water

Lab Sample ID: 570-100026-11

Matrix: Water

Client Sample Results

Client: TEAM Environmental, Inc.
Project/Site: CG Roxane

Job ID: 570-100026-1

Method: 300.0 - Anions, Ion Chromatography - RA

Client Sample ID: QCMW

Date Collected: 06/15/22 00:00

Date Received: 06/16/22 14:10

Lab Sample ID: 570-100026-11

Matrix: Water

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfate	17		1.0	mg/L			06/24/22 20:54	1

Client Sample Results

Client: TEAM Environmental, Inc.
Project/Site: CG Roxane

Job ID: 570-100026-1

Method: 200.7 Rev 4.4 - Metals (ICP) - Total Recoverable

Client Sample ID: MW-3							Lab Sample ID: 570-100026-1 Matrix: Water			
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac		
Calcium	7.60		2.00	mg/L		06/18/22 07:03	06/18/22 13:39	1		
Magnesium	ND		0.500	mg/L		06/18/22 07:03	06/18/22 13:39	1		
Sodium	27.2		2.00	mg/L		06/18/22 07:03	06/18/22 13:39	1		
Client Sample ID: OW-7u							Lab Sample ID: 570-100026-2 Matrix: Water			
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac		
Calcium	19.3		2.00	mg/L		06/18/22 07:03	06/18/22 13:46	1		
Magnesium	2.09		0.500	mg/L		06/18/22 07:03	06/18/22 13:46	1		
Sodium	16.5		2.00	mg/L		06/18/22 07:03	06/18/22 13:46	1		
Client Sample ID: OW-7m							Lab Sample ID: 570-100026-3 Matrix: Water			
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac		
Calcium	22.1		2.00	mg/L		06/18/22 07:03	06/18/22 13:49	1		
Magnesium	1.63		0.500	mg/L		06/18/22 07:03	06/18/22 13:49	1		
Sodium	19.5		2.00	mg/L		06/18/22 07:03	06/18/22 13:49	1		
Client Sample ID: OW-8us							Lab Sample ID: 570-100026-4 Matrix: Water			
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac		
Calcium	11.6		2.00	mg/L		06/18/22 07:03	06/18/22 13:54	1		
Magnesium	2.12		0.500	mg/L		06/18/22 07:03	06/18/22 13:54	1		
Sodium	16.3		2.00	mg/L		06/18/22 07:03	06/18/22 13:54	1		
Client Sample ID: OW-9u							Lab Sample ID: 570-100026-5 Matrix: Water			
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac		
Calcium	11.0		2.00	mg/L		06/18/22 07:03	06/18/22 13:57	1		
Magnesium	1.06		0.500	mg/L		06/18/22 07:03	06/18/22 13:57	1		
Sodium	17.4		2.00	mg/L		06/18/22 07:03	06/18/22 13:57	1		
Client Sample ID: OW-10u							Lab Sample ID: 570-100026-6 Matrix: Water			
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac		
Calcium	15.4		2.00	mg/L		06/18/22 07:03	06/18/22 13:59	1		
Magnesium	2.08		0.500	mg/L		06/18/22 07:03	06/18/22 13:59	1		
Sodium	12.7		2.00	mg/L		06/18/22 07:03	06/18/22 13:59	1		
Client Sample ID: OW-10m							Lab Sample ID: 570-100026-7 Matrix: Water			
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac		
Calcium	5.66		2.00	mg/L		06/18/22 07:03	06/18/22 14:02	1		
Magnesium	0.604		0.500	mg/L		06/18/22 07:03	06/18/22 14:02	1		
Sodium	32.9		2.00	mg/L		06/18/22 07:03	06/18/22 14:02	1		

Eurofins Calscience

Client Sample Results

Client: TEAM Environmental, Inc.
Project/Site: CG Roxane

Job ID: 570-100026-1

Method: 200.7 Rev 4.4 - Metals (ICP) - Total Recoverable

Client Sample ID: P-5

Date Collected: 06/15/22 10:52

Date Received: 06/16/22 14:10

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Calcium	10.5		2.00	mg/L		06/18/22 07:03	06/18/22 14:04	1
Magnesium	1.44		0.500	mg/L		06/18/22 07:03	06/18/22 14:04	1
Sodium	13.2		2.00	mg/L		06/18/22 07:03	06/18/22 14:04	1

Client Sample ID: CMW-2

Date Collected: 06/14/22 10:10

Date Received: 06/16/22 14:10

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Calcium	24.5		2.00	mg/L		06/18/22 07:03	06/18/22 14:11	1
Magnesium	2.14		0.500	mg/L		06/18/22 07:03	06/18/22 14:11	1
Sodium	12.0		2.00	mg/L		06/18/22 07:03	06/18/22 14:11	1

Client Sample ID: PAT-1

Date Collected: 06/14/22 10:25

Date Received: 06/16/22 14:10

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Calcium	19.1		2.00	mg/L		06/18/22 07:03	06/18/22 14:14	1
Magnesium	1.54		0.500	mg/L		06/18/22 07:03	06/18/22 14:14	1
Sodium	8.99		2.00	mg/L		06/18/22 07:03	06/18/22 14:14	1

Client Sample ID: QCMW

Date Collected: 06/15/22 00:00

Date Received: 06/16/22 14:10

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Calcium	19.4		2.00	mg/L		06/18/22 07:03	06/18/22 14:21	1
Magnesium	2.14		0.500	mg/L		06/18/22 07:03	06/18/22 14:21	1
Sodium	16.3		2.00	mg/L		06/18/22 07:03	06/18/22 14:21	1

Lab Sample ID: 570-100026-8

Matrix: Water

Lab Sample ID: 570-100026-9

Matrix: Water

Lab Sample ID: 570-100026-10

Matrix: Water

Lab Sample ID: 570-100026-11

Matrix: Water

Client Sample Results

Client: TEAM Environmental, Inc.

Project/Site: CG Roxane

Job ID: 570-100026-1

Method: 200.8 - Metals (ICP/MS) - Total Recoverable

Client Sample ID: MW-3

Date Collected: 06/15/22 10:22

Date Received: 06/16/22 14:10

Lab Sample ID: 570-100026-1

Matrix: Water

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 15:30		1
Arsenic	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 15:30		1
Barium	0.00346		0.00100	mg/L	06/18/22 06:46	06/20/22 15:30		1
Beryllium	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 15:30		1
Cadmium	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 15:30		1
Chromium	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 15:30		1
Cobalt	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 15:30		1
Copper	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 15:30		1
Lead	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 15:30		1
Molybdenum	0.00281		0.00100	mg/L	06/18/22 06:46	06/20/22 15:30		1
Nickel	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 15:30		1
Selenium	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 15:30		1
Silver	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 15:30		1
Thallium	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 15:30		1
Vanadium	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 15:30		1
Zinc	ND		0.00500	mg/L	06/18/22 06:46	06/20/22 15:30		1

Client Sample ID: OW-7u

Date Collected: 06/15/22 12:13

Date Received: 06/16/22 14:10

Lab Sample ID: 570-100026-2

Matrix: Water

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 16:37		1
Arsenic	0.0225		0.00100	mg/L	06/18/22 06:46	06/20/22 16:37		1
Barium	0.00761		0.00100	mg/L	06/18/22 06:46	06/20/22 16:37		1
Beryllium	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 16:37		1
Cadmium	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 16:37		1
Chromium	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 16:37		1
Cobalt	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 16:37		1
Copper	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 16:37		1
Lead	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 16:37		1
Molybdenum	0.00626		0.00100	mg/L	06/18/22 06:46	06/20/22 16:37		1
Nickel	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 16:37		1
Selenium	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 16:37		1
Silver	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 16:37		1
Thallium	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 16:37		1
Vanadium	0.00434		0.00100	mg/L	06/18/22 06:46	06/20/22 16:37		1
Zinc	ND		0.00500	mg/L	06/18/22 06:46	06/20/22 16:37		1

Client Sample ID: OW-7m

Date Collected: 06/15/22 12:40

Date Received: 06/16/22 14:10

Lab Sample ID: 570-100026-3

Matrix: Water

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	0.00104		0.00100	mg/L	06/18/22 06:46	06/20/22 16:41		1
Arsenic	0.0232		0.00100	mg/L	06/18/22 06:46	06/20/22 16:41		1
Barium	0.00989		0.00100	mg/L	06/18/22 06:46	06/20/22 16:41		1
Beryllium	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 16:41		1
Cadmium	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 16:41		1
Chromium	0.00163		0.00100	mg/L	06/18/22 06:46	06/20/22 16:41		1
Cobalt	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 16:41		1
Copper	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 16:41		1

Eurofins Calscience

Client Sample Results

Client: TEAM Environmental, Inc.

Project/Site: CG Roxane

Job ID: 570-100026-1

Method: 200.8 - Metals (ICP/MS) - Total Recoverable (Continued)

Client Sample ID: OW-7m

Date Collected: 06/15/22 12:40

Date Received: 06/16/22 14:10

Lab Sample ID: 570-100026-3

Matrix: Water

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 16:41		1
Molybdenum	0.00360		0.00100	mg/L	06/18/22 06:46	06/20/22 16:41		1
Nickel	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 16:41		1
Selenium	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 16:41		1
Silver	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 16:41		1
Thallium	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 16:41		1
Vanadium	0.00491		0.00100	mg/L	06/18/22 06:46	06/20/22 16:41		1
Zinc	ND		0.00500	mg/L	06/18/22 06:46	06/20/22 16:41		1

Client Sample ID: OW-8us

Date Collected: 06/14/22 11:10

Date Received: 06/16/22 14:10

Lab Sample ID: 570-100026-4

Matrix: Water

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 16:44		1
Arsenic	0.00476		0.00100	mg/L	06/18/22 06:46	06/20/22 16:44		1
Barium	0.00171		0.00100	mg/L	06/18/22 06:46	06/20/22 16:44		1
Beryllium	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 16:44		1
Cadmium	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 16:44		1
Chromium	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 16:44		1
Cobalt	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 16:44		1
Copper	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 16:44		1
Lead	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 16:44		1
Molybdenum	0.00195		0.00100	mg/L	06/18/22 06:46	06/20/22 16:44		1
Nickel	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 16:44		1
Selenium	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 16:44		1
Silver	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 16:44		1
Thallium	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 16:44		1
Vanadium	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 16:44		1
Zinc	ND		0.00500	mg/L	06/18/22 06:46	06/20/22 16:44		1

Client Sample ID: OW-9u

Date Collected: 06/14/22 12:40

Date Received: 06/16/22 14:10

Lab Sample ID: 570-100026-5

Matrix: Water

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	ND		0.00500	mg/L	06/18/22 06:46	06/20/22 16:47		5
Arsenic	ND		0.00500	mg/L	06/18/22 06:46	06/20/22 16:47		5
Barium	ND		0.00500	mg/L	06/18/22 06:46	06/20/22 16:47		5
Beryllium	ND		0.00500	mg/L	06/18/22 06:46	06/20/22 16:47		5
Cadmium	ND		0.00500	mg/L	06/18/22 06:46	06/20/22 16:47		5
Chromium	ND		0.00500	mg/L	06/18/22 06:46	06/20/22 16:47		5
Cobalt	ND		0.00500	mg/L	06/18/22 06:46	06/20/22 16:47		5
Copper	ND		0.00500	mg/L	06/18/22 06:46	06/20/22 16:47		5
Lead	ND		0.00500	mg/L	06/18/22 06:46	06/20/22 16:47		5
Molybdenum	ND		0.00500	mg/L	06/18/22 06:46	06/20/22 16:47		5
Nickel	ND		0.00500	mg/L	06/18/22 06:46	06/20/22 16:47		5
Selenium	ND		0.00500	mg/L	06/18/22 06:46	06/20/22 16:47		5
Silver	ND		0.00500	mg/L	06/18/22 06:46	06/20/22 16:47		5
Thallium	ND		0.00500	mg/L	06/18/22 06:46	06/20/22 16:47		5
Vanadium	ND		0.00500	mg/L	06/18/22 06:46	06/20/22 16:47		5
Zinc	ND		0.0250	mg/L	06/18/22 06:46	06/20/22 16:47		5

Eurofins Calscience

Client Sample Results

Client: TEAM Environmental, Inc.
Project/Site: CG Roxane

Job ID: 570-100026-1

Method: 200.8 - Metals (ICP/MS) - Total Recoverable

Client Sample ID: OW-10u

Date Collected: 06/15/22 11:35

Date Received: 06/16/22 14:10

Lab Sample ID: 570-100026-6

Matrix: Water

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 16:50		1
Arsenic	0.00275		0.00100	mg/L	06/18/22 06:46	06/20/22 16:50		1
Barium	0.0208		0.00100	mg/L	06/18/22 06:46	06/20/22 16:50		1
Beryllium	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 16:50		1
Cadmium	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 16:50		1
Chromium	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 16:50		1
Cobalt	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 16:50		1
Copper	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 16:50		1
Lead	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 16:50		1
Molybdenum	0.00243		0.00100	mg/L	06/18/22 06:46	06/20/22 16:50		1
Nickel	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 16:50		1
Selenium	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 16:50		1
Silver	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 16:50		1
Thallium	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 16:50		1
Vanadium	0.00147		0.00100	mg/L	06/18/22 06:46	06/20/22 16:50		1
Zinc	ND		0.00500	mg/L	06/18/22 06:46	06/20/22 16:50		1

Client Sample ID: OW-10m

Date Collected: 06/15/22 11:18

Date Received: 06/16/22 14:10

Lab Sample ID: 570-100026-7

Matrix: Water

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	ND		0.00500	mg/L	06/18/22 06:46	06/20/22 16:53		5
Arsenic	ND		0.00500	mg/L	06/18/22 06:46	06/20/22 16:53		5
Barium	ND		0.00500	mg/L	06/18/22 06:46	06/20/22 16:53		5
Beryllium	ND		0.00500	mg/L	06/18/22 06:46	06/20/22 16:53		5
Cadmium	ND		0.00500	mg/L	06/18/22 06:46	06/20/22 16:53		5
Chromium	ND		0.00500	mg/L	06/18/22 06:46	06/20/22 16:53		5
Cobalt	ND		0.00500	mg/L	06/18/22 06:46	06/20/22 16:53		5
Copper	ND		0.00500	mg/L	06/18/22 06:46	06/20/22 16:53		5
Lead	ND		0.00500	mg/L	06/18/22 06:46	06/20/22 16:53		5
Molybdenum	ND		0.00500	mg/L	06/18/22 06:46	06/20/22 16:53		5
Nickel	ND		0.00500	mg/L	06/18/22 06:46	06/20/22 16:53		5
Selenium	ND		0.00500	mg/L	06/18/22 06:46	06/20/22 16:53		5
Silver	ND		0.00500	mg/L	06/18/22 06:46	06/20/22 16:53		5
Thallium	ND		0.00500	mg/L	06/18/22 06:46	06/20/22 16:53		5
Vanadium	ND		0.00500	mg/L	06/18/22 06:46	06/20/22 16:53		5
Zinc	ND		0.0250	mg/L	06/18/22 06:46	06/20/22 16:53		5

Client Sample ID: P-5

Date Collected: 06/15/22 10:52

Date Received: 06/16/22 14:10

Lab Sample ID: 570-100026-8

Matrix: Water

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 16:56		1
Arsenic	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 16:56		1
Barium	0.0219		0.00100	mg/L	06/18/22 06:46	06/20/22 16:56		1
Beryllium	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 16:56		1
Cadmium	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 16:56		1
Chromium	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 16:56		1
Cobalt	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 16:56		1
Copper	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 16:56		1

Eurofins Calscience

Client Sample Results

Client: TEAM Environmental, Inc.
Project/Site: CG Roxane

Job ID: 570-100026-1

Method: 200.8 - Metals (ICP/MS) - Total Recoverable (Continued)

Client Sample ID: P-5

Date Collected: 06/15/22 10:52

Date Received: 06/16/22 14:10

Lab Sample ID: 570-100026-8

Matrix: Water

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	0.0113		0.00100	mg/L	06/18/22 06:46	06/20/22 16:56		1
Molybdenum	0.00313		0.00100	mg/L	06/18/22 06:46	06/20/22 16:56		1
Nickel	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 16:56		1
Selenium	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 16:56		1
Silver	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 16:56		1
Thallium	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 16:56		1
Vanadium	0.00208		0.00100	mg/L	06/18/22 06:46	06/20/22 16:56		1
Zinc	0.608		0.00500	mg/L	06/18/22 06:46	06/20/22 16:56		1

Client Sample ID: CMW-2

Date Collected: 06/14/22 10:10

Date Received: 06/16/22 14:10

Lab Sample ID: 570-100026-9

Matrix: Water

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 17:00		1
Arsenic	0.00219		0.00100	mg/L	06/18/22 06:46	06/20/22 17:00		1
Barium	0.00615		0.00100	mg/L	06/18/22 06:46	06/20/22 17:00		1
Beryllium	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 17:00		1
Cadmium	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 17:00		1
Chromium	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 17:00		1
Cobalt	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 17:00		1
Copper	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 17:00		1
Lead	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 17:00		1
Molybdenum	0.00130		0.00100	mg/L	06/18/22 06:46	06/20/22 17:00		1
Nickel	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 17:00		1
Selenium	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 17:00		1
Silver	ND	F1 F2	0.00100	mg/L	06/18/22 06:46	06/20/22 17:00		1
Thallium	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 17:00		1
Vanadium	0.00120		0.00100	mg/L	06/18/22 06:46	06/20/22 17:00		1
Zinc	ND		0.00500	mg/L	06/18/22 06:46	06/20/22 17:00		1

Client Sample ID: PAT-1

Date Collected: 06/14/22 10:25

Date Received: 06/16/22 14:10

Lab Sample ID: 570-100026-10

Matrix: Water

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 17:15		1
Arsenic	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 17:15		1
Barium	0.00672		0.00100	mg/L	06/18/22 06:46	06/20/22 17:15		1
Beryllium	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 17:15		1
Cadmium	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 17:15		1
Chromium	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 17:15		1
Cobalt	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 17:15		1
Copper	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 17:15		1
Lead	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 17:15		1
Molybdenum	0.00167		0.00100	mg/L	06/18/22 06:46	06/20/22 17:15		1
Nickel	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 17:15		1
Selenium	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 17:15		1
Silver	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 17:15		1
Thallium	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 17:15		1
Vanadium	0.00114		0.00100	mg/L	06/18/22 06:46	06/20/22 17:15		1
Zinc	ND		0.00500	mg/L	06/18/22 06:46	06/20/22 17:15		1

Eurofins Calscience

Client Sample Results

Client: TEAM Environmental, Inc.

Job ID: 570-100026-1

Project/Site: CG Roxane

Method: 200.8 - Metals (ICP/MS) - Total Recoverable

Client Sample ID: QCMW

Date Collected: 06/15/22 00:00

Date Received: 06/16/22 14:10

Lab Sample ID: 570-100026-11

Matrix: Water

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 17:19		1
Arsenic	0.0217		0.00100	mg/L	06/18/22 06:46	06/20/22 17:19		1
Barium	0.00726		0.00100	mg/L	06/18/22 06:46	06/20/22 17:19		1
Beryllium	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 17:19		1
Cadmium	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 17:19		1
Chromium	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 17:19		1
Cobalt	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 17:19		1
Copper	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 17:19		1
Lead	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 17:19		1
Molybdenum	0.00639		0.00100	mg/L	06/18/22 06:46	06/20/22 17:19		1
Nickel	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 17:19		1
Selenium	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 17:19		1
Silver	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 17:19		1
Thallium	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 17:19		1
Vanadium	0.00365		0.00100	mg/L	06/18/22 06:46	06/20/22 17:19		1
Zinc	ND		0.00500	mg/L	06/18/22 06:46	06/20/22 17:19		1

Client Sample Results

Client: TEAM Environmental, Inc.
Project/Site: CG Roxane

Job ID: 570-100026-1

Method: 245.1 - Mercury (CVAA)

Client Sample ID: MW-3 Date Collected: 06/15/22 10:22 Date Received: 06/16/22 14:10							Lab Sample ID: 570-100026-1 Matrix: Water			
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac		
Mercury	ND		0.000200	mg/L		06/21/22 07:39	06/22/22 16:05	1		
Client Sample ID: OW-7u Date Collected: 06/15/22 12:13 Date Received: 06/16/22 14:10							Lab Sample ID: 570-100026-2 Matrix: Water			
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac		
Mercury	ND		0.000200	mg/L		06/21/22 07:39	06/22/22 16:07	1		
Client Sample ID: OW-7m Date Collected: 06/15/22 12:40 Date Received: 06/16/22 14:10							Lab Sample ID: 570-100026-3 Matrix: Water			
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac		
Mercury	ND		0.000200	mg/L		06/21/22 07:39	06/22/22 16:13	1		
Client Sample ID: OW-8us Date Collected: 06/14/22 11:10 Date Received: 06/16/22 14:10							Lab Sample ID: 570-100026-4 Matrix: Water			
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac		
Mercury	ND		0.000200	mg/L		06/21/22 07:39	06/22/22 16:14	1		
Client Sample ID: OW-9u Date Collected: 06/14/22 12:40 Date Received: 06/16/22 14:10							Lab Sample ID: 570-100026-5 Matrix: Water			
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac		
Mercury	ND		0.000200	mg/L		06/21/22 07:39	06/22/22 16:16	1		
Client Sample ID: OW-10u Date Collected: 06/15/22 11:35 Date Received: 06/16/22 14:10							Lab Sample ID: 570-100026-6 Matrix: Water			
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac		
Mercury	ND		0.000200	mg/L		06/21/22 07:39	06/22/22 16:18	1		
Client Sample ID: OW-10m Date Collected: 06/15/22 11:18 Date Received: 06/16/22 14:10							Lab Sample ID: 570-100026-7 Matrix: Water			
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac		
Mercury	ND		0.000200	mg/L		06/21/22 07:39	06/22/22 16:24	1		
Client Sample ID: P-5 Date Collected: 06/15/22 10:52 Date Received: 06/16/22 14:10							Lab Sample ID: 570-100026-8 Matrix: Water			
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac		
Mercury	ND		0.000200	mg/L		06/21/22 07:39	06/22/22 16:25	1		
Client Sample ID: CMW-2 Date Collected: 06/14/22 10:10 Date Received: 06/16/22 14:10							Lab Sample ID: 570-100026-9 Matrix: Water			
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac		
Mercury	ND		0.000200	mg/L		06/21/22 07:39	06/22/22 16:27	1		

Client Sample Results

Client: TEAM Environmental, Inc.
Project/Site: CG Roxane

Job ID: 570-100026-1

Method: 245.1 - Mercury (CVAA)

Client Sample ID: PAT-1

Date Collected: 06/14/22 10:25

Date Received: 06/16/22 14:10

Lab Sample ID: 570-100026-10

Matrix: Water

Analyte

Mercury

Result

ND

Qualifier

RL

0.000200

Unit

mg/L

D

06/21/22 07:39

Prepared

06/22/22 16:29

Analyzed

Dil Fac

1

Client Sample ID: QCMW

Date Collected: 06/15/22 00:00

Date Received: 06/16/22 14:10

Lab Sample ID: 570-100026-11

Matrix: Water

Analyte

Mercury

Result

ND

Qualifier

RL

0.000200

Unit

mg/L

D

06/21/22 07:39

Prepared

06/22/22 16:35

Analyzed

Dil Fac

1

Client Sample Results

Client: TEAM Environmental, Inc.
Project/Site: CG Roxane

Job ID: 570-100026-1

General Chemistry

Client Sample ID: MW-3

Date Collected: 06/15/22 10:22

Date Received: 06/16/22 14:10

Lab Sample ID: 570-100026-1

Matrix: Water

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Turbidity	4.5	H	0.05	NTU			06/17/22 16:30	1
Alkalinity, Total (As CaCO ₃)	73.1		5.00	mg/L			06/23/22 12:54	1
Bicarbonate (as CaCO ₃)	73.1		5.00	mg/L			06/23/22 12:54	1
Total Dissolved Solids	82.0		10.0	mg/L			06/22/22 13:49	1
pH	8.3	HF	0.01	S.U.			06/23/22 12:54	1
Temperature	23.5	HF	1.0	Deg. C			06/23/22 12:54	1

Client Sample ID: OW-7u

Date Collected: 06/15/22 12:13

Date Received: 06/16/22 14:10

Lab Sample ID: 570-100026-2

Matrix: Water

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Turbidity	ND	H	0.05	NTU			06/17/22 16:30	1
Alkalinity, Total (As CaCO ₃)	68.1		5.00	mg/L			06/23/22 13:08	1
Bicarbonate (as CaCO ₃)	68.1		5.00	mg/L			06/23/22 13:08	1
Total Dissolved Solids	128		10.0	mg/L			06/21/22 17:35	1
pH	8.2	HF	0.01	S.U.			06/23/22 13:08	1
Temperature	23.5	HF	1.0	Deg. C			06/23/22 13:08	1

Client Sample ID: OW-7m

Date Collected: 06/15/22 12:40

Date Received: 06/16/22 14:10

Lab Sample ID: 570-100026-3

Matrix: Water

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Turbidity	ND	H	0.05	NTU			06/17/22 16:30	1
Alkalinity, Total (As CaCO ₃)	66.1		5.00	mg/L			06/23/22 13:15	1
Bicarbonate (as CaCO ₃)	66.1		5.00	mg/L			06/23/22 13:15	1
Total Dissolved Solids	153		10.0	mg/L			06/21/22 17:35	1
pH	8.1	HF	0.01	S.U.			06/23/22 13:15	1
Temperature	23.5	HF	1.0	Deg. C			06/23/22 13:15	1

Client Sample ID: OW-8us

Date Collected: 06/14/22 11:10

Date Received: 06/16/22 14:10

Lab Sample ID: 570-100026-4

Matrix: Water

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Turbidity	ND	H H3	0.05	NTU			06/17/22 16:30	1
Alkalinity, Total (As CaCO ₃)	70.0		5.00	mg/L			06/23/22 13:22	1
Bicarbonate (as CaCO ₃)	70.0		5.00	mg/L			06/23/22 13:22	1
Total Dissolved Solids	149		10.0	mg/L			06/21/22 17:35	1
pH	8.3	HF	0.01	S.U.			06/23/22 13:22	1
Temperature	23.5	HF	1.0	Deg. C			06/23/22 13:22	1

Client Sample ID: OW-9u

Date Collected: 06/14/22 12:40

Date Received: 06/16/22 14:10

Lab Sample ID: 570-100026-5

Matrix: Water

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Turbidity	ND	H H3	0.05	NTU			06/17/22 16:30	1
Alkalinity, Total (As CaCO ₃)	70.1		5.00	mg/L			06/23/22 13:29	1
Bicarbonate (as CaCO ₃)	68.8		5.00	mg/L			06/23/22 13:29	1
Total Dissolved Solids	114		10.0	mg/L			06/21/22 17:35	1
pH	8.4	HF	0.01	S.U.			06/23/22 13:29	1
Temperature	23.6	HF	1.0	Deg. C			06/23/22 13:29	1

Client Sample Results

Client: TEAM Environmental, Inc.
Project/Site: CG Roxane

Job ID: 570-100026-1

General Chemistry

Client Sample ID: OW-10u

Date Collected: 06/15/22 11:35
Date Received: 06/16/22 14:10

Lab Sample ID: 570-100026-6
Matrix: Water

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Turbidity	0.30	H	0.05	NTU			06/17/22 16:30	1
Alkalinity, Total (As CaCO ₃)	62.5		5.00	mg/L			06/23/22 13:35	1
Bicarbonate (as CaCO ₃)	62.5		5.00	mg/L			06/23/22 13:35	1
Total Dissolved Solids	94.0		10.0	mg/L			06/21/22 17:35	1
pH	7.7	HF	0.01	S.U.			06/23/22 13:35	1
Temperature	23.8	HF	1.0	Deg. C			06/23/22 13:35	1

Client Sample ID: OW-10m

Date Collected: 06/15/22 11:18
Date Received: 06/16/22 14:10

Lab Sample ID: 570-100026-7
Matrix: Water

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Turbidity	5.3	H	0.05	NTU			06/17/22 16:30	1
Alkalinity, Total (As CaCO ₃)	101		5.00	mg/L			06/23/22 13:42	1
Bicarbonate (as CaCO ₃)	95.5		5.00	mg/L			06/23/22 13:42	1
Total Dissolved Solids	166		10.0	mg/L			06/21/22 17:35	1
pH	8.5	HF	0.01	S.U.			06/23/22 13:42	1
Temperature	23.8	HF	1.0	Deg. C			06/23/22 13:42	1

Client Sample ID: P-5

Date Collected: 06/15/22 10:52
Date Received: 06/16/22 14:10

Lab Sample ID: 570-100026-8
Matrix: Water

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Turbidity	2.6	H	0.05	NTU			06/17/22 16:30	1
Alkalinity, Total (As CaCO ₃)	52.5		5.00	mg/L			06/23/22 13:49	1
Bicarbonate (as CaCO ₃)	52.5		5.00	mg/L			06/23/22 13:49	1
Total Dissolved Solids	96.0		10.0	mg/L			06/21/22 17:35	1
pH	7.6	HF	0.01	S.U.			06/23/22 13:49	1
Temperature	23.8	HF	1.0	Deg. C			06/23/22 13:49	1

Client Sample ID: CMW-2

Date Collected: 06/14/22 10:10
Date Received: 06/16/22 14:10

Lab Sample ID: 570-100026-9
Matrix: Water

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Turbidity	ND	H H3	0.05	NTU			06/17/22 16:30	1
Alkalinity, Total (As CaCO ₃)	81.2		5.00	mg/L			06/23/22 14:53	1
Bicarbonate (as CaCO ₃)	81.2		5.00	mg/L			06/23/22 14:53	1
Total Dissolved Solids	129		10.0	mg/L			06/21/22 17:35	1
pH	8.2	HF	0.01	S.U.			06/23/22 14:53	1
Temperature	23.7	HF	1.0	Deg. C			06/23/22 14:53	1

Client Sample ID: PAT-1

Date Collected: 06/14/22 10:25
Date Received: 06/16/22 14:10

Lab Sample ID: 570-100026-10
Matrix: Water

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Turbidity	ND	H H3	0.05	NTU			06/17/22 16:30	1
Alkalinity, Total (As CaCO ₃)	64.4		5.00	mg/L			06/23/22 15:00	1
Bicarbonate (as CaCO ₃)	64.4		5.00	mg/L			06/23/22 15:00	1
Total Dissolved Solids	96.0		10.0	mg/L			06/21/22 17:35	1
pH	8.1	HF	0.01	S.U.			06/23/22 15:00	1
Temperature	23.7	HF	1.0	Deg. C			06/23/22 15:00	1

Client Sample Results

Client: TEAM Environmental, Inc.
Project/Site: CG Roxane

Job ID: 570-100026-1

General Chemistry

Client Sample ID: QCMW

Date Collected: 06/15/22 00:00

Date Received: 06/16/22 14:10

Lab Sample ID: 570-100026-11

Matrix: Water

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Turbidity	ND	H	0.05	NTU			06/17/22 16:30	1
Alkalinity, Total (As CaCO ₃)	68.5		5.00	mg/L			06/23/22 15:17	1
Bicarbonate (as CaCO ₃)	68.5		5.00	mg/L			06/23/22 15:17	1
Total Dissolved Solids	123		10.0	mg/L			06/21/22 17:35	1
pH	8.1	HF	0.01	S.U.			06/23/22 15:17	1
Temperature	23.9	HF	1.0	Deg. C			06/23/22 15:17	1

QC Sample Results

Client: TEAM Environmental, Inc.
Project/Site: CG Roxane

Job ID: 570-100026-1

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 570-242748/5

Matrix: Water

Analysis Batch: 242748

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		1.0	mg/L			06/20/22 12:11	1
Sulfate	ND		1.0	mg/L			06/20/22 12:11	1

Lab Sample ID: LCS 570-242748/6

Matrix: Water

Analysis Batch: 242748

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	50.0	49.83		mg/L		100	90 - 110
Sulfate	50.0	49.89		mg/L		100	90 - 110

Lab Sample ID: LCSD 570-242748/7

Matrix: Water

Analysis Batch: 242748

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	50.0	49.90		mg/L		100	90 - 110	0	15
Sulfate	50.0	49.94		mg/L		100	90 - 110	0	15

Lab Sample ID: 570-100026-11 MS

Matrix: Water

Analysis Batch: 242748

Client Sample ID: QCMW
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	1.7		50.0	53.04		mg/L		103	80 - 120

Lab Sample ID: 570-100026-11 MSD

Matrix: Water

Analysis Batch: 242748

Client Sample ID: QCMW
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	1.7		50.0	53.38		mg/L		103	80 - 120	1	20

Lab Sample ID: MB 570-244336/15

Matrix: Water

Analysis Batch: 244336

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfate	ND		1.0	mg/L			06/24/22 20:01	1

Lab Sample ID: LCS 570-244336/16

Matrix: Water

Analysis Batch: 244336

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Sulfate	50.0	51.71		mg/L		103	90 - 110

Eurofins Calscience

QC Sample Results

Client: TEAM Environmental, Inc.
Project/Site: CG Roxane

Job ID: 570-100026-1

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: LCSD 570-244336/17

Matrix: Water

Analysis Batch: 244336

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Sulfate	50.0	51.53		mg/L	103	90 - 110	0	15	

Method: 300.0 - Anions, Ion Chromatography - RA

Lab Sample ID: 570-100026-11 MS

Matrix: Water

Analysis Batch: 244336

Client Sample ID: QCMW
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Sulfate - RA	17		50.0	72.38		mg/L	110	80 - 120	

Lab Sample ID: 570-100026-11 MSD

Matrix: Water

Analysis Batch: 244336

Client Sample ID: QCMW
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Sulfate - RA	17		50.0	73.19		mg/L	112	80 - 120		1	20

Method: 200.7 Rev 4.4 - Metals (ICP)

Lab Sample ID: MB 570-242561/1-A

Matrix: Water

Analysis Batch: 242764

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 242561

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Calcium	ND		2.00	mg/L		06/18/22 07:03	06/18/22 13:26	1
Magnesium	ND		0.500	mg/L		06/18/22 07:03	06/18/22 13:26	1
Sodium	ND		2.00	mg/L		06/18/22 07:03	06/18/22 13:26	1

Lab Sample ID: LCS 570-242561/2-A

Matrix: Water

Analysis Batch: 242764

Client Sample ID: Lab Control Sample
Prep Type: Total Recoverable
Prep Batch: 242561

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Calcium	2.50	2.536		mg/L	101	85 - 115	
Magnesium	2.50	2.554		mg/L	102	85 - 115	
Sodium	5.00	5.002		mg/L	100	85 - 115	

Lab Sample ID: LCSD 570-242561/3-A

Matrix: Water

Analysis Batch: 242764

Client Sample ID: Lab Control Sample Dup
Prep Type: Total Recoverable
Prep Batch: 242561

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Calcium	2.50	2.511		mg/L	100	85 - 115		1	20
Magnesium	2.50	2.519		mg/L	101	85 - 115		1	20
Sodium	5.00	4.953		mg/L	99	85 - 115		1	20

Eurofins Calscience

QC Sample Results

Client: TEAM Environmental, Inc.

Project/Site: CG Roxane

Job ID: 570-100026-1

Method: 200.7 Rev 4.4 - Metals (ICP) (Continued)

Lab Sample ID: 570-100026-1 MS

Matrix: Water

Analysis Batch: 242764

Client Sample ID: MW-3

Prep Type: Total Recoverable

Prep Batch: 242561

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Calcium	7.60		2.50	10.18		mg/L		103	80 - 120
Magnesium	ND		2.50	2.935		mg/L		102	80 - 120
Sodium	27.2		5.00	32.22	4	mg/L		101	80 - 120

Lab Sample ID: 570-100026-1 MSD

Matrix: Water

Analysis Batch: 242764

Client Sample ID: MW-3

Prep Type: Total Recoverable

Prep Batch: 242561

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	RPD	RPD Limit
Calcium	7.60		2.50	10.20		mg/L		104	80 - 120	0 20
Magnesium	ND		2.50	2.927		mg/L		102	80 - 120	0 20
Sodium	27.2		5.00	32.32	4	mg/L		103	80 - 120	0 20

Lab Sample ID: 570-100026-10 MS

Matrix: Water

Analysis Batch: 242764

Client Sample ID: PAT-1

Prep Type: Total Recoverable

Prep Batch: 242561

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Calcium	19.1		2.50	21.46	4	mg/L		93	80 - 120
Magnesium	1.54		2.50	3.944		mg/L		96	80 - 120
Sodium	8.99		5.00	13.78		mg/L		96	80 - 120

Lab Sample ID: 570-100026-10 MSD

Matrix: Water

Analysis Batch: 242764

Client Sample ID: PAT-1

Prep Type: Total Recoverable

Prep Batch: 242561

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	RPD	RPD Limit
Calcium	19.1		2.50	21.43	4	mg/L		92	80 - 120	0 20
Magnesium	1.54		2.50	3.971		mg/L		97	80 - 120	1 20
Sodium	8.99		5.00	13.75		mg/L		95	80 - 120	0 20

Method: 200.8 - Metals (ICP/MS)

Lab Sample ID: MB 570-242560/1-A

Matrix: Water

Analysis Batch: 242845

Client Sample ID: Method Blank

Prep Type: Total Recoverable

Prep Batch: 242560

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	ND		0.00100	mg/L		06/18/22 06:46	06/20/22 15:11	1
Arsenic	ND		0.00100	mg/L		06/18/22 06:46	06/20/22 15:11	1
Barium	ND		0.00100	mg/L		06/18/22 06:46	06/20/22 15:11	1
Beryllium	ND		0.00100	mg/L		06/18/22 06:46	06/20/22 15:11	1
Cadmium	ND		0.00100	mg/L		06/18/22 06:46	06/20/22 15:11	1
Chromium	ND		0.00100	mg/L		06/18/22 06:46	06/20/22 15:11	1
Cobalt	ND		0.00100	mg/L		06/18/22 06:46	06/20/22 15:11	1
Copper	ND		0.00100	mg/L		06/18/22 06:46	06/20/22 15:11	1
Lead	ND		0.00100	mg/L		06/18/22 06:46	06/20/22 15:11	1
Molybdenum	ND		0.00100	mg/L		06/18/22 06:46	06/20/22 15:11	1
Nickel	ND		0.00100	mg/L		06/18/22 06:46	06/20/22 15:11	1
Selenium	ND		0.00100	mg/L		06/18/22 06:46	06/20/22 15:11	1

Eurofins Calscience

QC Sample Results

Client: TEAM Environmental, Inc.
Project/Site: CG Roxane

Job ID: 570-100026-1

Method: 200.8 - Metals (ICP/MS) (Continued)

Lab Sample ID: MB 570-242560/1-A

Matrix: Water

Analysis Batch: 242845

Client Sample ID: Method Blank

Prep Type: Total Recoverable

Prep Batch: 242560

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Silver	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 15:11		1
Thallium	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 15:11		1
Vanadium	ND		0.00100	mg/L	06/18/22 06:46	06/20/22 15:11		1
Zinc	ND		0.00500	mg/L	06/18/22 06:46	06/20/22 15:11		1

Lab Sample ID: LCS 570-242560/2-A

Matrix: Water

Analysis Batch: 242845

Client Sample ID: Lab Control Sample

Prep Type: Total Recoverable

Prep Batch: 242560

Analyte	Spike Added	LCS		Unit	D	%Rec	%Rec	
		Result	Qualifier				Limits	RPD
Antimony	0.100	0.09374		mg/L	94	80 - 120		
Arsenic	0.100	0.1012		mg/L	101	80 - 120		
Barium	0.100	0.09296		mg/L	93	80 - 120		
Beryllium	0.100	0.09809		mg/L	98	80 - 120		
Cadmium	0.100	0.09412		mg/L	94	80 - 120		
Chromium	0.100	0.09329		mg/L	93	80 - 120		
Cobalt	0.100	0.1050		mg/L	105	80 - 120		
Copper	0.100	0.1055		mg/L	106	80 - 120		
Lead	0.100	0.09623		mg/L	96	80 - 120		
Molybdenum	0.100	0.1048		mg/L	105	80 - 120		
Nickel	0.100	0.09660		mg/L	97	80 - 120		
Selenium	0.100	0.1014		mg/L	101	80 - 120		
Silver	0.0500	0.05104		mg/L	102	80 - 120		
Thallium	0.100	0.09539		mg/L	95	80 - 120		
Vanadium	0.100	0.1052		mg/L	105	80 - 120		
Zinc	0.100	0.1064		mg/L	106	80 - 120		

Lab Sample ID: LCSD 570-242560/3-A

Matrix: Water

Analysis Batch: 242845

Client Sample ID: Lab Control Sample Dup

Prep Type: Total Recoverable

Prep Batch: 242560

Analyte	Spike Added	LCSD		Unit	D	%Rec	%Rec		RPD	Limit
		Result	Qualifier				Limits	RPD		
Antimony	0.100	0.09652		mg/L	97	80 - 120		3	20	
Arsenic	0.100	0.1023		mg/L	102	80 - 120		1	20	
Barium	0.100	0.09568		mg/L	96	80 - 120		3	20	
Beryllium	0.100	0.09844		mg/L	98	80 - 120		0	20	
Cadmium	0.100	0.09579		mg/L	96	80 - 120		2	20	
Chromium	0.100	0.09420		mg/L	94	80 - 120		1	20	
Cobalt	0.100	0.1073		mg/L	107	80 - 120		2	20	
Copper	0.100	0.1044		mg/L	104	80 - 120		1	20	
Lead	0.100	0.09655		mg/L	97	80 - 120		0	20	
Molybdenum	0.100	0.1043		mg/L	104	80 - 120		1	20	
Nickel	0.100	0.09695		mg/L	97	80 - 120		0	20	
Selenium	0.100	0.1007		mg/L	101	80 - 120		1	20	
Silver	0.0500	0.05247		mg/L	105	80 - 120		3	20	
Thallium	0.100	0.09480		mg/L	95	80 - 120		1	20	
Vanadium	0.100	0.1075		mg/L	108	80 - 120		2	20	
Zinc	0.100	0.1060		mg/L	106	80 - 120		0	20	

Eurofins Calscience

QC Sample Results

Client: TEAM Environmental, Inc.

Job ID: 570-100026-1

Project/Site: CG Roxane

Method: 200.8 - Metals (ICP/MS) (Continued)

Lab Sample ID: 570-100026-9 MS

Matrix: Water

Analysis Batch: 242845

Client Sample ID: CMW-2

Prep Type: Total Recoverable

Prep Batch: 242560

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits		
Antimony	ND		0.100	0.09731		mg/L		97	80 - 120		
Arsenic	0.00219		0.100	0.1049		mg/L		103	80 - 120		
Barium	0.00615		0.100	0.1032		mg/L		97	80 - 120		
Beryllium	ND		0.100	0.1086		mg/L		109	80 - 120		
Cadmium	ND		0.100	0.1040		mg/L		104	80 - 120		
Chromium	ND		0.100	0.09857		mg/L		98	80 - 120		
Cobalt	ND		0.100	0.09989		mg/L		100	80 - 120		
Copper	ND		0.100	0.1052		mg/L		104	80 - 120		
Lead	ND		0.100	0.09217		mg/L		92	80 - 120		
Molybdenum	0.00130		0.100	0.09429		mg/L		93	80 - 120		
Nickel	ND		0.100	0.1024		mg/L		102	80 - 120		
Selenium	ND		0.100	0.1072		mg/L		107	80 - 120		
Silver	ND F1 F2		0.0500	0.03180 F1		mg/L		64	80 - 120		
Thallium	ND		0.100	0.08712		mg/L		87	80 - 120		
Vanadium	0.00120		0.100	0.09265		mg/L		91	80 - 120		
Zinc	ND		0.100	0.1115		mg/L		108	80 - 120		

Lab Sample ID: 570-100026-9 MSD

Matrix: Water

Analysis Batch: 242845

Client Sample ID: CMW-2

Prep Type: Total Recoverable

Prep Batch: 242560

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Antimony	ND		0.100	0.09780		mg/L		98	80 - 120	0	20
Arsenic	0.00219		0.100	0.1056		mg/L		103	80 - 120	1	20
Barium	0.00615		0.100	0.1038		mg/L		98	80 - 120	1	20
Beryllium	ND		0.100	0.1095		mg/L		110	80 - 120	1	20
Cadmium	ND		0.100	0.1052		mg/L		105	80 - 120	1	20
Chromium	ND		0.100	0.09962		mg/L		99	80 - 120	1	20
Cobalt	ND		0.100	0.1002		mg/L		100	80 - 120	0	20
Copper	ND		0.100	0.1075		mg/L		107	80 - 120	2	20
Lead	ND		0.100	0.09808		mg/L		98	80 - 120	6	20
Molybdenum	0.00130		0.100	0.09727		mg/L		96	80 - 120	3	20
Nickel	ND		0.100	0.1019		mg/L		102	80 - 120	0	20
Selenium	ND		0.100	0.1099		mg/L		110	80 - 120	2	20
Silver	ND F1 F2		0.0500	0.04884 F2		mg/L		98	80 - 120	42	20
Thallium	ND		0.100	0.09356		mg/L		94	80 - 120	7	20
Vanadium	0.00120		0.100	0.09377		mg/L		93	80 - 120	1	20
Zinc	ND		0.100	0.1143		mg/L		111	80 - 120	3	20

Method: 245.1 - Mercury (CVAA)

Lab Sample ID: MB 570-243082/1-A

Matrix: Water

Analysis Batch: 243678

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 243082

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.000200	mg/L		06/21/22 07:39	06/22/22 15:45	1

Eurofins Calscience

QC Sample Results

Client: TEAM Environmental, Inc.
Project/Site: CG Roxane

Job ID: 570-100026-1

Method: 245.1 - Mercury (CVAA) (Continued)

Lab Sample ID: LCS 570-243082/2-A Matrix: Water Analysis Batch: 243678				Client Sample ID: Lab Control Sample Prep Type: Total/NA Prep Batch: 243082							
Analyte		Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits			
Mercury		0.00800	0.009171		mg/L	115		85 - 115			
Lab Sample ID: LCSD 570-243082/3-A Matrix: Water Analysis Batch: 243678				Client Sample ID: Lab Control Sample Dup Prep Type: Total/NA Prep Batch: 243082							
Analyte		Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	Limits	RPD		
Mercury		0.00800	0.008821		mg/L	110		85 - 115	4	10	
Lab Sample ID: 570-100026-6 MS Matrix: Water Analysis Batch: 243678				Client Sample ID: OW-10u Prep Type: Total/NA Prep Batch: 243082							
Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	Limits		
Mercury	ND		0.00800	0.009004		mg/L	113		80 - 120		
Lab Sample ID: 570-100026-6 MSD Matrix: Water Analysis Batch: 243678				Client Sample ID: OW-10u Prep Type: Total/NA Prep Batch: 243082							
Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	Limits	RPD	
Mercury	ND		0.00800	0.008857		mg/L	111		80 - 120	2	10

Method: SM 2130B - Turbidity

Lab Sample ID: LCSSRM 570-242466/3 Matrix: Water Analysis Batch: 242466				Client Sample ID: Lab Control Sample Prep Type: Total/NA							
Analyte		Spike Added	LCSSRM Result	LCSSRM Qualifier	Unit	D	%Rec	Limits			
Turbidity		0.0200	ND		NTU	50.0		0.0 - 200.			
Lab Sample ID: 570-100026-1 DU Matrix: Water Analysis Batch: 242466				Client Sample ID: MW-3 Prep Type: Total/NA							
Analyte	Sample Result	Sample Qualifier		DU Result	DU Qualifier	Unit	D		RPD		
Turbidity	4.5	H		4.4		NTU			0.7	25	

Method: SM 2320B - Alkalinity

Lab Sample ID: MB 570-244025/5 Matrix: Water Analysis Batch: 244025				Client Sample ID: Method Blank Prep Type: Total/NA							
Analyte	MB Result	MB Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac		
Alkalinity, Total (As CaCO ₃)	ND		5.00		mg/L			06/23/22 12:47		1	
Bicarbonate (as CaCO ₃)	ND		5.00		mg/L			06/23/22 12:47		1	

Eurofins Calscience

QC Sample Results

Client: TEAM Environmental, Inc.
Project/Site: CG Roxane

Job ID: 570-100026-1

Method: SM 2320B - Alkalinity (Continued)

Lab Sample ID: LCS 570-244025/3

Matrix: Water

Analysis Batch: 244025

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits	
Alkalinity, Total (As CaCO ₃)	106	91.78		mg/L	87	80 - 120		

Lab Sample ID: LCSD 570-244025/4

Matrix: Water

Analysis Batch: 244025

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Alkalinity, Total (As CaCO ₃)	106	89.44		mg/L	84	80 - 120		3	20

Lab Sample ID: 570-100026-1 DU

Matrix: Water

Analysis Batch: 244025

Client Sample ID: MW-3
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D		RPD	RPD Limit
Alkalinity, Total (As CaCO ₃)	73.1		73.49		mg/L			0.5	25
Bicarbonate (as CaCO ₃)	73.1		72.63		mg/L			0.6	

Method: SM 2540C - Solids, Total Dissolved (TDS)

Lab Sample ID: MB 570-243338/1

Matrix: Water

Analysis Batch: 243338

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	ND		10.0	mg/L			06/21/22 17:35	1

Lab Sample ID: LCS 570-243338/2

Matrix: Water

Analysis Batch: 243338

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits	
Total Dissolved Solids	1000	972.0		mg/L	97	84 - 108		

Lab Sample ID: LCSD 570-243338/3

Matrix: Water

Analysis Batch: 243338

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Total Dissolved Solids	1000	928.0		mg/L	93	84 - 108		5	10

Lab Sample ID: MB 570-243587/1

Matrix: Water

Analysis Batch: 243587

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	ND		10.0	mg/L			06/22/22 13:49	1

Eurofins Calscience

QC Sample Results

Client: TEAM Environmental, Inc.
Project/Site: CG Roxane

Job ID: 570-100026-1

Method: SM 2540C - Solids, Total Dissolved (TDS) (Continued)

Lab Sample ID: LCS 570-243587/2

Matrix: Water

Analysis Batch: 243587

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits	
Total Dissolved Solids	1000	978.0		mg/L	98		84 - 108	

Lab Sample ID: LCSD 570-243587/3

Matrix: Water

Analysis Batch: 243587

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Total Dissolved Solids	1000	946.0		mg/L	95		84 - 108	8	10

Method: SM 4500 H+ B - pH

Lab Sample ID: 570-100026-1 DU

Matrix: Water

Analysis Batch: 244026

Client Sample ID: MW-3
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D		RPD	RPD Limit
pH	8.3	HF	8.4		S.U.			0.5	25
Temperature	23.5	HF	23.5		Deg. C			0.1	25

QC Association Summary

Client: TEAM Environmental, Inc.
Project/Site: CG Roxane

Job ID: 570-100026-1

HPLC/IC

Analysis Batch: 242748

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-100026-1	MW-3	Total/NA	Water	300.0	
570-100026-2	OW-7u	Total/NA	Water	300.0	
570-100026-3	OW-7m	Total/NA	Water	300.0	
570-100026-4	OW-8us	Total/NA	Water	300.0	
570-100026-5	OW-9u	Total/NA	Water	300.0	
570-100026-6	OW-10u	Total/NA	Water	300.0	
570-100026-7	OW-10m	Total/NA	Water	300.0	
570-100026-8	P-5	Total/NA	Water	300.0	
570-100026-9	CMW-2	Total/NA	Water	300.0	
570-100026-10	PAT-1	Total/NA	Water	300.0	
570-100026-11	QCMW	Total/NA	Water	300.0	
MB 570-242748/5	Method Blank	Total/NA	Water	300.0	
LCS 570-242748/6	Lab Control Sample	Total/NA	Water	300.0	
LCSD 570-242748/7	Lab Control Sample Dup	Total/NA	Water	300.0	
570-100026-11 MS	QCMW	Total/NA	Water	300.0	
570-100026-11 MSD	QCMW	Total/NA	Water	300.0	

Analysis Batch: 244336

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-100026-11 - RA	QCMW	Total/NA	Water	300.0	
MB 570-244336/15	Method Blank	Total/NA	Water	300.0	
LCS 570-244336/16	Lab Control Sample	Total/NA	Water	300.0	
LCSD 570-244336/17	Lab Control Sample Dup	Total/NA	Water	300.0	
570-100026-11 MS - RA	QCMW	Total/NA	Water	300.0	
570-100026-11 MSD - RA	QCMW	Total/NA	Water	300.0	

Metals

Prep Batch: 242560

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-100026-1	MW-3	Total Recoverable	Water	200.8	
570-100026-2	OW-7u	Total Recoverable	Water	200.8	
570-100026-3	OW-7m	Total Recoverable	Water	200.8	
570-100026-4	OW-8us	Total Recoverable	Water	200.8	
570-100026-5	OW-9u	Total Recoverable	Water	200.8	
570-100026-6	OW-10u	Total Recoverable	Water	200.8	
570-100026-7	OW-10m	Total Recoverable	Water	200.8	
570-100026-8	P-5	Total Recoverable	Water	200.8	
570-100026-9	CMW-2	Total Recoverable	Water	200.8	
570-100026-10	PAT-1	Total Recoverable	Water	200.8	
570-100026-11	QCMW	Total Recoverable	Water	200.8	
MB 570-242560/1-A	Method Blank	Total Recoverable	Water	200.8	
LCS 570-242560/2-A	Lab Control Sample	Total Recoverable	Water	200.8	
LCSD 570-242560/3-A	Lab Control Sample Dup	Total Recoverable	Water	200.8	
570-100026-9 MS	CMW-2	Total Recoverable	Water	200.8	
570-100026-9 MSD	CMW-2	Total Recoverable	Water	200.8	

Prep Batch: 242561

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-100026-1	MW-3	Total Recoverable	Water	200.7	
570-100026-2	OW-7u	Total Recoverable	Water	200.7	

Eurofins Calscience

QC Association Summary

Client: TEAM Environmental, Inc.
Project/Site: CG Roxane

Job ID: 570-100026-1

Metals (Continued)

Prep Batch: 242561 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-100026-3	OW-7m	Total Recoverable	Water	200.7	
570-100026-4	OW-8us	Total Recoverable	Water	200.7	
570-100026-5	OW-9u	Total Recoverable	Water	200.7	
570-100026-6	OW-10u	Total Recoverable	Water	200.7	
570-100026-7	OW-10m	Total Recoverable	Water	200.7	
570-100026-8	P-5	Total Recoverable	Water	200.7	
570-100026-9	CMW-2	Total Recoverable	Water	200.7	
570-100026-10	PAT-1	Total Recoverable	Water	200.7	
570-100026-11	QCMW	Total Recoverable	Water	200.7	
MB 570-242561/1-A	Method Blank	Total Recoverable	Water	200.7	
LCS 570-242561/2-A	Lab Control Sample	Total Recoverable	Water	200.7	
LCSD 570-242561/3-A	Lab Control Sample Dup	Total Recoverable	Water	200.7	
570-100026-1 MS	MW-3	Total Recoverable	Water	200.7	
570-100026-1 MSD	MW-3	Total Recoverable	Water	200.7	
570-100026-10 MS	PAT-1	Total Recoverable	Water	200.7	
570-100026-10 MSD	PAT-1	Total Recoverable	Water	200.7	

Analysis Batch: 242764

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-100026-1	MW-3	Total Recoverable	Water	200.7 Rev 4.4	242561
570-100026-2	OW-7u	Total Recoverable	Water	200.7 Rev 4.4	242561
570-100026-3	OW-7m	Total Recoverable	Water	200.7 Rev 4.4	242561
570-100026-4	OW-8us	Total Recoverable	Water	200.7 Rev 4.4	242561
570-100026-5	OW-9u	Total Recoverable	Water	200.7 Rev 4.4	242561
570-100026-6	OW-10u	Total Recoverable	Water	200.7 Rev 4.4	242561
570-100026-7	OW-10m	Total Recoverable	Water	200.7 Rev 4.4	242561
570-100026-8	P-5	Total Recoverable	Water	200.7 Rev 4.4	242561
570-100026-9	CMW-2	Total Recoverable	Water	200.7 Rev 4.4	242561
570-100026-10	PAT-1	Total Recoverable	Water	200.7 Rev 4.4	242561
570-100026-11	QCMW	Total Recoverable	Water	200.7 Rev 4.4	242561
MB 570-242561/1-A	Method Blank	Total Recoverable	Water	200.7 Rev 4.4	242561
LCS 570-242561/2-A	Lab Control Sample	Total Recoverable	Water	200.7 Rev 4.4	242561
LCSD 570-242561/3-A	Lab Control Sample Dup	Total Recoverable	Water	200.7 Rev 4.4	242561
570-100026-1 MS	MW-3	Total Recoverable	Water	200.7 Rev 4.4	242561
570-100026-1 MSD	MW-3	Total Recoverable	Water	200.7 Rev 4.4	242561
570-100026-10 MS	PAT-1	Total Recoverable	Water	200.7 Rev 4.4	242561
570-100026-10 MSD	PAT-1	Total Recoverable	Water	200.7 Rev 4.4	242561

Analysis Batch: 242845

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-100026-1	MW-3	Total Recoverable	Water	200.8	242560
570-100026-2	OW-7u	Total Recoverable	Water	200.8	242560
570-100026-3	OW-7m	Total Recoverable	Water	200.8	242560
570-100026-4	OW-8us	Total Recoverable	Water	200.8	242560
570-100026-5	OW-9u	Total Recoverable	Water	200.8	242560
570-100026-6	OW-10u	Total Recoverable	Water	200.8	242560
570-100026-7	OW-10m	Total Recoverable	Water	200.8	242560
570-100026-8	P-5	Total Recoverable	Water	200.8	242560
570-100026-9	CMW-2	Total Recoverable	Water	200.8	242560
570-100026-10	PAT-1	Total Recoverable	Water	200.8	242560
570-100026-11	QCMW	Total Recoverable	Water	200.8	242560

Eurofins Calscience

QC Association Summary

Client: TEAM Environmental, Inc.
Project/Site: CG Roxane

Job ID: 570-100026-1

Metals (Continued)

Analysis Batch: 242845 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 570-242560/1-A	Method Blank	Total Recoverable	Water	200.8	242560
LCS 570-242560/2-A	Lab Control Sample	Total Recoverable	Water	200.8	242560
LCSD 570-242560/3-A	Lab Control Sample Dup	Total Recoverable	Water	200.8	242560
570-100026-9 MS	CMW-2	Total Recoverable	Water	200.8	242560
570-100026-9 MSD	CMW-2	Total Recoverable	Water	200.8	242560

Prep Batch: 243082

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-100026-1	MW-3	Total/NA	Water	245.1	8
570-100026-2	OW-7u	Total/NA	Water	245.1	9
570-100026-3	OW-7m	Total/NA	Water	245.1	10
570-100026-4	OW-8us	Total/NA	Water	245.1	11
570-100026-5	OW-9u	Total/NA	Water	245.1	12
570-100026-6	OW-10u	Total/NA	Water	245.1	13
570-100026-7	OW-10m	Total/NA	Water	245.1	14
570-100026-8	P-5	Total/NA	Water	245.1	
570-100026-9	CMW-2	Total/NA	Water	245.1	
570-100026-10	PAT-1	Total/NA	Water	245.1	
570-100026-11	QCMW	Total/NA	Water	245.1	
MB 570-243082/1-A	Method Blank	Total/NA	Water	245.1	
LCS 570-243082/2-A	Lab Control Sample	Total/NA	Water	245.1	
LCSD 570-243082/3-A	Lab Control Sample Dup	Total/NA	Water	245.1	
570-100026-6 MS	OW-10u	Total/NA	Water	245.1	
570-100026-6 MSD	OW-10u	Total/NA	Water	245.1	

Analysis Batch: 243678

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-100026-1	MW-3	Total/NA	Water	245.1	243082
570-100026-2	OW-7u	Total/NA	Water	245.1	243082
570-100026-3	OW-7m	Total/NA	Water	245.1	243082
570-100026-4	OW-8us	Total/NA	Water	245.1	243082
570-100026-5	OW-9u	Total/NA	Water	245.1	243082
570-100026-6	OW-10u	Total/NA	Water	245.1	243082
570-100026-7	OW-10m	Total/NA	Water	245.1	243082
570-100026-8	P-5	Total/NA	Water	245.1	243082
570-100026-9	CMW-2	Total/NA	Water	245.1	243082
570-100026-10	PAT-1	Total/NA	Water	245.1	243082
570-100026-11	QCMW	Total/NA	Water	245.1	243082
MB 570-243082/1-A	Method Blank	Total/NA	Water	245.1	243082
LCS 570-243082/2-A	Lab Control Sample	Total/NA	Water	245.1	243082
LCSD 570-243082/3-A	Lab Control Sample Dup	Total/NA	Water	245.1	243082
570-100026-6 MS	OW-10u	Total/NA	Water	245.1	243082
570-100026-6 MSD	OW-10u	Total/NA	Water	245.1	243082

General Chemistry

Analysis Batch: 242466

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-100026-1	MW-3	Total/NA	Water	SM 2130B	
570-100026-2	OW-7u	Total/NA	Water	SM 2130B	
570-100026-3	OW-7m	Total/NA	Water	SM 2130B	

Eurofins Calscience

QC Association Summary

Client: TEAM Environmental, Inc.
Project/Site: CG Roxane

Job ID: 570-100026-1

General Chemistry (Continued)

Analysis Batch: 242466 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-100026-4	OW-8us	Total/NA	Water	SM 2130B	1
570-100026-5	OW-9u	Total/NA	Water	SM 2130B	2
570-100026-6	OW-10u	Total/NA	Water	SM 2130B	3
570-100026-7	OW-10m	Total/NA	Water	SM 2130B	4
570-100026-8	P-5	Total/NA	Water	SM 2130B	5
570-100026-9	CMW-2	Total/NA	Water	SM 2130B	6
570-100026-10	PAT-1	Total/NA	Water	SM 2130B	7
570-100026-11	QCMW	Total/NA	Water	SM 2130B	8
LCSSRM 570-242466/3	Lab Control Sample	Total/NA	Water	SM 2130B	9
570-100026-1 DU	MW-3	Total/NA	Water	SM 2130B	10

Analysis Batch: 243338

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-100026-2	OW-7u	Total/NA	Water	SM 2540C	11
570-100026-3	OW-7m	Total/NA	Water	SM 2540C	12
570-100026-4	OW-8us	Total/NA	Water	SM 2540C	13
570-100026-5	OW-9u	Total/NA	Water	SM 2540C	14
570-100026-6	OW-10u	Total/NA	Water	SM 2540C	
570-100026-7	OW-10m	Total/NA	Water	SM 2540C	
570-100026-8	P-5	Total/NA	Water	SM 2540C	
570-100026-9	CMW-2	Total/NA	Water	SM 2540C	
570-100026-10	PAT-1	Total/NA	Water	SM 2540C	
570-100026-11	QCMW	Total/NA	Water	SM 2540C	
MB 570-243338/1	Method Blank	Total/NA	Water	SM 2540C	
LCS 570-243338/2	Lab Control Sample	Total/NA	Water	SM 2540C	
LCSD 570-243338/3	Lab Control Sample Dup	Total/NA	Water	SM 2540C	

Analysis Batch: 243587

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-100026-1	MW-3	Total/NA	Water	SM 2540C	
MB 570-243587/1	Method Blank	Total/NA	Water	SM 2540C	
LCS 570-243587/2	Lab Control Sample	Total/NA	Water	SM 2540C	
LCSD 570-243587/3	Lab Control Sample Dup	Total/NA	Water	SM 2540C	

Analysis Batch: 244025

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-100026-1	MW-3	Total/NA	Water	SM 2320B	
570-100026-2	OW-7u	Total/NA	Water	SM 2320B	
570-100026-3	OW-7m	Total/NA	Water	SM 2320B	
570-100026-4	OW-8us	Total/NA	Water	SM 2320B	
570-100026-5	OW-9u	Total/NA	Water	SM 2320B	
570-100026-6	OW-10u	Total/NA	Water	SM 2320B	
570-100026-7	OW-10m	Total/NA	Water	SM 2320B	
570-100026-8	P-5	Total/NA	Water	SM 2320B	
570-100026-9	CMW-2	Total/NA	Water	SM 2320B	
570-100026-10	PAT-1	Total/NA	Water	SM 2320B	
570-100026-11	QCMW	Total/NA	Water	SM 2320B	
MB 570-244025/5	Method Blank	Total/NA	Water	SM 2320B	
LCS 570-244025/3	Lab Control Sample	Total/NA	Water	SM 2320B	
LCSD 570-244025/4	Lab Control Sample Dup	Total/NA	Water	SM 2320B	
570-100026-1 DU	MW-3	Total/NA	Water	SM 2320B	

Eurofins Calscience

QC Association Summary

Client: TEAM Environmental, Inc.
Project/Site: CG Roxane

Job ID: 570-100026-1

General Chemistry

Analysis Batch: 244026

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-100026-1	MW-3	Total/NA	Water	SM 4500 H+ B	1
570-100026-2	OW-7u	Total/NA	Water	SM 4500 H+ B	2
570-100026-3	OW-7m	Total/NA	Water	SM 4500 H+ B	3
570-100026-4	OW-8us	Total/NA	Water	SM 4500 H+ B	4
570-100026-5	OW-9u	Total/NA	Water	SM 4500 H+ B	5
570-100026-6	OW-10u	Total/NA	Water	SM 4500 H+ B	6
570-100026-7	OW-10m	Total/NA	Water	SM 4500 H+ B	7
570-100026-8	P-5	Total/NA	Water	SM 4500 H+ B	8
570-100026-9	CMW-2	Total/NA	Water	SM 4500 H+ B	9
570-100026-10	PAT-1	Total/NA	Water	SM 4500 H+ B	10
570-100026-11	QCMW	Total/NA	Water	SM 4500 H+ B	11
570-100026-1 DU	MW-3	Total/NA	Water	SM 4500 H+ B	12

Lab Chronicle

Client: TEAM Environmental, Inc.
Project/Site: CG Roxane

Job ID: 570-100026-1

Client Sample ID: MW-3

Lab Sample ID: 570-100026-1

Matrix: Water

Date Collected: 06/15/22 10:22

Date Received: 06/16/22 14:10

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1			242748	06/20/22 21:21	URMH	ECL 4
		Instrument ID: IC15								
Total Recoverable	Prep	200.7			50 mL	50 mL	242561	06/18/22 07:03	JP8N	ECL 4
Total Recoverable	Analysis	200.7 Rev 4.4		1			242764	06/18/22 13:39	K1UV	ECL 4
		Instrument ID: ICP11								
Total Recoverable	Prep	200.8			50 mL	50 mL	242560	06/18/22 06:46	JP8N	ECL 4
Total Recoverable	Analysis	200.8		1			242845	06/20/22 15:30	UFLE	ECL 4
		Instrument ID: ICPMS05								
Total/NA	Prep	245.1			25 mL	50 mL	243082	06/21/22 07:39	CS5Z	ECL 4
Total/NA	Analysis	245.1		1			243678	06/22/22 16:05	W1BQ	ECL 4
		Instrument ID: HG8								
Total/NA	Analysis	SM 2130B		1			242466	06/17/22 16:30	ZVB7	ECL 4
		Instrument ID: TUR4								
Total/NA	Analysis	SM 2320B		1	40 mL	40 mL	244025	06/23/22 12:54	UAPD	ECL 4
		Instrument ID: ManSciMantech								
Total/NA	Analysis	SM 2540C		1	100 mL	1000 mL	243587	06/22/22 13:49	ZL7L	ECL 4
		Instrument ID: GCMSR								
Total/NA	Analysis	SM 4500 H+ B		1			244026	06/23/22 12:54	UAPD	ECL 4
		Instrument ID: ManSciMantech								

Client Sample ID: OW-7u

Lab Sample ID: 570-100026-2

Matrix: Water

Date Collected: 06/15/22 12:13

Date Received: 06/16/22 14:10

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1			242748	06/20/22 21:38	URMH	ECL 4
		Instrument ID: IC15								
Total Recoverable	Prep	200.7			50 mL	50 mL	242561	06/18/22 07:03	JP8N	ECL 4
Total Recoverable	Analysis	200.7 Rev 4.4		1			242764	06/18/22 13:46	K1UV	ECL 4
		Instrument ID: ICP11								
Total Recoverable	Prep	200.8			50 mL	50 mL	242560	06/18/22 06:46	JP8N	ECL 4
Total Recoverable	Analysis	200.8		1			242845	06/20/22 16:37	UFLE	ECL 4
		Instrument ID: ICPMS05								
Total/NA	Prep	245.1			25 mL	50 mL	243082	06/21/22 07:39	CS5Z	ECL 4
Total/NA	Analysis	245.1		1			243678	06/22/22 16:07	W1BQ	ECL 4
		Instrument ID: HG8								
Total/NA	Analysis	SM 2130B		1			242466	06/17/22 16:30	ZVB7	ECL 4
		Instrument ID: TUR4								
Total/NA	Analysis	SM 2320B		1	40 mL	40 mL	244025	06/23/22 13:08	UAPD	ECL 4
		Instrument ID: ManSciMantech								
Total/NA	Analysis	SM 2540C		1	100 mL	1000 mL	243338	06/21/22 17:35	ZL7L	ECL 4
		Instrument ID: GCMSR								
Total/NA	Analysis	SM 4500 H+ B		1			244026	06/23/22 13:08	UAPD	ECL 4
		Instrument ID: ManSciMantech								

Eurofins Calscience

Lab Chronicle

Client: TEAM Environmental, Inc.
Project/Site: CG Roxane

Job ID: 570-100026-1

Client Sample ID: OW-7m
Date Collected: 06/15/22 12:40
Date Received: 06/16/22 14:10

Lab Sample ID: 570-100026-3
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0 Instrument ID: IC15		1			242748	06/20/22 21:56	URMH	ECL 4
Total Recoverable	Prep	200.7			50 mL	50 mL	242561	06/18/22 07:03	JP8N	ECL 4
Total Recoverable	Analysis	200.7 Rev 4.4 Instrument ID: ICP11		1			242764	06/18/22 13:49	K1UV	ECL 4
Total Recoverable	Prep	200.8			50 mL	50 mL	242560	06/18/22 06:46	JP8N	ECL 4
Total Recoverable	Analysis	200.8 Instrument ID: ICPMS05		1			242845	06/20/22 16:41	UFLE	ECL 4
Total/NA	Prep	245.1			25 mL	50 mL	243082	06/21/22 07:39	CS5Z	ECL 4
Total/NA	Analysis	245.1 Instrument ID: HG8		1			243678	06/22/22 16:13	W1BQ	ECL 4
Total/NA	Analysis	SM 2130B Instrument ID: TUR4		1			242466	06/17/22 16:30	ZVB7	ECL 4
Total/NA	Analysis	SM 2320B Instrument ID: ManSciMantech		1	40 mL	40 mL	244025	06/23/22 13:15	UAPD	ECL 4
Total/NA	Analysis	SM 2540C Instrument ID: GCMSR		1	100 mL	1000 mL	243338	06/21/22 17:35	ZL7L	ECL 4
Total/NA	Analysis	SM 4500 H+ B Instrument ID: ManSciMantech		1			244026	06/23/22 13:15	UAPD	ECL 4

Client Sample ID: OW-8us

Lab Sample ID: 570-100026-4

Date Collected: 06/14/22 11:10

Matrix: Water

Date Received: 06/16/22 14:10

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0 Instrument ID: IC15		1			242748	06/20/22 22:14	URMH	ECL 4
Total Recoverable	Prep	200.7			50 mL	50 mL	242561	06/18/22 07:03	JP8N	ECL 4
Total Recoverable	Analysis	200.7 Rev 4.4 Instrument ID: ICP11		1			242764	06/18/22 13:54	K1UV	ECL 4
Total Recoverable	Prep	200.8			50 mL	50 mL	242560	06/18/22 06:46	JP8N	ECL 4
Total Recoverable	Analysis	200.8 Instrument ID: ICPMS05		1			242845	06/20/22 16:44	UFLE	ECL 4
Total/NA	Prep	245.1			25 mL	50 mL	243082	06/21/22 07:39	CS5Z	ECL 4
Total/NA	Analysis	245.1 Instrument ID: HG8		1			243678	06/22/22 16:14	W1BQ	ECL 4
Total/NA	Analysis	SM 2130B Instrument ID: TUR4		1			242466	06/17/22 16:30	ZVB7	ECL 4
Total/NA	Analysis	SM 2320B Instrument ID: ManSciMantech		1	40 mL	40 mL	244025	06/23/22 13:22	UAPD	ECL 4
Total/NA	Analysis	SM 2540C Instrument ID: GCMSR		1	100 mL	1000 mL	243338	06/21/22 17:35	ZL7L	ECL 4
Total/NA	Analysis	SM 4500 H+ B Instrument ID: ManSciMantech		1			244026	06/23/22 13:22	UAPD	ECL 4

Eurofins Calscience

Lab Chronicle

Client: TEAM Environmental, Inc.
Project/Site: CG Roxane

Job ID: 570-100026-1

Client Sample ID: OW-9u

Lab Sample ID: 570-100026-5

Matrix: Water

Date Collected: 06/14/22 12:40

Date Received: 06/16/22 14:10

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1			242748	06/20/22 22:32	URMH	ECL 4
		Instrument ID: IC15								
Total Recoverable	Prep	200.7			50 mL	50 mL	242561	06/18/22 07:03	JP8N	ECL 4
Total Recoverable	Analysis	200.7 Rev 4.4		1			242764	06/18/22 13:57	K1UV	ECL 4
		Instrument ID: ICP11								
Total Recoverable	Prep	200.8			50 mL	50 mL	242560	06/18/22 06:46	JP8N	ECL 4
Total Recoverable	Analysis	200.8		5			242845	06/20/22 16:47	UFLE	ECL 4
		Instrument ID: ICPMS05								
Total/NA	Prep	245.1			25 mL	50 mL	243082	06/21/22 07:39	CS5Z	ECL 4
Total/NA	Analysis	245.1		1			243678	06/22/22 16:16	W1BQ	ECL 4
		Instrument ID: HG8								
Total/NA	Analysis	SM 2130B		1			242466	06/17/22 16:30	ZVB7	ECL 4
		Instrument ID: TUR4								
Total/NA	Analysis	SM 2320B		1	40 mL	40 mL	244025	06/23/22 13:29	UAPD	ECL 4
		Instrument ID: ManSciMantech								
Total/NA	Analysis	SM 2540C		1	100 mL	1000 mL	243338	06/21/22 17:35	ZL7L	ECL 4
		Instrument ID: GCMSR								
Total/NA	Analysis	SM 4500 H+ B		1			244026	06/23/22 13:29	UAPD	ECL 4
		Instrument ID: ManSciMantech								

Client Sample ID: OW-10u

Lab Sample ID: 570-100026-6

Matrix: Water

Date Collected: 06/15/22 11:35

Date Received: 06/16/22 14:10

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1			242748	06/20/22 22:50	URMH	ECL 4
		Instrument ID: IC15								
Total Recoverable	Prep	200.7			50 mL	50 mL	242561	06/18/22 07:03	JP8N	ECL 4
Total Recoverable	Analysis	200.7 Rev 4.4		1			242764	06/18/22 13:59	K1UV	ECL 4
		Instrument ID: ICP11								
Total Recoverable	Prep	200.8			50 mL	50 mL	242560	06/18/22 06:46	JP8N	ECL 4
Total Recoverable	Analysis	200.8		1			242845	06/20/22 16:50	UFLE	ECL 4
		Instrument ID: ICPMS05								
Total/NA	Prep	245.1			25 mL	50 mL	243082	06/21/22 07:39	CS5Z	ECL 4
Total/NA	Analysis	245.1		1			243678	06/22/22 16:18	W1BQ	ECL 4
		Instrument ID: HG8								
Total/NA	Analysis	SM 2130B		1			242466	06/17/22 16:30	ZVB7	ECL 4
		Instrument ID: TUR4								
Total/NA	Analysis	SM 2320B		1	40 mL	40 mL	244025	06/23/22 13:35	UAPD	ECL 4
		Instrument ID: ManSciMantech								
Total/NA	Analysis	SM 2540C		1	100 mL	1000 mL	243338	06/21/22 17:35	ZL7L	ECL 4
		Instrument ID: GCMSR								
Total/NA	Analysis	SM 4500 H+ B		1			244026	06/23/22 13:35	UAPD	ECL 4
		Instrument ID: ManSciMantech								

Eurofins Calscience

Lab Chronicle

Client: TEAM Environmental, Inc.
Project/Site: CG Roxane

Job ID: 570-100026-1

Client Sample ID: OW-10m
Date Collected: 06/15/22 11:18
Date Received: 06/16/22 14:10

Lab Sample ID: 570-100026-7
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0 Instrument ID: IC15		1			242748	06/20/22 23:08	URMH	ECL 4
Total Recoverable	Prep	200.7			50 mL	50 mL	242561	06/18/22 07:03	JP8N	ECL 4
Total Recoverable	Analysis	200.7 Rev 4.4 Instrument ID: ICP11		1			242764	06/18/22 14:02	K1UV	ECL 4
Total Recoverable	Prep	200.8			50 mL	50 mL	242560	06/18/22 06:46	JP8N	ECL 4
Total Recoverable	Analysis	200.8 Instrument ID: ICPMS05		5			242845	06/20/22 16:53	UFLE	ECL 4
Total/NA	Prep	245.1			25 mL	50 mL	243082	06/21/22 07:39	CS5Z	ECL 4
Total/NA	Analysis	245.1 Instrument ID: HG8		1			243678	06/22/22 16:24	W1BQ	ECL 4
Total/NA	Analysis	SM 2130B Instrument ID: TUR4		1			242466	06/17/22 16:30	ZVB7	ECL 4
Total/NA	Analysis	SM 2320B Instrument ID: ManSciMantech		1	40 mL	40 mL	244025	06/23/22 13:42	UAPD	ECL 4
Total/NA	Analysis	SM 2540C Instrument ID: GCMSR		1	100 mL	1000 mL	243338	06/21/22 17:35	ZL7L	ECL 4
Total/NA	Analysis	SM 4500 H+ B Instrument ID: ManSciMantech		1			244026	06/23/22 13:42	UAPD	ECL 4

Client Sample ID: P-5
Date Collected: 06/15/22 10:52
Date Received: 06/16/22 14:10

Lab Sample ID: 570-100026-8
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0 Instrument ID: IC15		1			242748	06/20/22 23:26	URMH	ECL 4
Total Recoverable	Prep	200.7			50 mL	50 mL	242561	06/18/22 07:03	JP8N	ECL 4
Total Recoverable	Analysis	200.7 Rev 4.4 Instrument ID: ICP11		1			242764	06/18/22 14:04	K1UV	ECL 4
Total Recoverable	Prep	200.8			50 mL	50 mL	242560	06/18/22 06:46	JP8N	ECL 4
Total Recoverable	Analysis	200.8 Instrument ID: ICPMS05		1			242845	06/20/22 16:56	UFLE	ECL 4
Total/NA	Prep	245.1			25 mL	50 mL	243082	06/21/22 07:39	CS5Z	ECL 4
Total/NA	Analysis	245.1 Instrument ID: HG8		1			243678	06/22/22 16:25	W1BQ	ECL 4
Total/NA	Analysis	SM 2130B Instrument ID: TUR4		1			242466	06/17/22 16:30	ZVB7	ECL 4
Total/NA	Analysis	SM 2320B Instrument ID: ManSciMantech		1	40 mL	40 mL	244025	06/23/22 13:49	UAPD	ECL 4
Total/NA	Analysis	SM 2540C Instrument ID: GCMSR		1	100 mL	1000 mL	243338	06/21/22 17:35	ZL7L	ECL 4
Total/NA	Analysis	SM 4500 H+ B Instrument ID: ManSciMantech		1			244026	06/23/22 13:49	UAPD	ECL 4

Eurofins Calscience

Lab Chronicle

Client: TEAM Environmental, Inc.
Project/Site: CG Roxane

Job ID: 570-100026-1

Client Sample ID: CMW-2
Date Collected: 06/14/22 10:10
Date Received: 06/16/22 14:10

Lab Sample ID: 570-100026-9
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1			242748	06/20/22 23:43	URMH	ECL 4
		Instrument ID: IC15								
Total Recoverable	Prep	200.7			50 mL	50 mL	242561	06/18/22 07:03	JP8N	ECL 4
Total Recoverable	Analysis	200.7 Rev 4.4		1			242764	06/18/22 14:11	K1UV	ECL 4
		Instrument ID: ICP11								
Total Recoverable	Prep	200.8			50 mL	50 mL	242560	06/18/22 06:46	JP8N	ECL 4
Total Recoverable	Analysis	200.8		1			242845	06/20/22 17:00	UFLE	ECL 4
		Instrument ID: ICPMS05								
Total/NA	Prep	245.1			25 mL	50 mL	243082	06/21/22 07:39	CS5Z	ECL 4
Total/NA	Analysis	245.1		1			243678	06/22/22 16:27	W1BQ	ECL 4
		Instrument ID: HG8								
Total/NA	Analysis	SM 2130B		1			242466	06/17/22 16:30	ZVB7	ECL 4
		Instrument ID: TUR4								
Total/NA	Analysis	SM 2320B		1	40 mL	40 mL	244025	06/23/22 14:53	UAPD	ECL 4
		Instrument ID: ManSciMantech								
Total/NA	Analysis	SM 2540C		1	100 mL	1000 mL	243338	06/21/22 17:35	ZL7L	ECL 4
		Instrument ID: GCMSR								
Total/NA	Analysis	SM 4500 H+ B		1			244026	06/23/22 14:53	UAPD	ECL 4
		Instrument ID: ManSciMantech								

Client Sample ID: PAT-1

Lab Sample ID: 570-100026-10

Date Collected: 06/14/22 10:25

Matrix: Water

Date Received: 06/16/22 14:10

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1			242748	06/21/22 00:01	URMH	ECL 4
		Instrument ID: IC15								
Total Recoverable	Prep	200.7			50 mL	50 mL	242561	06/18/22 07:03	JP8N	ECL 4
Total Recoverable	Analysis	200.7 Rev 4.4		1			242764	06/18/22 14:14	K1UV	ECL 4
		Instrument ID: ICP11								
Total Recoverable	Prep	200.8			50 mL	50 mL	242560	06/18/22 06:46	JP8N	ECL 4
Total Recoverable	Analysis	200.8		1			242845	06/20/22 17:15	UFLE	ECL 4
		Instrument ID: ICPMS05								
Total/NA	Prep	245.1			25 mL	50 mL	243082	06/21/22 07:39	CS5Z	ECL 4
Total/NA	Analysis	245.1		1			243678	06/22/22 16:29	W1BQ	ECL 4
		Instrument ID: HG8								
Total/NA	Analysis	SM 2130B		1			242466	06/17/22 16:30	ZVB7	ECL 4
		Instrument ID: TUR4								
Total/NA	Analysis	SM 2320B		1	40 mL	40 mL	244025	06/23/22 15:00	UAPD	ECL 4
		Instrument ID: ManSciMantech								
Total/NA	Analysis	SM 2540C		1	100 mL	1000 mL	243338	06/21/22 17:35	ZL7L	ECL 4
		Instrument ID: GCMSR								
Total/NA	Analysis	SM 4500 H+ B		1			244026	06/23/22 15:00	UAPD	ECL 4
		Instrument ID: ManSciMantech								

Eurofins Calscience

Lab Chronicle

Client: TEAM Environmental, Inc.
Project/Site: CG Roxane

Job ID: 570-100026-1

Client Sample ID: QCMW

Lab Sample ID: 570-100026-11

Matrix: Water

Date Collected: 06/15/22 00:00

Date Received: 06/16/22 14:10

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0 Instrument ID: IC15		1			242748	06/21/22 00:55	URMH	ECL 4
Total/NA	Analysis	300.0 Instrument ID: IC7	RA	1			244336	06/24/22 20:54	URMH	ECL 4
Total Recoverable	Prep	200.7			50 mL	50 mL	242561	06/18/22 07:03	JP8N	ECL 4
Total Recoverable	Analysis	200.7 Rev 4.4 Instrument ID: ICP11		1			242764	06/18/22 14:21	K1UV	ECL 4
Total Recoverable	Prep	200.8			50 mL	50 mL	242560	06/18/22 06:46	JP8N	ECL 4
Total Recoverable	Analysis	200.8 Instrument ID: ICPMS05		1			242845	06/20/22 17:19	UFLE	ECL 4
Total/NA	Prep	245.1			25 mL	50 mL	243082	06/21/22 07:39	CS5Z	ECL 4
Total/NA	Analysis	245.1 Instrument ID: HG8		1			243678	06/22/22 16:35	W1BQ	ECL 4
Total/NA	Analysis	SM 2130B Instrument ID: TUR4		1			242466	06/17/22 16:30	ZVB7	ECL 4
Total/NA	Analysis	SM 2320B Instrument ID: ManSciMantech		1	40 mL	40 mL	244025	06/23/22 15:17	UAPD	ECL 4
Total/NA	Analysis	SM 2540C Instrument ID: GCMSR		1	100 mL	1000 mL	243338	06/21/22 17:35	ZL7L	ECL 4
Total/NA	Analysis	SM 4500 H+ B Instrument ID: ManSciMantech		1			244026	06/23/22 15:17	UAPD	ECL 4

Laboratory References:

ECL 4 = Eurofins Calscience Tustin, 2841 Dow Avenue, Tustin, CA 92780, TEL (714)895-5494

Accreditation/Certification Summary

Client: TEAM Environmental, Inc.

Job ID: 570-100026-1

Project/Site: CG Roxane

Laboratory: Eurofins Calscience

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
California	State	2944	09-30-22

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
SM 4500 H+ B		Water	Temperature

Oregon NELAP 4175 01-31-23

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
SM 4500 H+ B		Water	Temperature

Method Summary

Client: TEAM Environmental, Inc.
Project/Site: CG Roxane

Job ID: 570-100026-1

Method	Method Description	Protocol	Laboratory
300.0	Anions, Ion Chromatography	MCAWW	ECL 4
200.7 Rev 4.4	Metals (ICP)	EPA	ECL 4
200.8	Metals (ICP/MS)	EPA	ECL 4
245.1	Mercury (CVAA)	EPA	ECL 4
SM 2130B	Turbidity	SM	ECL 4
SM 2320B	Alkalinity	SM	ECL 4
SM 2540C	Solids, Total Dissolved (TDS)	SM	ECL 4
SM 4500 H+ B	pH	SM	ECL 4
200.7	Preparation, Total Recoverable Metals	EPA	ECL 4
200.8	Preparation, Total Recoverable Metals	EPA	ECL 4
245.1	Preparation, Mercury	EPA	ECL 4

Protocol References:

EPA = US Environmental Protection Agency

MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.

SM = "Standard Methods For The Examination Of Water And Wastewater"

Laboratory References:

ECL 4 = Eurofins Calscience Tustin, 2841 Dow Avenue, Tustin, CA 92780, TEL (714)895-5494

Sample Summary

Client: TEAM Environmental, Inc.
Project/Site: CG Roxane

Job ID: 570-100026-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	
570-100026-1	MW-3	Water	06/15/22 10:22	06/16/22 14:10	1
570-100026-2	OW-7u	Water	06/15/22 12:13	06/16/22 14:10	2
570-100026-3	OW-7m	Water	06/15/22 12:40	06/16/22 14:10	3
570-100026-4	OW-8us	Water	06/14/22 11:10	06/16/22 14:10	4
570-100026-5	OW-9u	Water	06/14/22 12:40	06/16/22 14:10	5
570-100026-6	OW-10u	Water	06/15/22 11:35	06/16/22 14:10	6
570-100026-7	OW-10m	Water	06/15/22 11:18	06/16/22 14:10	7
570-100026-8	P-5	Water	06/15/22 10:52	06/16/22 14:10	8
570-100026-9	CMW-2	Water	06/14/22 10:10	06/16/22 14:10	9
570-100026-10	PAT-1	Water	06/14/22 10:25	06/16/22 14:10	10
570-100026-11	QCMW	Water	06/15/22 00:00	06/16/22 14:10	11

7440 Lincoln Way Garden Grove CA 92841-1427 • (714) 895-5494
 For courier service / sample drop off information contact us26_sales@eurofinsus.com or call us

CLIENT PROJECT NAME / NUMBER.		DATE		PAGE		1		OF		2			
570-100026 Chain of Custody		06/15/22		PO NO									
PROJECT CONTACT		CG Roxane		SAMPLER(S) (PRINT)									
CITY Bishop		STATE CA ZIP 93514		Naomi Jensen - TEAM / Ryan Smith - CG Roxane						Greg Foote/Richard Shore			
TEL 760-872-1033		E-MAIL naomi@teamenvironmental.com, richard@teamenvironmental.com		PROJECT CONTACT		REQUESTED ANALYSES		Please check box or fill in blank as needed					
ADDRESS P O Box 1265		TURNAROUND TIME (Rush surcharges may apply to any TAT not "STANDARD")		SPECIAL INSTRUCTIONS									
LABORATORY CLIENT TEAM Environmental, Inc		<input type="checkbox"/> SAME DAY <input type="checkbox"/> 24 HR <input type="checkbox"/> 48 HR <input type="checkbox"/> 72 HR <input type="checkbox"/> 5 DAYS <input type="checkbox"/> STANDARD											
COELT EDF		GLOBAL ID		LOG CODE:									
Please bill CG Roxane directly													
1 MW-3 2 OW-7U 3 OW-7m 4 OW-8Us 5 OW-9U 6 OW-10U 7 OW-10m 8 P-5 9 CMW-2 10 PAT-1	SAMPLING DATE 06/15/22 TIME 10:22 MATRIX GW NO OF CONT 4	Unpreserved		Field Filtered		Turbidity		Chloride/Sulfate - 300 0		Bicarbonate/Alkalinity			
		Preserved											
Received by (Signature) <u>Richard Shore</u> Received by (Signature/Affiliation)													
Relinquished by (Signature)		<u>FedEx</u>								Date 06/15/22 Time 5:00			
Relinquished by (Signature)		<u>(FedEx)</u>								Date 06/16-20 22 Time 14:10			
Relinquished by (Signature)										Date Time			

WO#/LAB USE ONLY

DATE: 06/15/22

PAGE: 2

OF: 2

CHAIN OF CUSTODY RECORD

CLIENT PROJECT NAME / NUMBER	PO NO
CG Roxane	
PROJECT CONTACT	SAMPLER(S) (PRINT)
Naomi Jensen - TEAM / Ryan Smith - CG Roxane	Greg Foote/Richard Shore

CITY: Bishop	STATE: CA	ZIP: 93514
P O Box 1265	E-MAIL: naomi@teamenvironmental.com	Richard@teamenvironmental.com

REQUESTED ANALYSES

Please check box or fill in blank as needed

TOTAL METALS - 200 8	TURBIDITY	PH	TD5	CHLORIDE/SULFATE - 300 0	BICARBONATE/ALKALINITY
----------------------	-----------	----	-----	--------------------------	------------------------

LOG CODE

LAB USE ONLY	SAMPLE ID	SAMPLING DATE	TIME	MATRIX	NO OF CONT	Field Filtered	
						Preserved	Unpreserved
7	QCMMW	06/15/22	0 00	GW	4	2	0

Received by (Signature) 	Date 06/15/22	Time 1500
Received by (Signature) 	Date 06/16/2022	Time 14:10
Received by (Signature) 	Date 06/27/2022	Time

1 2 3 4 5 6 7 8 9 10 11 12 13 14



570-100026 Waybill

- Warning** Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number.
- 1 Use the Print button on this page to print your label to your laser or inkjet printer.
 - 2 Fold the printed page along the horizontal line.
 - 3 Place the label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.
- Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on FedEx.com. FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interests, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$1,000, e.g. jewelry, precious metals, negotiable instruments and other items listed in our Written claims section.

ORIGIN ID BHA
NAOMI GARCIA
TEAM ENGINEERING & MANAGEMENT
459 W LINE ST
PO BOX 1265
BISHOP CA 93514
UNITED STATES US


BILL SENDER

(760) 872-1033
(714) 895-5494
INV
PO
TO STEPHEN NOWAK
EUROFINS
7440 LINCOLN WAY

SHIP DATE: 15JUN22
ACTWGT 30.00 LB
CAD: 4580111/NET4490

581J2Z74FFEE4A

GARDEN GROVE CA 92841
REF CG ROXANE
DEPT



Login Sample Receipt Checklist

Client: TEAM Environmental, Inc.

Job Number: 570-100026-1

Login Number: 100026

List Source: Eurofins Calscience

List Number: 1

Creator: Vitente, Precy

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



Date of Report: 06/24/2022

Naomi Garcia

TEAM Engineering & Management - Bishop

P O Box 1265
Bishop, CA 93515

Client Project: CGR-GMMRP

BCL Project: CG Roxane

BCL Work Order: 2214069

Invoice ID: B451961

Enclosed are the results of analyses for samples received by the laboratory on 6/16/2022. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Contact Person: Kaylee Mayall
Client Services Rep



Stuart Butram

Operations Manager

Certifications: CA ELAP #1186; NV #CA00014; OR ELAP #4032-001; AK UST101

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. Pace Analytical assumes no responsibility for report alteration, separation, detachment or third party interpretation.

Table of Contents

Sample Information

Chain of Custody and Cooler Receipt form.....	3
Laboratory / Client Sample Cross Reference.....	6

Sample Results

2214069-01 - MW-3	
Water Analysis (General Chemistry).....	8
2214069-02 - OW-7u	
Water Analysis (General Chemistry).....	9
2214069-03 - OW-7m	
Water Analysis (General Chemistry).....	10
2214069-04 - OW-8us	
Water Analysis (General Chemistry).....	11
2214069-05 - OW-9u	
Water Analysis (General Chemistry).....	12
2214069-06 - OW-10u	
Water Analysis (General Chemistry).....	13
2214069-07 - OW-10m	
Water Analysis (General Chemistry).....	14
2214069-08 - P-5	
Water Analysis (General Chemistry).....	15
2214069-09 - CMW-2	
Water Analysis (General Chemistry).....	16
2214069-10 - QCMW	
Water Analysis (General Chemistry).....	17
2214069-11 - PAT-1	
Water Analysis (General Chemistry).....	18

Quality Control Reports

Water Analysis (General Chemistry)	
Method Blank Analysis.....	19

Notes

Notes and Definitions.....	20
----------------------------	----



Chain of Custody Form

*Required Fields

 Report To:
Client: TEAM Environmental, Inc.
Attn: Naomi Jensen

Street Address: 459 West Line Street
City: Bishop **State:** CA **Zip:** 93514

Phone: (760) 872 - 1033 **Fax:** (760) 872 - 1033

Email Address: richard@teamenvironmental.com; nrobinson@teamenv.com

Submission #:

Project Description: CG Roxane

Project Code: CGR-GMMRP

Sampler (s): G. Foothi/R. Shove

Sample ID:

Lab PO

Sample #	Sample Description	Date	Time	Matrix*	Analysis Requested		Billing		
					Notes				
-1	MW-3	06/15/22	1022	GW	✓				
-2	OW-7u	06/15/22	1230	GW	✓				
-3	OW-7m	06/15/22	1240	GW	✓				
-4	OW-8us	06/14/22	1110	GW	✓				
-5	OW-9u	06/14/22	1240	GW	✓				
-6	OW-10u	06/15/22	1135	GW	✓				
-7	OW-10m	06/15/22	1118	GW	✓				
-8	P-5	06/13/22	1052	GW	✓				
-9	CMW-2	06/14/22	1010	GW	✓				
-10	OCMW	06/15/22	0000	GW	✓				
-11	PAT-1	06/14/22	1025	GW	✓				
					<u>Sub-OUT</u>				
*Standard Turnaround = 10									
*Storage Time									
*Normal (10 - Days)									
*Additional Charges May Apply									
Comments:									
<input type="checkbox"/> MBU Site <input type="checkbox"/> CVX RCRA <input checked="" type="checkbox"/> Geotracker 5 File <small>[CA Default]</small> <input type="checkbox"/> Geotracker 2 File <input type="checkbox"/> Other (Specify) _____									
Cost Center: Global ID: _____ 1. Relinquished By: <u>Richard Shore</u> Date: <u>06/15/22</u> Time: <u>1500</u> Received By: <u>Fedex</u> Date: <u>06/15/22</u> Time: <u>1500</u> 2. Relinquished By: _____ Date: _____ Time: _____ Received By: _____ Date: _____ Time: _____ 3. Relinquished By: _____ Date: _____ Time: _____ Received By: _____ Date: _____ Time: _____									

11-14069

Matrix Types: S = Soil SL = Sludge DW = Drinking Water WW = Wastewater GW = Groundwater L = Liquid M = Miscellaneous O = Other _____

 Turnaround # of working days: 24 Hr Rush 48 Hr Rush 3-5 Day Rush Normal (10 - Days)

Lab TAT Approval: _____

BC Laboratories, Inc. 4100 Atlas Court – Bakersfield CA 93308 (661) 327-4911 Fax: (661) 327-1918 www.bclabs.com

Chain of Custody and Cooler Receipt Form for 2214069 Page 2 of 3

PACE ANALYTICAL		COOLER RECEIPT FORM		Page	Of 2						
Submission #: 2214069											
SHIPPING INFORMATION Fed Ex <input checked="" type="checkbox"/> UPS <input type="checkbox"/> GSO / GLS <input type="checkbox"/> Hand Delivery <input type="checkbox"/> Pace Lab Field Service <input type="checkbox"/> Other <input type="checkbox"/> (Specify) _____				SHIPPING CONTAINER Ice Chest <input checked="" type="checkbox"/> None <input type="checkbox"/> Box <input checked="" type="checkbox"/> Other <input type="checkbox"/> (Specify) _____							
				FREE LIQUID YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> W / S							
Refrigerant: Ice <input type="checkbox"/> Blue Ice <input checked="" type="checkbox"/> None <input type="checkbox"/> Other <input type="checkbox"/> Comments: Custody Seals: Ice Chest <input type="checkbox"/> Containers <input type="checkbox"/> None <input checked="" type="checkbox"/> Comments: Intact? Yes <input type="checkbox"/> No <input type="checkbox"/> Intact? Yes <input type="checkbox"/> No <input type="checkbox"/>											
All samples received? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> COC Received <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO		All samples containers intact? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Emissivity: 0.97 Container: Amber Thermometer ID: 337 Temperature: (A) 11.2 °C / (C) 11.3 °C ^{PP} Analyst Init: SMH 11/10		Description(s) match COC? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Date/Time: 6-16-22							
SAMPLE CONTAINERS		SAMPLE NUMBERS									
		1	2	3	4	5	6	7	8	9	10
QT PE UNPRES											
4oz / 8oz / 16oz PE UNPRES											
2oz Cr ⁻⁴											
QT INORGANIC CHEMICAL METALS											
INORGANIC CHEMICAL METALS 4oz / 8oz / 16oz											
PT CYANIDE											
PT NITROGEN FORMS											
PT TOTAL SULFIDE											
2oz NITRATE / NITRITE											
PT TOTAL ORGANIC CARBON											
PT CHEMICAL OXYGEN DEMAND											
PT PHENOLICS											
40ml VOA VIAL TRAVEL BLANK											
40ml VOA VIAL											
QT EPA 1664B											
PT ODOR		A	A	A	A	A	A	A	A	A	A
RADIOLOGICAL											
BACTERIOLOGICAL											
40 ml VOA VIAL 504											
QT EPA 508608 3/0031A											
QT EPA 515.1/8151A											
QT EPA 535.2											
QT EPA 535.2 TRAVEL BLANK											
40ml EPA 547											
40ml EPA 531.1											
8oz EPA 548.1											
QT EPA 549.2											
QT EPA 8015M											
QT EPA 8270C											
8oz / 16oz / 32oz AMBER											
8oz / 16oz / 32oz JAR											
SOIL SLEEVE											
PCB VIAL											
PLASTIC BAG											
TEDLAR BAG											
FERROUS IRON											
ENCORE											
SMART KIT											
SUMMA CANISTER											
Comments: _____											
Sample Numbering Completed By: <u>WJW</u> Date/Time: <u>6/16/22 1432</u> Rev 23 04/20/22											
A = Actual / C = Corrected											

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
 All results listed in this report are for the exclusive use of the submitting party. Pace Analytical assumes no responsibility for report alteration, separation, detachment or third party interpretation.

Chain of Custody and Cooler Receipt Form for 2214069 Page 3 of 3

PACE ANALYTICAL		COOLER RECEIPT FORM		Page 2 Of 2						
Submission #: 11-14069										
SHIPPING INFORMATION Fed Ex <input checked="" type="checkbox"/> UPS <input type="checkbox"/> GSO / GLS <input type="checkbox"/> Hand Delivery <input type="checkbox"/> Pace Lab Field Service <input type="checkbox"/> Other <input type="checkbox"/> (Specify)		SHIPPING CONTAINER Ice.Chest <input checked="" type="checkbox"/> None <input type="checkbox"/> Box <input type="checkbox"/> Other <input type="checkbox"/> (Specify)		FREE LIQUID YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> W / S						
Refrigerant: Ice <input type="checkbox"/> Blue Ice <input checked="" type="checkbox"/> None <input type="checkbox"/> Other <input type="checkbox"/> Comments: Custody Seals: Ice Chest <input type="checkbox"/> Containers <input type="checkbox"/> None <input checked="" type="checkbox"/> Comments: Intact? Yes <input type="checkbox"/> No <input type="checkbox"/> Intact? Yes <input type="checkbox"/> No <input type="checkbox"/>										
All samples received? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		All samples containers intact? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		Description(s) match COC? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>						
COC Received <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO		Emissivity: 0.97 Container: Amber Thermometer ID: 337 Temperature: (A) 11.2 °C / (C) 11.3 °C		Date/Time: 6-16-22 Analyst Init: SMH 11:10						
SAMPLE CONTAINERS	SAMPLE NUMBERS									
	1	2	3	4	5	6	7	8	9	10
QT PE UNPRES										
4oz / 8oz / 16oz PE UNPRES										
2oz Cr ⁶⁺										
QT INORGANIC CHEMICAL METALS										
INORGANIC CHEMICAL METALS 4oz / 8oz / 16oz										
PT CYANIDE										
PT NITROGEN FORMS										
PT TOTAL SULFIDE										
2oz NITRATE / NITRITE										
PT TOTAL ORGANIC CARBON										
PT CHEMICAL OXYGEN DEMAND										
PIA PHENOLICS										
40ml VOA VIAL TRAVEL BLANK										
40ml VOA VIAL										
QT EPA 1664B										
PT ODOR	A									
RADIOLOGICAL										
BACTERIOLOGICAL										
40 ml VOA VIAL - 504										
QT EPA 508608.3/B081A										
QT EPA 515.1/8151A										
QT EPA 525.2										
QT EPA 525.2 TRAVEL BLANK										
40ml EPA 547										
40ml EPA 531.1										
8oz EPA 548.1										
QT EPA 549.2										
QT EPA 801501										
QT EPA 8170C										
3oz / 16oz / 32oz AMBER										
8oz / 16oz / 32oz JAR										
SOIL SLEEVE										
PCB VIAL										
PLASTIC BAG										
TEDLAR BAG										
FERROUS IRON										
ENCORE										
SMART KIT										
SUMMA CANISTER										
Comments: _____										
Sample Numbering Completed By: _____	Date/Time: 6/16/22 11:32 A = Actual / C = Corrected									
Rev 23-05-2012 \S:\WIP\Dec\WordPerfect\AB_DOC\SF03\ISUSA\JBB\RECRev 24										

TEAM Engineering & Management - Bishop
 P O Box 1265
 Bishop, CA 93515

Reported: 06/24/2022 7:29
Project: CG Roxane
Project Number: CGR-GMMRP
Project Manager: Naomi Garcia

Laboratory / Client Sample Cross Reference

Laboratory	Client Sample Information			
2214069-01	COC Number: --- Project Number: --- Sampling Location: --- Sampling Point: MW-3 Sampled By: ---	Receive Date: 06/16/2022 11:10 Sampling Date: 06/15/2022 10:22 Sample Depth: --- Lab Matrix: Water Sample Type: Groundwater		
2214069-02	COC Number: --- Project Number: --- Sampling Location: --- Sampling Point: OW-7u Sampled By: ---	Receive Date: 06/16/2022 11:10 Sampling Date: 06/15/2022 12:13 Sample Depth: --- Lab Matrix: Water Sample Type: Groundwater		
2214069-03	COC Number: --- Project Number: --- Sampling Location: --- Sampling Point: OW-7m Sampled By: ---	Receive Date: 06/16/2022 11:10 Sampling Date: 06/15/2022 12:40 Sample Depth: --- Lab Matrix: Water Sample Type: Groundwater		
2214069-04	COC Number: --- Project Number: --- Sampling Location: --- Sampling Point: OW-8us Sampled By: ---	Receive Date: 06/16/2022 11:10 Sampling Date: 06/15/2022 11:10 Sample Depth: --- Lab Matrix: Water Sample Type: Groundwater		
2214069-05	COC Number: --- Project Number: --- Sampling Location: --- Sampling Point: OW-9u Sampled By: ---	Receive Date: 06/16/2022 11:10 Sampling Date: 06/15/2022 12:40 Sample Depth: --- Lab Matrix: Water Sample Type: Groundwater		
2214069-06	COC Number: --- Project Number: --- Sampling Location: --- Sampling Point: OW-10u Sampled By: ---	Receive Date: 06/16/2022 11:10 Sampling Date: 06/15/2022 11:35 Sample Depth: --- Lab Matrix: Water Sample Type: Groundwater		
2214069-07	COC Number: --- Project Number: --- Sampling Location: --- Sampling Point: OW-10m Sampled By: ---	Receive Date: 06/16/2022 11:10 Sampling Date: 06/15/2022 11:18 Sample Depth: --- Lab Matrix: Water Sample Type: Groundwater		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
 All results listed in this report are for the exclusive use of the submitting party. Pace Analytical assumes no responsibility for report alteration, separation, detachment or third party interpretation.

TEAM Engineering & Management - Bishop
 P O Box 1265
 Bishop, CA 93515

Reported: 06/24/2022 7:29
Project: CG Roxane
Project Number: CGR-GMMRP
Project Manager: Naomi Garcia

Laboratory / Client Sample Cross Reference

Laboratory	Client Sample Information			
2214069-08	COC Number: --- Project Number: --- Sampling Location: --- Sampling Point: P-5 Sampled By: ---	Receive Date: 06/16/2022 11:10 Sampling Date: 06/15/2022 10:52 Sample Depth: --- Lab Matrix: Water Sample Type: Groundwater		
2214069-09	COC Number: --- Project Number: --- Sampling Location: --- Sampling Point: CMW-2 Sampled By: ---	Receive Date: 06/16/2022 11:10 Sampling Date: 06/14/2022 10:10 Sample Depth: --- Lab Matrix: Water Sample Type: Groundwater		
2214069-10	COC Number: --- Project Number: --- Sampling Location: --- Sampling Point: QCMW Sampled By: ---	Receive Date: 06/16/2022 11:10 Sampling Date: 06/15/2022 00:00 Sample Depth: --- Lab Matrix: Water Sample Type: Groundwater		
2214069-11	COC Number: --- Project Number: --- Sampling Location: --- Sampling Point: PAT-1 Sampled By: ---	Receive Date: 06/16/2022 11:10 Sampling Date: 06/14/2022 10:25 Sample Depth: --- Lab Matrix: Water Sample Type: Groundwater		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. Pace Analytical assumes no responsibility for report alteration, separation, detachment or third party interpretation.

TEAM Engineering & Management - Bishop
P O Box 1265
Bishop, CA 93515

Reported: 06/24/2022 7:29
Project: CG Roxane
Project Number: CGR-GMMRP
Project Manager: Naomi Garcia

Water Analysis (General Chemistry)

BCL Sample ID:	2214069-01	Client Sample Name:	MW-3, 6/15/2022 10:22:00AM					
Constituent	Result	Units	PQL	MDL	Method	MB Bias	Lab Quals	DCN
Odor	1.0	Odor Units	1.0	1.0	SM-2150B	ND		1

DCN	Method	Prep Date	Run	Analyst	Instrument	Dilution	QC	
			Date/Time				Batch ID	Prep Method
1	SM-2150B	06/17/22 09:00	06/17/22 09:00	JTM	MANUAL	1	B142560	No Prep

DCN = Data Continuation Number

TEAM Engineering & Management - Bishop
P O Box 1265
Bishop, CA 93515

Reported: 06/24/2022 7:29
Project: CG Roxane
Project Number: CGR-GMMRP
Project Manager: Naomi Garcia

Water Analysis (General Chemistry)

BCL Sample ID:	2214069-02	Client Sample Name:	OW-7u, 6/15/2022 12:13:00PM					
Constituent	Result	Units	PQL	MDL	Method	MB Bias	Lab Quals	DCN
Odor	No Obs Odor	Odor Units	1.0	1.0	SM-2150B	ND		1

DCN	Method	Prep Date	Run	Analyst	Instrument	Dilution	QC	Batch ID	Prep Method
			Date/Time						
1	SM-2150B	06/17/22 09:00	06/17/22 09:00	JTM	MANUAL	1		B142560	No Prep

DCN = Data Continuation Number

TEAM Engineering & Management - Bishop
P O Box 1265
Bishop, CA 93515

Reported: 06/24/2022 7:29
Project: CG Roxane
Project Number: CGR-GMMRP
Project Manager: Naomi Garcia

Water Analysis (General Chemistry)

BCL Sample ID:	2214069-03	Client Sample Name:	OW-7m, 6/15/2022 12:40:00PM					
Constituent	Result	Units	PQL	MDL	Method	MB Bias	Lab Quals	DCN
Odor	No Obs Odor	Odor Units	1.0	1.0	SM-2150B	ND		1

DCN	Method	Prep Date	Run	Analyst	Instrument	Dilution	QC	Batch ID	Prep Method
			Date/Time						
1	SM-2150B	06/17/22 09:00	06/17/22 09:00	JTM	MANUAL	1		B142560	No Prep

DCN = Data Continuation Number

TEAM Engineering & Management - Bishop
P O Box 1265
Bishop, CA 93515

Reported: 06/24/2022 7:29
Project: CG Roxane
Project Number: CGR-GMMRP
Project Manager: Naomi Garcia

Water Analysis (General Chemistry)

BCL Sample ID:	2214069-04	Client Sample Name: OW-8us, 6/15/2022 11:10:00AM						
Constituent	Result	Units	PQL	MDL	Method	MB Bias	Lab Quals	DCN
Odor	20	Odor Units	1.0	1.0	SM-2150B	ND		1

DCN	Method	Prep Date	Run	Analyst	Instrument	Dilution	QC	
			Date/Time				Batch ID	Prep Method
1	SM-2150B	06/17/22 09:00	06/17/22 09:00	JTM	MANUAL	1	B142560	No Prep

DCN = Data Continuation Number

TEAM Engineering & Management - Bishop
 P O Box 1265
 Bishop, CA 93515

Reported: 06/24/2022 7:29
Project: CG Roxane
Project Number: CGR-GMMRP
Project Manager: Naomi Garcia

Water Analysis (General Chemistry)

BCL Sample ID:	2214069-05	Client Sample Name:	OW-9u, 6/15/2022 12:40:00PM					
Constituent	Result	Units	PQL	MDL	Method	MB Bias	Lab Quals	DCN
Odor	20	Odor Units	1.0	1.0	SM-2150B	ND		1

DCN	Method	Prep Date	Run	Analyst	Instrument	Dilution	QC	
			Date/Time				Batch ID	Prep Method
1	SM-2150B	06/17/22 09:00	06/17/22 09:00	JTM	MANUAL	1	B142560	No Prep

DCN = Data Continuation Number

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. Pace Analytical assumes no responsibility for report alteration, separation, detachment or third party interpretation.

TEAM Engineering & Management - Bishop
P O Box 1265
Bishop, CA 93515

Reported: 06/24/2022 7:29
Project: CG Roxane
Project Number: CGR-GMMRP
Project Manager: Naomi Garcia

Water Analysis (General Chemistry)

BCL Sample ID:	2214069-06	Client Sample Name:	OW-10u, 6/15/2022 11:35:00AM					
Constituent	Result	Units	PQL	MDL	Method	MB Bias	Lab Quals	DCN
Odor	No Obs Odor	Odor Units	1.0	1.0	SM-2150B	ND		1

DCN	Method	Prep Date	Run	Analyst	Instrument	Dilution	QC	Batch ID	Prep Method
			Date/Time						
1	SM-2150B	06/17/22 09:00	06/17/22 09:00	JTM	MANUAL	1		B142560	No Prep

DCN = Data Continuation Number

TEAM Engineering & Management - Bishop
P O Box 1265
Bishop, CA 93515

Reported: 06/24/2022 7:29
Project: CG Roxane
Project Number: CGR-GMMRP
Project Manager: Naomi Garcia

Water Analysis (General Chemistry)

BCL Sample ID:	2214069-07	Client Sample Name: OW-10m, 6/15/2022 11:18:00AM						
Constituent	Result	Units	PQL	MDL	Method	MB Bias	Lab Quals	DCN
Odor	2.0	Odor Units	1.0	1.0	SM-2150B	ND		1

DCN	Method	Prep Date	Run	Analyst	Instrument	Dilution	QC	
			Date/Time				Batch ID	Prep Method
1	SM-2150B	06/17/22 09:00	06/17/22 09:00	JTM	MANUAL	1	B142560	No Prep

DCN = Data Continuation Number

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. Pace Analytical assumes no responsibility for report alteration, separation, detachment or third party interpretation.

TEAM Engineering & Management - Bishop
 P O Box 1265
 Bishop, CA 93515

Reported: 06/24/2022 7:29
Project: CG Roxane
Project Number: CGR-GMMRP
Project Manager: Naomi Garcia

Water Analysis (General Chemistry)

BCL Sample ID:	2214069-08	Client Sample Name:	P-5, 6/15/2022 10:52:00AM					
Constituent	Result	Units	PQL	MDL	Method	MB Bias	Lab Quals	DCN
Odor	1.0	Odor Units	1.0	1.0	SM-2150B	ND		1

DCN	Method	Prep Date	Run	Analyst	Instrument	Dilution	QC	
			Date/Time				Batch ID	Prep Method
1	SM-2150B	06/17/22 09:00	06/17/22 09:00	JTM	MANUAL	1	B142560	No Prep

DCN = Data Continuation Number

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. Pace Analytical assumes no responsibility for report alteration, separation, detachment or third party interpretation.

TEAM Engineering & Management - Bishop
P O Box 1265
Bishop, CA 93515

Reported: 06/24/2022 7:29
Project: CG Roxane
Project Number: CGR-GMMRP
Project Manager: Naomi Garcia

Water Analysis (General Chemistry)

BCL Sample ID:	2214069-09	Client Sample Name:	CMW-2, 6/14/2022 10:10:00AM					
Constituent	Result	Units	PQL	MDL	Method	MB Bias	Lab Quals	DCN
Odor	No Obs Odor	Odor Units	1.0	1.0	SM-2150B	ND		1

DCN	Method	Prep Date	Run	Analyst	Instrument	Dilution	QC	Batch ID	Prep Method
			Date/Time						
1	SM-2150B	06/17/22 09:00	06/17/22 09:00	JTM	MANUAL	1		B142562	No Prep

DCN = Data Continuation Number

TEAM Engineering & Management - Bishop
P O Box 1265
Bishop, CA 93515

Reported: 06/24/2022 7:29
Project: CG Roxane
Project Number: CGR-GMMRP
Project Manager: Naomi Garcia

Water Analysis (General Chemistry)

BCL Sample ID:	2214069-10	Client Sample Name:	QCMW, 6/15/2022 12:00:00AM					
Constituent	Result	Units	PQL	MDL	Method	MB Bias	Lab Quals	DCN
Odor	1.0	Odor Units	1.0	1.0	SM-2150B	ND		1

DCN	Method	Prep Date	Run	Analyst	Instrument	Dilution	QC	
			Date/Time				Batch ID	Prep Method
1	SM-2150B	06/17/22 09:00	06/17/22 09:00	JTM	MANUAL	1	B142562	No Prep

DCN = Data Continuation Number

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. Pace Analytical assumes no responsibility for report alteration, separation, detachment or third party interpretation.

TEAM Engineering & Management - Bishop
P O Box 1265
Bishop, CA 93515

Reported: 06/24/2022 7:29
Project: CG Roxane
Project Number: CGR-GMMRP
Project Manager: Naomi Garcia

Water Analysis (General Chemistry)

BCL Sample ID:	2214069-11	Client Sample Name:	PAT-1, 6/14/2022 10:25:00AM					
Constituent	Result	Units	PQL	MDL	Method	MB Bias	Lab Quals	DCN
Odor	No Obs Odor	Odor Units	1.0	1.0	SM-2150B	ND		1

DCN	Method	Prep Date	Run	Analyst	Instrument	Dilution	QC	Batch ID	Prep Method
			Date/Time						
1	SM-2150B	06/17/22 09:00	06/17/22 09:00	JTM	MANUAL	1		B142562	No Prep

DCN = Data Continuation Number

TEAM Engineering & Management - Bishop
P O Box 1265
Bishop, CA 93515

Reported: 06/24/2022 7:29
Project: CG Roxane
Project Number: CGR-GMMRP
Project Manager: Naomi Garcia

Water Analysis (General Chemistry)

Quality Control Report - Method Blank Analysis

Constituent	QC Sample ID	MB Result	Units	PQL	MDL	Lab Quals
QC Batch ID: B142560						
Odor	B142560-BLK1	ND	Odor Units	1.0	1.0	
QC Batch ID: B142562						
Odor	B142562-BLK1	ND	Odor Units	1.0	1.0	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. Pace Analytical assumes no responsibility for report alteration, separation, detachment or third party interpretation.

TEAM Engineering & Management - Bishop
P O Box 1265
Bishop, CA 93515


Reported: 06/24/2022 7:29
Project: CG Roxane
Project Number: CGR-GMMRP
Project Manager: Naomi Garcia

Notes And Definitions


MDL Method Detection Limit
ND Analyte Not Detected
PQL Practical Quantitation Limit

APPENDIX C
STATISTICAL ANALYSIS GRAPHS


SODIUM CONCENTRATION OVER TIME
Cabin Bar Ranch GMMRP Monitoring Points




CHLORIDE CONCENTRATION OVER TIME
Cabin Bar Ranch GMMRP Monitoring Points




BICARBONATE CONCENTRATION OVER TIME
Cabin Bar Ranch GMMRP Monitoring Points



TOTAL DISSOLVED SOLIDS CONCENTRATION OVER TIME
Cabin Bar Ranch GMMRP Monitoring Points



ARSENIC CONCENTRATION OVER TIME
Cabin Bar Ranch GMMRP Monitoring Points



BARIUM CONCENTRATION OVER TIME
Cabin Bar Ranch GMMRP Monitoring Points

