



TEAMENVIRONMENTAL.COM

760-872-1033

459 W. Line Street, Suite A

Bishop, CA 93514

Dr. Holly Alpert  
Inyo County Water Department  
135 South Jackson Street  
Independence, CA 93526

July 13, 2023

## BI-MONTHLY GROUNDWATER MONITORING REPORT, MAY TO JUNE 2023

### CRYSTAL GEYSER ROXANE, CABIN BAR RANCH, INYO COUNTY, CALIFORNIA

Dear Dr. Alpert:


This letter summarizes hydrologic monitoring activities conducted in May and June 2023 by TEAM Environmental, Inc. (TEAM), in support of the Crystal Geyser Roxane (CGR) Cabin Bar Ranch Bottling Plant Groundwater Monitoring, Mitigation, and Reporting Plan (GMMRP).

#### BACKGROUND

As outlined in the GMMRP for Cabin Bar Ranch, dated June 18, 2014, a network of groundwater monitoring wells has been established for collection of water level and water quality data in support of the proposed Cabin Bar Ranch Bottling Facility (see Figure 1 and 2). The conditions of the GMMRP required a minimum of four months of continuous baseline groundwater data collection to characterize pre-project conditions and to assess the functionality of the monitoring system. In February 2016, TEAM (formerly TEAM Engineering & Management, Inc.) was retained by CGR to collect the required baseline groundwater data and report directly to the Inyo County Water Department (ICWD), as an objective third-party monitor.

Baseline groundwater monitoring was initiated on March 1, 2016. The first four months of baseline groundwater monitoring data, including laboratory results of water quality samples, were summarized in the *Baseline Groundwater Monitoring Report, First and Second Quarter 2016* dated August 4, 2016. Monthly groundwater level monitoring activities continued, with bi-monthly reporting, until project pumping commenced in order to accurately document pre-pumping baseline conditions. Project pumping at the Cabin Bar Ranch Bottling Facility commenced on March 19, 2018.

In a letter to ICWD dated April 6, 2017, CGR provided a summary of the water level and water quality data to document pre-pumping baseline conditions and provided recommendations for the refinement of site-wide groundwater elevation trigger levels and water quality trigger levels in monitoring well OW-10m. The letter also recommended the installation of a deeper piezometer to replace well P-15, which has been seasonally dry, to better evaluate the range



of groundwater fluctuations in the area. In a letter dated July 6, 2017, the ICWD concurred with these recommendations, which formalized the project trigger levels discussed herein.

March 2020 marked the end of the initial 2-year post-pumping groundwater monitoring period as outlined in the GMMRP. In accordance with the GMMRP Section 6.1.1 and Section 6.1.2, following two years of groundwater level and groundwater quality data, TEAM submitted to ICWD a report titled *Recommendations for Reduced Monitoring per GMMRP*, dated October 7, 2020. ICWD conditionally approved the recommendations in a letter dated November 1, 2020, requiring CGR to continue water level monitoring on a bi-monthly basis. The ICWD letter also required CGR to perform two more quarterly groundwater sampling events during the Fourth Quarter 2020 and First Quarter 2021, at which point the data and monitoring program were to be reassessed.

Additional monitoring recommendations were developed and presented by TEAM in the *Bi-Monthly Groundwater Monitoring per GMMRP, January to February 2021* report, dated March 12, 2021. ICWD conditionally approved the recommendations in a letter dated May 20, 2021, requiring CGR to continue water level monitoring on a bi-monthly basis with semi-annual groundwater sampling events to be conducted during the Second and Fourth Quarters of each year.

On June 23, 2022, Geosyntec installed replacement piezometer P-15A approximately 15 feet north of P-15 in accordance with ICWD's July 6, 2017, approval letter. A GWE trigger level for newly installed piezometer P-15A has not yet been established. ICWD has requested that manual water level measurements at P-15 continue to be monitored until a correlation between water levels at P-15 and P-15A can be established.

## **WATER LEVEL MONITORING**

TEAM completed the June 2023 bi-monthly hydrologic data collection event at the GMMRP groundwater monitoring locations in the area of Cabin Bar Ranch (See Figure 2) on June 5, 2023. Static depth-to-water (DTW) measurements were collected by TEAM, as summarized in Table 2. Manual DTW measurements were referenced to a surveyed mark on the top of the well casing and converted to groundwater elevation (GWE), in feet above mean sea level. Any adjustment to the GWE calculation (e.g. for riser height) is included in the table.

Monitoring well datalogging systems (pressure transducers) have been installed and activated by CGR in all fourteen (14) GMMRP wells: CMW-2, MW-3, P-5, P-10, P-15/P-15A, PAT-1, OW-7u, OW-7m, OW-8us, OW-9u, OW-10u, OW-10m, RP-1 and SS-1A (see Figure 2). During the June 2023 monitoring event, water level or pressure measurements were collected from all of the measuring points defined in the GMMRP.

On June 5, 2023, a round of manual DTWs were collected by TEAM personnel, and the transducer data were downloaded for the period of April 11 to June 5, 2023. Manual DTWs and corresponding GWEs are included in Table 2. Pressure readings were collected from OW-8us and OW-9u, which both remained artesian in June. The data from each datalogger were

correlated to manual DTWs from the beginning of the data period, or to the closest correlated data point when necessary. Hydrographs of each well have been provided in Attachment A.

## WATER QUALITY MONITORING

The GMMRP for Cabin Bar Ranch required pre-pumping water quality monitoring to establish baseline conditions for the project. Baseline water quality sample collection was conducted in March, April, June, and September 2016. Due to delays in project implementation, and as agreed upon between CGR and ICWD, a final round of water quality samples representative of baseline conditions was collected on March 27, 2018.

Subsequent to the initiation of pumping in March 2018, the first round of quarterly water quality samples to be compared to the baseline dataset was collected in June 2018. Water quality samples have been collected quarterly from June 2018 to June 2021, and semi-annually from June 2021 to June 2023. The results of water quality analysis collected from GMMRP monitoring locations are summarized in Table 3.

Groundwater samples were collected from nine (9) of the ten (10) GMMRP monitoring points in June 2023. Due to ongoing highway construction activities, well MW-3 was inaccessible for sampling during the June 2023 event. Wells CMW-2, PAT-1, OW-8us, and OW-9u were sampled on June 5, 2023, and wells OW-7u, OW-7m, OW-10m, OW-10u, and P-5 were sampled on June 6, 2023. The samples were transported to the analytical laboratories via expedited overnight mail with completed chain-of-custody forms. Monitoring Parameters were analyzed by Eurofins Calscience of Tustin, California, and Pace Analytical Laboratories of Bakersfield, California. Eurofins and Pace are both California state-certified laboratories.

Based on the analysis of total Title 22 priority pollutant metals, arsenic, barium, lead, molybdenum, vanadium, and zinc were detected above laboratory detection limits in one or more GMMRP wells in June 2023. Of these detections, only the arsenic concentrations identified in OW-7u and OW-7m (0.020 mg/L and 0.022 mg/L, respectively) exceed the maximum contaminant level (MCL) for arsenic in drinking water in California (0.010 mg/L). These detections are similar to samples collected previously at OW-7u and OW-7m. All other metal concentrations are below applicable primary MCLs. It should be noted that the trigger level for arsenic (0.0075 mg/L) is only applicable to wells CMW-2, OW-8us, OW-9u, OW-10u, OW-10m, and PAT-1 in accordance with the GMMRP. The approved water quality trigger levels for select wells are included in Table 5 for reference.

As indicated in the GMMRP Section 6.1.1, groundwater quality data is also required to be collected on a daily basis using sensors installed with the datalogging systems. Project monitoring wells OW-10m, OW-7u, OW-7m, OW-8us, OW-9u and P-5 were equipped with AquaTroll 200 transducers and were set to record Electrical Conductivity (eC) every 4 hours. Off-site wells CMW-2 and PAT-1 were also equipped with AquaTroll 200 transducers. The conductivity data is plotted on the hydrographs in Attachment A.

## PRODUCTION WELL TOTALIZER READINGS

Totalizer readings for the three Cabin Bar Ranch production wells (CGR-8, CGR-9, and CGR-10) were first collected on March 13, 2018, prior to the commencement of pumping on March 19, 2018, and during each subsequent monthly or bi-monthly monitoring event. Per the GMMRP and ICWD direction, the combined annual allowable pumping amount for the Cabin Bar Ranch production wells is 360 acre-feet per year. The first annual project pumping total, from March 2018 to March 2019, was approximately 155 acre-feet. The second annual project pumping total, from March 2019 to March 2020, was approximately 263 acre-feet. The third annual project pumping total, from March 2020 to March 2021, was approximately 280 acre-feet. The fourth-annual project pumping total, from March 2021 to March 2022, was approximately 263 acre-feet. The fifth-annual project pumping total, from March 2022 to March 2023, was approximately 253 acre-feet. The current annual project pumping amount, from March 16, 2023, to June 5, 2023, is approximately 52 acre-feet. The totalizer readings and a summary of these project pumping amounts are provided in Table 6.

## TRIGGER LEVELS

A summary of baseline GWEs and water level trigger levels, based on drawdown (from baseline GWEs) or depth-to-water (P-15 only) for wells in which triggers have been established, is provided in Table 4. The reference baseline GWEs were approved by the ICWD in their July 2017 letter. No GWE trigger levels were exceeded based on the water level data collected in June 2023, nor during the project thus far. A GWE trigger level for newly installed piezometer P-15A has not yet been established.

Trigger levels for six water quality parameters, which apply to quarterly sampling data, are included in Table 5. No water quality trigger levels have been exceeded based on the samples collected during the project thus far. Per the GMMRP, an analysis of water quality data is required to be conducted to determine if an upward statistically significant trend in one of the water quality parameters indicates that a trigger level will be reached within a three-year period. Trends are reassessed approximately every six months with the addition of new data.

## STATISTICAL ANALYSIS

A limited statistical analysis was conducted in June 2023 after the collection of semi-annual groundwater sample data. A linear regression analysis was performed on the six designated water quality parameters (sodium, chloride, bicarbonate, total dissolved solids [TDS], arsenic, and barium) at all trigger well locations. Graphs showing the concentrations over time and trendlines are included in Attachment C. Of the six water quality parameters, potentially increasing trends were noted in TDS concentrations at OW-8us and OW-9u. The R-squared values for TDS at OW-8us and OW-9u (0.37 and 0.22, respectively) indicate a weak positive correlation between the trendlines and the data. A projection of this trendline for three years after the last sample collection (through June 2026) indicates that no exceedance of the respective trigger level is predicted. Only trendlines with R-squared values greater than 0.10 are shown on the graphs. Values below 0.10 indicate that there is negligible positive

correlation between the trendlines and the data and are considered statistically insignificant. No other potentially increasing trends were noted among the other water quality parameters at any of the trigger well locations.

## OPERATIONAL NOTES

Totalizer data from May 2023 was collected by CGR and reported to TEAM. Totalizer data from June 2023 was collected directly by TEAM. A replacement transducer for well P-5 was installed during the June 2023 monitoring event. There were no other significant operational issues during the reporting period.

## ANTICIPATED ACTIVITIES

Bi-monthly reporting and semi-annual groundwater sampling will continue according to the requirements of the updated GMMRP. Collection of depth to water and download of transducer data is anticipated to be conducted in August 2023. In addition, totalizer reads from all three production wells (CGR-8, CGR-9 and CGR-10) will be collected in July by CGR and in August by TEAM. Collection of semi-annual water quality samples is anticipated to be conducted in December 2023.


\* \* \* \* \*

If you have any questions or require additional information, please contact TEAM at your convenience.

Sincerely,  
TEAM Environmental



Richard Shore  
Project Geologist  
[richard@teamenvironmental.com](mailto:richard@teamenvironmental.com)



**FIGURE 1  
SITE LOCATION  
CABIN BAR RANCH**

**Crystal Geyser Roxane  
Inyo County**

Date created: 2/14/22  
Created by: RS File:  
CGRFig1.mxd

Approximate Location

Printed from TOPO! ©2000 National Geographic Holdings ([www.topo.com](http://www.topo.com))



**LEGEND:**

● - GMMRP Monitoring Well

▲ - Production Well

0 0.075 0.15 0.3 Miles

**FIGURE 2**  
**LOCATION OF GMMRP MONITORING POINTS**

**Crystal Geyser Roxane  
Inyo County**

Updated: 8/9/22  
Created by: GF  
File: CGR\_Fig2.mxd

**TABLE 1**  
**SUMMARY OF GROUNDWATER MONITORING PROGRAM**

Monitoring Area	Well #	Monitored Zone	Pressure Transducer Installed (Y/N)	Depth of Well Screen Interval (ft bgs) <sup>3</sup>	Monthly Water Level Monitoring	Quarterly Groundwater Quality Monitoring	Trigger Level (ft of drawdown)	Purpose or Rationale
Northern	P-10	Shallow	Y	33 - 48	X	-	6	Monitor area north of production wells and provide sentinel monitoring to Cartago Area.
	OW-10U	Shallow	Y	65 - 85	X	X	6	
	OW-10M	Deep	Y	115 - 150	X	X	6	
Western	P-5	Shallow	Y	23 - 28	X	X	-	Monitor area hydraulically upgradient of production wells.
	MW-3	Deep	Y	200 - 420	X	X	-	
Southern	OW-7U	Shallow	Y	54 - 74	X	X	10	Monitor area south of production wells.
	OW-7M	Deep	Y	212 - 252	X	X	10	
Eastern	OW-8US	Shallow	Y	55 - 75	X	X	-	Provide sentinel monitoring to potential brine intrusion from the east.
	OW-9U	Shallow	Y	55 - 75	X	X	7	
Off-Site	CMW-2	Deep	Y	115 - 150	X	X	-	Monitor Cartago area.
	PAT-1	Shallow/Deep	Y	50 - 155	X	X	-	
Vegetation Monitoring	P-15	Shallow	N	4-9	X	-	DTW>5.4 <sup>1</sup>	Monitor wetland area east of production wells.
	P-15A	Shallow	Y	4.6 - 14.6	X	-	Not Yet Established	
	SS-1A	Shallow	Y	-5 - 15	X	-	-	
	RP-1	Shallow	Y	-7.5 - 8.5	X	-	-	

Explanation:

Y/N: Yes/No

X: Designated for monitoring per table heading.

ft bgs: feet below ground surface

ft btoc: feet below top of casing

- : Not Required by GMMRP

Notes:

1: Proposed trigger level for P-15 is water level below 5.4 ft btoc for any continuous 12-month period

2: Well information as provided by Geosyntec to TEAM in March 2015 and July 2022.

**TABLE 2**  
**BASELINE GROUNDWATER ELEVATION DATA**  
**Cabin Bar Ranch GMMRP Monitoring Points**

Well ID	Monitoring Point	Surveyed TOC Elevation (ft amsl)	Date	Time	DTW (ft) (2)	Measuring Point Adjustment	GWE (ft amsl) (3)
CMW-2	Cartago MWC Supply Well #2	3635.52	6/15/2016	11:45	20.29	0.0	3615.23
			7/26/2016	9:16	21.00	0.0	3614.52
			8/24/2016	10:10	20.91	0.0	3614.61
			9/15/2016	9:53	20.93	0.0	3614.59
			11/22/2016	9:42	20.60	0.0	3614.92
			12/14/2016	9:39	20.40	0.0	3615.12
			1/25/2017	10:02	20.31	0.0	3615.21
			2/23/2017	9:37	19.98	0.0	3615.54
			3/22/2017	9:47	19.74	0.0	3615.78
			4/27/2017	9:50	19.25	0.0	3616.27
			5/30/2017	9:00	18.39	0.0	3617.13
			6/21/2017	10:00	18.30	0.0	3617.22
			7/18/2017	9:23	18.15	0.0	3617.37
			8/22/2017	9:31	17.90	0.0	3617.62
			9/26/2017	9:59	17.40	0.0	3618.12
			10/30/2017	9:39	17.22	0.0	3618.30
			11/21/2017	9:15	16.92	0.0	3618.60
			12/19/2017	9:47	16.85	0.0	3618.67
			1/18/2018	9:57	16.75	0.0	3618.77
			2/15/2018	10:10	16.74	0.0	3618.78
			3/13/2018	9:30	16.62	0.0	3618.90
			4/18/2018	9:30	16.90	0.0	3618.62
			5/22/2018	10:09	17.30	0.0	3618.22
			6/12/2018	8:50	17.94	0.0	3617.58
			7/17/2018	9:54	17.97	0.0	3617.55
			8/14/2018	8:40	18.17	0.0	3617.35
			9/19/2018	9:45	18.25	0.0	3617.27
			10/16/2018	10:08	18.26	0.0	3617.26
			11/13/2018	9:08	18.09	0.0	3617.43
			12/11/2018	9:15	18.08	0.0	3617.44
			1/16/2019	9:45	17.83	0.0	3617.69
			2/12/2019	9:13	17.87	0.0	3617.65
			3/14/2019	9:45	17.85	0.0	3617.67
			4/16/2019	10:20	18.11	0.0	3617.41
			5/21/2019	9:45	17.60	0.0	3617.92
			6/18/2019	9:15	16.82	0.0	3618.70
			7/16/2019	9:35	16.45	0.0	3619.07
			8/13/2019	9:21	16.59	0.0	3618.93
			9/17/2019	9:45	16.22	0.0	3619.30
			10/10/2019	9:30	16.10	0.0	3619.42
			11/13/2019	9:15	16.23	0.0	3619.29
			12/10/2019	8:40	15.97	0.0	3619.55
			1/14/2020	9:20	15.98	0.0	3619.54
			2/18/2020	9:15	15.73	0.0	3619.79
			3/18/2020	9:20	15.76	0.0	3619.76
			4/14/2020	9:50	15.54	0.0	3619.98
			5/19/2020	9:30	15.60	0.0	3619.92
			6/18/2020	9:30	15.81	0.0	3619.71
			7/14/2020	9:45	15.84	0.0	3619.68
			8/12/2020	8:50	16.36	0.0	3619.16
			9/15/2020	9:50	16.25	0.0	3619.27
			10/13/2020	8:35	16.78	0.0	3618.74
			12/8/2020	9:10	16.33	0.0	3619.19
			2/16/2021	8:40	16.21	0.0	3619.31
			4/13/2021	9:40	16.67	0.0	3618.85
			6/15/2021	8:32	17.25	0.0	3618.27
			8/12/2021	8:55	17.95	0.0	3617.57
			10/12/2021	9:57	18.12	0.0	3617.40
			12/6/2021	9:30	17.95	0.0	3617.57
			2/11/2022	9:20	18.01	0.0	3617.51
			4/5/2022	9:35	18.10	0.0	3617.42
			6/14/2022	10:00	18.88	0.0	3616.64
			8/8/2022	9:20	19.00	0.0	3616.52
			10/6/2022	9:55	19.80	0.0	3615.72
			12/13/2022	9:15	19.56	0.0	3615.96
			2/7/2023	9:30	19.64	0.0	3615.88
			4/11/2023	9:25	19.02	0.0	3616.50
			6/5/2023	9:25	18.20	0.0	3617.32

**TABLE 2**  
**BASELINE GROUNDWATER ELEVATION DATA**  
**Cabin Bar Ranch GMMRP Monitoring Points**

Well ID	Monitoring Point	Surveyed TOC Elevation (ft amsl)	Date	Time	DTW (ft) (2)	Measuring Point Adjustment	GWE (ft amsl) (3)
MW-3	Cabin Bar Monitoring Well #3	3676.13	3/1/2016	10:15	53.43	0.0	3622.70
			4/5/2016	12:41	53.65	0.0	3622.48
			5/9/2016	11:37	54.28	0.0	3621.85
			6/14/2016	12:00	54.57	0.0	3621.56
			7/26/2016	11:22	55.04	0.0	3621.09
			8/24/2016	11:25	55.27	0.0	3620.86
			9/14/2016	14:00	55.46	0.0	3620.67
			11/22/2016	12:34	54.81	0.0	3621.32
			12/14/2016	11:55	54.64	0.0	3621.49
			1/25/2017	NM	NM	NM	NM
			2/23/2017	11:54	54.09	0.0	3622.04
			3/22/2017	11:50	53.60	0.0	3622.53
			4/27/2017	11:22	53.20	0.0	3622.93
			5/30/2017	9:37	52.29	0.0	3623.84
			6/21/2017	11:12	51.74	0.0	3624.39
			7/18/2017	NM	NM	NM	NM
			8/22/2017	10:58	51.40	0.0	3624.73
			9/26/2017	12:40	50.35	0.0	3625.78
			10/30/2017	11:01	50.80	0.0	3625.33
			11/21/2017	12:18	50.73	0.0	3625.40
			12/19/2017	13:40	50.48	0.0	3625.65
			1/18/2018	12:26	50.28	0.0	3625.85
			2/15/2018	12:40	50.24	0.0	3625.89
			3/13/2018	12:15	50.04	0.0	3626.09
			4/18/2018	12:44	50.53	0.0	3625.60
			5/22/2018	11:53	50.93	0.0	3625.20
			6/12/2018	12:27	51.15	0.0	3624.98
			7/17/2018	12:48	51.52	0.0	3624.61
			8/14/2018	11:53	51.81	0.0	3624.32
			9/19/2018	11:45	52.17	0.0	3623.96
			10/16/2018	11:50	52.02	0.0	3624.11
			11/13/2018	12:14	51.91	0.0	3624.22
			12/11/2018	9:40	51.66	0.0	3624.47
			1/16/2019	11:25	51.50	0.0	3624.63
			2/12/2019	11:50	51.43	0.0	3624.70
			3/14/2019	10:44	51.37	0.0	3624.76
			4/16/2019	11:35	51.11	0.0	3625.02
			5/21/2019	11:06	50.45	0.0	3625.68
			6/18/2019	11:05	49.80	0.0	3626.33
			7/16/2019	11:25	49.28	0.0	3626.85
			8/13/2019	10:50	49.63	0.0	3626.50
			9/17/2019	11:30	49.83	0.0	3626.30
			10/10/2019	11:30	49.65	0.0	3626.48
			11/13/2019	11:05	49.21	0.0	3626.92
			12/10/2019	10:05	49.09	0.0	3627.04
			1/14/2020	11:25	48.71	0.0	3627.42
			2/18/2020	11:00	48.56	0.0	3627.57
			3/18/2020	10:55	48.42	0.0	3627.71
			4/14/2020	11:35	48.75	0.0	3627.38
			5/19/2020	11:30	48.75	0.0	3627.38
			6/18/2020	11:40	48.77	0.0	3627.36
			7/14/2020	12:40	49.03	0.0	3627.10
			8/12/2020	11:50	49.40	0.0	3626.73
			9/15/2020	12:10	49.85	0.0	3626.28
			10/13/2020	10:25	50.04	0.0	3626.09
			12/8/2020	12:00	49.55	0.0	3626.58
			2/16/2021	11:45	49.32	0.0	3626.81
			4/13/2021	10:37	49.70	0.0	3626.43
			6/15/2021	11:48	50.63	0.0	3625.50
			8/12/2021	9:50	51.38	0.0	3624.75
			10/12/2021	10:51	51.70	0.0	3624.43
			12/6/2021	11:05	51.32	0.0	3624.81
			2/11/2022	10:25	51.14	0.0	3624.99
			4/5/2022	10:30	51.33	0.0	3624.80
			6/14/2022	12:00	52.48	0.0	3623.65
			8/8/2022	11:10	52.98	0.0	3623.15
			10/6/2022	13:15	53.25	0.0	3622.88
			12/13/2022	10:35	52.78	0.0	3623.35
			2/7/2023	11:05	52.54	0.0	3623.59
			4/11/2023	11:50	51.91	0.0	3624.22
			6/5/2023	12:15	50.71	0.0	3625.42

**TABLE 2**  
**BASELINE GROUNDWATER ELEVATION DATA**  
**Cabin Bar Ranch GMMRP Monitoring Points**

Well ID	Monitoring Point	Surveyed TOC Elevation (ft amsl)	Date	Time	DTW (ft) (2)	Measuring Point Adjustment	GWE (ft amsl) (3)
OW-7U	Observation Well 7U	3626.12	3/1/2016	13:20	13.06	0.5	NC
			4/5/2016	11:24	12.43	0.0	3613.69
			5/9/2016	9:42	12.75	0.0	3613.37
			6/14/2016	9:46	13.18	0.0	3612.94
			7/26/2016	10:29	14.07	0.0	3612.05
			8/24/2016	10:32	14.25	0.0	3611.87
			9/14/2016	10:07	14.16	0.0	3611.96
			11/22/2016	11:16	13.68	0.0	3612.44
			12/14/2016	10:52	13.24	0.0	3612.88
			1/25/2017	NM	NM	NM	NM
			2/23/2017	10:56	12.64	0.0	3613.48
			3/22/2017	10:56	12.53	0.0	3613.59
			4/27/2017	10:25	12.63	0.0	3613.49
			5/30/2017	10:36	12.81	0.0	3613.31
			6/21/2017	10:20	12.25	0.0	3613.87
			7/18/2017	10:31	12.25	0.0	3613.87
			8/22/2017	10:40	12.36	0.0	3613.76
			9/26/2017	12:26	12.22	0.0	3613.90
			10/30/2017	10:40	11.59	0.0	3614.53
			11/21/2017	11:43	11.55	0.0	3614.57
			12/19/2017	13:26	11.42	0.0	3614.70
			1/18/2018	10:47	11.36	0.0	3614.76
			2/15/2018	11:00	11.35	0.0	3614.77
			3/13/2018	10:33	11.64	0.0	3614.48
			4/27/2018	10:54	11.70	0.0	3614.42
			5/22/2018	11:30	11.59	0.0	3614.53
			6/12/2018	10:18	12.13	0.0	3613.99
			7/17/2018	12:34	12.39	0.02	3613.71
			8/14/2018	10:43	12.76	0.02	3613.34
			9/24/2018	11:46	12.75	0.02	3613.35
			10/16/2018	10:40	12.78	0.02	3613.32
			11/13/2018	12:42	12.50	0.02	3613.60
			12/11/2018	10:15	11.81	0.02	3614.29
			1/16/2019	11:10	12.17	0.02	3613.93
			2/12/2019	10:55	11.94	0.02	3614.16
			3/14/2019	10:35	11.92	0.02	3614.18
			4/16/2019	10:50	11.88	0.02	3614.22
			5/21/2019	12:30	12.01	0.02	3614.09
			6/18/2019	10:10	11.67	0.02	3614.43
			7/16/2019	10:25	11.98	0.02	3614.12
			8/13/2019	12:24	12.19	0.02	3613.91
			9/17/2019	10:45	12.13	0.02	3613.97
			10/10/2019	10:25	11.91	0.02	3614.19
			11/13/2019	12:49	11.53	0.02	3614.57
			12/10/2019	9:20	11.26	0.02	3614.84
			1/14/2020	10:20	11.51	0.02	3614.59
			2/18/2020	12:25	11.07	0.02	3615.03
			3/18/2020	10:00	11.53	0.02	3614.57
			4/14/2020	10:40	11.43	0.02	3614.67
			5/19/2020	12:30	10.98	0.02	3615.12
			6/18/2020	10:35	11.44	0.02	3614.66
			7/14/2020	10:40	11.51	0.02	3614.59
			8/12/2020	10:32	11.52	0.02	3614.58
			9/15/2020	10:55	11.78	0.02	3614.32
			10/13/2020	9:55	11.44	0.02	3614.66
			12/8/2020	10:10	11.27	0.02	3614.83
			2/16/2021	10:12	11.17	0.02	3614.93
			4/13/2021	12:02	11.33	0.02	3614.77
			6/15/2021	9:53	12.05	0.02	3614.05
			8/12/2021	11:07	12.70	0.02	3613.40
			10/12/2021	12:43	12.75	0.02	3613.35
			12/6/2021	13:30	11.96	0.02	3614.14
			2/11/2022	10:45	11.98	0.02	3614.12
			4/5/2022	10:50	11.78	0.02	3614.32
			6/14/2022	11:20	12.78	0.02	3613.32
			8/8/2022	12:10	12.99	0.02	3613.11
			10/6/2022	12:00	13.41	0.02	3612.69
			12/13/2022	11:40	12.63	0.02	3613.47
			2/7/2023	10:50	12.17	0.02	3613.93
			4/11/2023	10:30	11.52	0.02	3614.58
			6/5/2023	11:10	11.59	0.02	3614.51

**TABLE 2**  
**BASELINE GROUNDWATER ELEVATION DATA**  
**Cabin Bar Ranch GMMRP Monitoring Points**

Well ID	Monitoring Point	Surveyed TOC Elevation (ft amsl)	Date	Time	DTW (ft) (2)	Measuring Point Adjustment	GWE (ft amsl) (3)
OW-7M	Observation Well 7M	3626.30	3/1/2016	13:25	3.05	0.0	3623.25
			4/5/2016	11:26	3.68	0.0	3622.62
			5/9/2016	9:47	4.38	0.0	3621.92
			6/14/2016	9:52	4.76	0.0	3621.54
			7/26/2016	10:34	5.19	0.0	3621.11
			8/24/2016	10:37	5.39	0.0	3620.91
			9/14/2016	10:09	5.60	0.0	3620.70
			11/22/2016	11:21	4.32	0.0	3621.98
			12/14/2016	10:57	4.18	0.0	3622.12
			1/25/2017	NM	NM	NM	NM
			2/23/2017	11:03	3.51	0.0	3622.79
			3/22/2017	11:01	3.13	0.0	3623.17
			4/27/2017	10:30	3.20	0.0	3623.10
			5/30/2017	10:39	2.28	0.0	3624.02
			6/21/2017	10:26	1.92	0.0	3624.38
			7/18/2017	10:36	1.80	0.0	3624.50
			8/22/2017	10:46	1.91	0.0	3624.39
			9/26/2017	12:32	1.95	0.0	3624.35
			10/30/2017	10:48	0.90	0.0	3625.40
			11/21/2017	11:50	0.75	0.0	3625.55
			12/19/2017	13:30	0.55	0.0	3625.75
			1/18/2018	11:12	0.41	0.0	3625.89
			2/15/2018	10:56	0.32	0.0	3625.98
			3/13/2018	10:20	0.15	0.0	3626.15
			4/18/2018	10:50	1.09	0.0	3625.21
			5/22/2018	11:33	1.51	0.0	3624.79
			6/12/2018	10:27	1.66	0.0	3624.64
			7/17/2018	12:30	2.02	0.0	3624.28
			8/14/2018	10:39	2.42	0.0	3623.88
			9/24/2018	11:41	2.81	0.0	3623.49
			10/16/2018	10:45	2.14	0.0	3624.16
			11/13/2018	12:50	1.94	0.0	3624.36
			12/11/2018	10:10	1.68	0.0	3624.62
			1/16/2019	11:15	1.51	0.0	3624.79
			2/12/2019	10:58	1.43	0.0	3624.87
			3/14/2019	10:32	1.29	0.0	3625.01
			4/16/2019	10:55	1.46	0.0	3624.84
			5/21/2019	12:35	0.63	0.0	3625.67
			6/18/2019	10:15	Artesian (5)	0.0	>3626.30 (5)
			7/16/2019	10:30	Artesian (5)	0.0	>3626.30 (5)
			8/13/2019	12:28	0.46	0.0	3625.84
			9/17/2019	10:50	0.71	0.0	3625.59
			10/10/2019	10:20	0.07	0.0	3626.23
			11/13/2019	12:53	Artesian (5)	0.0	>3626.30 (5)
			12/10/2019	9:25	Artesian (5)	0.0	>3626.30 (5)
			1/14/2020	10:25	Artesian (5)	0.0	>3626.30 (5)
			2/18/2020	12:29	Artesian (5)	0.0	>3626.30 (5)
			3/18/2020	10:05	Artesian (5)	0.0	>3626.30 (5)
			4/14/2020	10:45	Artesian (5)	0.0	>3626.30 (5)
			5/19/2020	12:34	Artesian (5)	0.0	>3626.30 (5)
			6/18/2020	12:34	Artesian (5)	0.0	>3626.30 (5)
			7/14/2020	10:45	0.16	0.0	3626.14
			8/12/2020	10:36	0.57	0.0	3625.73
			9/15/2020	11:00	0.95	0.0	3625.35
			10/13/2020	10:00	0.93	0.0	3625.37
			12/8/2020	10:20	0.09	0.0	3626.21
			2/16/2021	10:20	Artesian (5)	0.0	>3626.30 (5)
			4/13/2021	12:07	0.68	0.0	3625.62
			6/15/2021	10:05	1.62	0.0	3624.68
			8/12/2021	11:13	2.35	0.0	3623.95
			10/12/2021	12:38	2.11	0.0	3624.19
			12/6/2021	13:20	1.68	0.0	3624.62
			2/11/2022	10:50	1.53	0.0	3624.77
			4/5/2022	10:55	2.07	0.0	3624.23
			6/14/2022	11:30	3.18	0.0	3623.12
			8/8/2022	12:15	3.73	0.0	3622.57
			10/6/2022	12:05	3.48	0.0	3622.82
			12/13/2022	11:45	2.81	0.0	3623.49
			2/7/2023	10:55	2.57	0.0	3623.73
			4/11/2023	10:35	2.17	0.0	3624.13
			6/5/2023	11:15	0.97	0.0	3625.33

**TABLE 2**  
**BASELINE GROUNDWATER ELEVATION DATA**  
**Cabin Bar Ranch GMMRP Monitoring Points**

Well ID	Monitoring Point	Surveyed TOC Elevation (ft amsl)	Date	Time	DTW (ft) (2)	Measuring Point Adjustment	GWE (ft amsl) (3)
OW-8US	Observation Well 8US	3598.80	3/1/2016	13:33	Artesian	0.0	NC
			4/5/2016	13:18	0 psi	0.0	NC
			5/9/2016	10:09	-1 psi	0.0	NC
			6/14/2016	10:45	0 psi	0.0	NC
			7/26/2016	10:57	0 psi	0.0	NC
			8/24/2016	10:59	0 psi	0.0	NC
			9/14/2016	11:16	2.2 psi	0.0	3604.0
			11/22/2016	10:47	2.5 psi	0.0	3604.7
			12/14/2016	12:58	2.5 psi	0.0	3604.7
			1/25/2017	12:12	2.75 psi	0.0	3605.3
			2/23/2017	10:43	2.75 psi	0.0	3605.3
			3/22/2017	10:44	3.0 psi	0.0	3605.8
			4/27/2017	10:42	2.75 psi	0.0	3605.3
			5/30/2017	10:19	2.8 psi	0.0	3605.4
			6/21/2017	10:40	2.8 psi	0.0	3605.4
			7/18/2017	11:10	2.6 psi	0.0	3604.9
			8/22/2017	11:20	2.4 psi	0.0	3604.4
			9/26/2017	10:35	2.4 psi	0.0	3604.4
			10/30/2017	12:28	2.5 psi	0.0	3604.7
			11/21/2017	11:03	2.8 psi	0.0	3605.4
			12/19/2017	11:39	2.8 psi	0.0	3605.4
			1/18/2018	10:33	NM	0.0	NC
			2/15/2018	12:15	NM	0.0	NC
			3/13/2018	11:30	NM	0.0	NC
			4/18/2018	11:53	NM	0.0	NC
			5/22/2018	11:07	0.5 psi	0.0	NC
			6/12/2018	9:50	1.8 psi	0.0	3603.6
			7/17/2018	10:24	NM	0.0	NC
			8/14/2018	9:42	0.8 psi	0.0	3600.7
			9/19/2018	10:50	0.7 psi	0.0	3600.4
			10/16/2018	10:30	0.8 psi	0.0	3600.7
			11/13/2018	9:54	0.9 psi	0.0	3600.9
			12/11/2018	10:00	1.1 psi	0.0	3601.4
			1/16/2019	11:40	1.2 psi	0.0	3601.6
			2/12/2019	9:57	1.4 psi	0.0	3602.1
			3/14/2019	12:16	1.4 psi	0.0	3602.1
			4/16/2019	10:40	1.7 psi	0.0	3602.8
			5/21/2019	10:10	1.8 psi	0.0	3603.6
			6/18/2019	10:00	1.8 psi	0.0	3603.6
			7/16/2019	10:15	1.8 psi	0.0	3603.6
			8/13/2019	10:02	1.7 psi	0.0	3602.8
			9/17/2019	10:40	1.6 psi	0.0	3602.6
			10/10/2019	10:10	1.6 psi	0.0	3602.6
			11/13/2019	10:02	1.8 psi	0.0	3603.0
			12/10/2019	9:10	1.7 psi	0.0	3602.8
			1/14/2020	10:10	2.7 psi	0.0	3605.1
			2/18/2020	10:08	2.3 psi	0.0	3604.2
			3/18/2020	9:50	2.6 psi	0.0	3604.9
			4/14/2020	10:30	1.8 psi	0.0	3603.6
			5/19/2020	9:55	1.5 psi	0.0	3602.3
			6/18/2020	10:20	0.8 psi	0.0	3600.7
			7/14/2020	10:20	1.8 psi	0.0	3603.0
			8/12/2020	10:06	1.7 psi	0.0	3602.8
			9/15/2020	10:45	1.6 psi	0.0	3602.6
			10/13/2020	9:50	1.6 psi	0.0	3602.6
			12/8/2020	9:50	1.6 psi	0.0	3602.6
			2/16/2021	9:27	1.8 psi	0.0	3603.0
			4/13/2021	10:23	1.6 psi	0.0	3602.6
			6/15/2021	9:18	1.6 psi	0.0	3602.6
			8/12/2021	9:35	1.2 psi	0.0	3601.6
			10/12/2021	10:35	1.2 psi	0.0	3601.6
			12/6/2021	10:35	1.4 psi	0.0	3602.1
			2/11/2022	9:55	1.5 psi	0.0	3602.3
			4/5/2022	10:15	1.8 psi	0.0	3603.6
			6/14/2022	11:00	1.6 psi	0.0	3602.6
			8/8/2022	10:45	1.4 psi	0.0	3602.1
			10/6/2022	11:40	1.2 psi	0.0	3601.6
			12/13/2022	10:10	1.3 psi	0.0	3601.9
			2/7/2023	10:30	1.2 psi	0.0	3601.6
			4/11/2023	10:20	1.5 psi	0.0	3602.3
			6/5/2023	10:45	1.4 psi	0.0	3602.1

**TABLE 2**  
**BASELINE GROUNDWATER ELEVATION DATA**  
**Cabin Bar Ranch GMMRP Monitoring Points**

Well ID	Monitoring Point	Surveyed TOC Elevation (ft amsl)	Date	Time	DTW (ft) (2)	Measuring Point Adjustment	GWE (ft amsl) (3)
OW-9U	Observation Well 9U	3601.26	3/1/2016	12:45	Artesian	0.0	NC
			4/5/2016	11:56	3-5 psi	0.0	NC
			5/9/2016	11:15	3.8 psi	0.0	3610.0
			6/14/2016	13:40	3.9 psi	0.0	3610.3
			7/26/2016	12:02	3.9 psi	0.0	3610.3
			8/24/2016	11:43	3.9 psi	0.0	3610.3
			9/14/2016	12:19	4.2 psi	0.0	3611.0
			11/22/2016	11:53	2.8 psi	0.0	3607.7
			12/14/2016	11:28	2.5 psi	0.0	3607.0
			1/25/2017	13:02	NM	0.0	NM
			2/23/2017	11:32	NM	0.0	NM
			3/22/2017	11:29	4.6 psi	0.0	3611.9
			4/27/2017	11:11	2.8 psi	0.0	3607.7
			5/30/2017	11:25	3.4 psi	0.0	3609.1
			6/21/2017	11:44	4.4 psi	0.0	3611.4
			7/18/2017	11:49	5.2 psi	0.0	3613.3
			8/22/2017	12:06	5.3 psi	0.0	3613.5
			9/26/2017	11:17	5.75 psi	0.0	3614.5
			10/30/2017	11:51	5.9 psi	0.0	3614.9
			11/21/2017	12:39	6.2 psi	0.0	3615.6
			12/19/2017	11:28	6.4 psi	0.0	3616.0
			1/18/2018	12:01	6.6 psi	0.0	3616.5
			2/15/2018	11:59	NM	0.0	NC
			3/13/2018	11:20	NM	0.0	NC
			4/18/2018	11:42	NM	0.0	NC
			4/27/2018	12:30	4.5 psi	0.0	3611.7
			5/22/2018	12:35	6.4 psi	0.0	3616.0
			6/12/2018	11:40	5.8 psi	0.0	3614.7
			7/17/2018	11:20	4.8 psi	0.0	3612.3
			8/14/2018	10:20	5.0 psi	0.0	3612.8
			9/19/2018	11:30	5.3 psi	0.0	3613.5
			10/16/2018	11:10	5.7 psi	0.0	3614.4
			11/13/2018	10:35	6.3 psi	0.0	3615.8
			12/11/2018	10:40	7.2 psi	0.0	3617.9
			1/16/2019	11:00	13.4 psi	0.0	3632.2
			2/12/2019	10:30	5.6 psi	0.0	3614.2
			3/14/2019	12:00	3.9 psi	0.0	3610.3
			4/16/2019	11:20	4.3 psi	0.0	3611.2
			5/21/2019	10:42	5.1 psi	0.0	3613.1
			6/18/2019	10:40	4.9 psi	0.0	3612.6
			7/16/2019	11:05	4.9 psi	0.0	3612.6
			8/13/2019	10:36	5.0 psi	0.0	3612.8
			9/17/2019	11:15	5.0 psi	0.0	3612.8
			10/10/2019	11:05	5.1 psi	0.0	3613.1
			11/13/2019	10:40	4.8 psi	0.0	3612.3
			12/10/2019	9:55	5.5 psi	0.0	3614.0
			1/14/2020	11:00	4.8 psi	0.0	3612.3
			2/18/2020	10:43	5.1 psi	0.0	3613.1
			3/18/2020	10:30	5.6 psi	0.0	3614.2
			4/14/2020	11:15	5.2 psi	0.0	3613.3
			5/19/2020	10:38	5.8 psi	0.0	3614.7
			6/18/2020	11:15	5.4 psi	0.0	3613.7
			7/14/2020	12:00	5.0 psi	0.0	3612.8
			8/12/2020	12:25	4.3 psi	0.0	3611.2
			9/15/2020	11:50	5.0 psi	0.0	3612.8
			10/13/2020	9:25	5.3 psi	0.0	3613.5
			12/8/2020	11:10	4.7 psi	0.0	3612.1
			2/16/2021	11:04	4.6 psi	0.0	3611.9
			4/13/2021	11:25	3.3 psi	0.0	3608.9
			6/15/2021	11:00	2.7 psi	0.0	3607.5
			8/12/2021	10:50	2.4 psi	0.0	3606.8
			10/12/2021	11:50	3.6 psi	0.0	3609.6
			12/6/2021	11:55	3.3 psi	0.0	3608.9
			2/11/2022	11:20	4.0 psi	0.0	3610.5
			4/5/2022	11:30	4.2 psi	0.0	3611.0
			6/14/2022	11:30	4.2 psi	0.0	3611.0
			8/8/2022	11:30	3.7 psi	0.0	3609.8
			10/6/2022	12:50	3.4 psi	0.0	3609.1
			12/13/2022	11:00	4.8 psi	0.0	3612.3
			2/7/2023	11:40	5.2 psi	0.0	3613.3
			4/11/2023	11:10	5.2 psi	0.0	3613.3
			6/5/2023	11:50	4.5 psi	0.0	3611.7

**TABLE 2**  
**BASELINE GROUNDWATER ELEVATION DATA**  
**Cabin Bar Ranch GMMRP Monitoring Points**

Well ID	Monitoring Point	Surveyed TOC Elevation (ft amsl)	Date	Time	DTW (ft) (2)	Measuring Point Adjustment	GWE (ft amsl) (3)
OW-10U	Observation Well 10U	3639.10	3/1/2016	10:45	21.07	0.0	3618.03
			4/5/2016	12:18	21.10	0.0	3618.00
			5/9/2016	10:42	21.33	0.0	3617.77
			6/14/2016	12:47	21.60	0.0	3617.50
			7/26/2016	12:24	21.94	0.0	3617.16
			8/24/2016	12:07	22.12	0.0	3616.98
			9/14/2016	13:25	22.24	0.0	3616.86
			11/22/2016	13:07	22.18	0.0	3616.92
			12/14/2016	12:25	22.05	0.0	3617.05
			1/25/2017	13:21	21.58	0.0	3617.52
			2/23/2017	12:07	21.31	0.0	3617.79
			3/22/2017	12:18	21.30	0.0	3617.80
			4/27/2017	11:42	21.04	0.0	3618.06
			5/30/2017	11:37	20.18	0.0	3618.92
			6/21/2017	12:08	19.36	0.0	3619.74
			7/18/2017	12:07	19.24	0.0	3619.86
			8/22/2017	12:34	19.31	0.0	3619.79
			9/26/2017	11:51	19.36	0.0	3619.74
			10/30/2017	12:41	19.23	0.0	3619.87
			11/21/2017	12:56	19.15	0.0	3619.95
			12/19/2017	13:02	19.01	0.0	3620.09
			1/18/2018	12:52	18.85	0.0	3620.25
			2/15/2018	13:00	18.81	0.0	3620.29
			3/13/2018	12:00	18.75	0.0	3620.35
			4/18/2018	12:26	18.86	0.0	3620.24
			5/22/2018	12:58	19.11	0.0	3619.99
			6/12/2018	12:53	19.32	0.0	3619.78
			7/17/2018	11:42	19.64	0.0	3619.46
			8/14/2018	12:22	19.94	0.0	3619.16
			9/19/2018	12:15	20.23	0.0	3618.87
			10/16/2018	11:35	20.42	0.0	3618.68
			11/13/2018	11:10	20.40	0.0	3618.70
			12/11/2018	11:10	20.26	0.0	3618.84
			1/16/2019	12:25	20.23	0.0	3618.87
			2/12/2019	12:43	20.13	0.0	3618.97
			3/14/2019	11:14	19.98	0.0	3619.12
			4/16/2019	11:45	19.84	0.0	3619.26
			5/21/2019	12:00	18.95	0.0	3620.15
			6/18/2019	11:25	18.25	0.0	3620.85
			7/16/2019	11:40	18.34	0.0	3620.76
			8/13/2019	11:59	18.62	0.0	3620.48
			9/17/2019	11:50	18.82	0.0	3620.28
			10/10/2019	11:45	18.86	0.0	3620.24
			11/13/2019	12:14	18.68	0.0	3620.42
			12/10/2019	8:25	18.58	0.0	3620.52
			1/14/2020	11:40	18.42	0.0	3620.68
			2/18/2020	11:58	18.11	0.0	3620.99
			3/18/2020	11:10	18.24	0.0	3620.86
			4/14/2020	11:55	18.19	0.0	3620.91
			5/19/2020	11:57	17.31	0.0	3621.79
			6/18/2020	11:50	17.48	0.0	3621.62
			7/14/2020	12:20	17.77	0.0	3621.33
			8/12/2020	12:55	18.26	0.0	3620.84
			9/15/2020	12:25	18.55	0.0	3620.55
			10/13/2020	9:10	18.73	0.0	3620.37
			12/8/2020	11:30	18.82	0.0	3620.28
			2/16/2021	12:17	18.69	0.0	3620.41
			4/13/2021	11:01	18.85	0.0	3620.25
			6/15/2021	12:35	19.42	0.0	3619.68
			8/12/2021	10:23	20.04	0.0	3619.06
			10/12/2021	11:24	20.44	0.0	3618.66
			12/6/2021	11:25	20.21	0.0	3618.89
			2/11/2022	11:45	20.20	0.0	3618.90
			4/5/2022	12:00	20.22	0.0	3618.88
			6/14/2022	13:10	20.73	0.0	3618.37
			8/8/2022	12:35	21.13	0.0	3617.97
			10/6/2022	13:30	21.66	0.0	3617.44
			12/13/2022	12:20	21.43	0.0	3617.67
			2/7/2023	12:20	21.02	0.0	3618.08
			4/11/2023	11:35	20.25	0.0	3618.85
			6/5/2023	12:45	19.15	0.0	3619.95

**TABLE 2**  
**BASELINE GROUNDWATER ELEVATION DATA**  
**Cabin Bar Ranch GMMRP Monitoring Points**

Well ID	Monitoring Point	Surveyed TOC Elevation (ft amsl)	Date	Time	DTW (ft) (2)	Measuring Point Adjustment	GWE (ft amsl) (3)
OW-10M	Observation Well 10M	3639.50	3/1/2016	12:08	20.73	0.05	3618.82
			4/5/2016	12:22	20.71	0.0	3618.79
			5/9/2016	10:53	20.94	0.0	3618.56
			6/14/2016	12:44	21.21	0.0	3618.29
			7/26/2016	12:28	21.55	0.0	3617.95
			8/24/2016	12:11	21.71	0.0	3617.79
			9/14/2016	13:06	21.84	0.0	3617.66
			11/22/2016	13:03	21.74	0.0	3617.76
			12/14/2016	12:22	21.61	0.0	3617.89
			1/25/2017	13:16	21.30	0.0	3618.20
			2/23/2017	12:11	21.07	0.0	3618.43
			3/22/2017	12:11	20.91	0.0	3618.59
			4/27/2017	11:45	20.57	0.0	3618.93
			5/30/2017	11:41	19.77	0.0	3619.73
			6/21/2017	12:13	18.88	0.0	3620.62
			7/18/2017	12:11	18.48	0.0	3621.02
			8/22/2017	12:39	18.57	0.0	3620.93
			9/26/2017	11:57	18.55	0.0	3620.95
			10/30/2017	12:45	18.42	0.0	3621.08
			11/21/2017	13:02	18.36	0.0	3621.14
			12/19/2017	12:57	18.23	0.0	3621.27
			1/18/2018	13:00	18.07	0.0	3621.43
			2/15/2018	13:07	18.04	0.0	3621.46
			3/13/2018	12:05	18.03	0.0	3621.47
			4/18/2018	12:30	18.12	0.0	3621.38
			5/22/2018	13:01	18.32	0.0	3621.18
			6/12/2018	12:50	18.52	0.0	3620.98
			7/17/2018	11:47	18.82	0.0	3620.68
			8/14/2018	12:20	19.09	0.0	3620.41
			9/19/2018	12:05	19.37	0.0	3620.13
			10/16/2018	11:30	19.50	0.0	3620.00
			11/13/2018	10:59	19.55	0.0	3619.95
			12/11/2018	11:05	19.38	0.0	3620.12
			1/16/2019	12:20	19.28	0.0	3620.22
			2/12/2019	12:38	19.24	0.0	3620.26
			3/14/2019	11:17	19.17	0.0	3620.33
			4/16/2019	11:50	19.03	0.0	3620.47
			5/21/2019	11:53	18.30	0.0	3621.20
			6/18/2019	11:20	17.58	0.0	3621.92
			7/16/2019	11:45	17.32	0.0	3622.18
			8/13/2019	11:46	17.52	0.0	3621.98
			9/17/2019	11:45	17.68	0.0	3621.82
			10/10/2019	11:40	17.74	0.0	3621.76
			11/13/2019	12:05	17.54	0.0	3621.96
			12/10/2019	8:35	17.41	0.0	3622.09
			1/14/2020	11:35	17.15	0.0	3622.35
			2/18/2020	11:54	16.95	0.0	3622.55
			3/18/2020	11:05	16.91	0.0	3622.59
			4/14/2020	11:50	16.91	0.0	3622.59
			5/19/2020	11:52	16.41	0.0	3623.09
			6/18/2020	11:55	16.31	0.0	3623.19
			7/14/2020	12:15	16.59	0.0	3622.91
			8/12/2020	13:00	17.09	0.0	3622.41
			9/15/2020	12:20	17.41	0.0	3622.09
			10/13/2020	9:05	17.68	0.0	3621.82
			12/8/2020	11:35	17.71	0.0	3621.79
			2/16/2021	12:14	17.63	0.0	3621.87
			4/13/2021	10:57	17.75	0.0	3621.75
			6/15/2021	12:15	18.34	0.0	3621.16
			8/12/2021	10:15	18.97	0.0	3620.53
			10/12/2021	11:20	19.42	0.0	3620.08
			12/6/2021	11:30	19.28	0.0	3620.22
			2/11/2022	11:40	19.22	0.0	3620.28
			4/5/2022	11:55	19.26	0.0	3620.24
			6/14/2022	13:05	19.82	0.0	3619.68
			8/8/2022	12:30	20.22	0.0	3619.28
			10/6/2022	13:25	20.85	0.0	3618.65
			12/13/2022	12:15	20.63	0.0	3618.87
			2/7/2023	12:15	20.43	0.0	3619.07
			4/11/2023	11:30	19.94	0.0	3619.56
			6/5/2023	12:50	18.68	0.0	3620.82

**TABLE 2**  
**BASELINE GROUNDWATER ELEVATION DATA**  
**Cabin Bar Ranch GMMRP Monitoring Points**

Well ID	Monitoring Point	Surveyed TOC Elevation (ft amsl)	Date	Time	DTW (ft) (2)	Measuring Point Adjustment	GWE (ft amsl) (3)
P-5	Piezometer P-5	3629.90	3/1/2016	13:05	15.14	0.0	3614.76
			4/5/2016	12:54	15.11	0.0	3614.79
			5/9/2016	10:25	15.46	0.0	3614.44
			6/14/2016	11:23	15.85	0.0	3614.05
			7/26/2016	11:33	16.35	0.0	3613.55
			8/24/2016	11:57	16.56	0.0	3613.34
			9/14/2016	14:34	16.67	0.0	3613.23
			11/22/2016	12:19	16.30	0.0	3613.60
			12/14/2016	12:11	16.05	0.0	3613.85
			1/25/2017	12:43	15.53	0.0	3614.37
			2/23/2017	11:43	15.24	0.0	3614.66
			3/22/2017	11:59	15.19	0.0	3614.71
			4/27/2017	11:32	15.12	0.0	3614.78
			5/30/2017	9:51	14.64	0.0	3615.26
			6/21/2017	11:22	14.08	0.0	3615.82
			7/18/2017	11:28	14.07	0.0	3615.83
			8/22/2017	12:22	14.26	0.0	3615.64
			9/26/2017	11:40	14.33	0.0	3615.57
			10/30/2017	12:59	14.01	0.0	3615.89
			11/21/2017	13:15	13.84	0.0	3616.06
			12/19/2017	12:46	13.63	0.0	3616.27
			1/18/2018	12:37	13.49	0.0	3616.41
			2/15/2018	12:48	13.46	0.0	3616.44
			3/13/2018	11:46	13.38	0.0	3616.52
			4/18/2018	12:10	14.03	0.0	3615.87
			5/22/2018	12:49	13.94	0.0	3615.96
			6/12/2018	12:08	14.64	0.0	3615.26
			7/17/2018	11:32	14.97	0.0	3614.93
			8/14/2018	11:31	15.40	0.0	3614.50
			9/19/2018	11:50	15.46	0.0	3614.44
			10/16/2018	11:25	15.75	0.0	3614.15
			11/13/2018	11:43	15.61	0.0	3614.29
			12/11/2018	10:55	15.07	0.0	3614.83
			1/16/2019	10:35	15.66	0.0	3614.24
			2/12/2019	12:13	15.47	0.0	3614.43
			3/14/2019	10:54	15.07	0.0	3614.83
			4/16/2019	11:30	15.12	0.0	3614.78
			5/21/2019	11:33	14.62	0.0	3615.28
			6/18/2019	10:55	14.36	0.0	3615.54
			7/16/2019	11:30	14.52	0.0	3615.38
			8/13/2019	11:21	14.89	0.0	3615.01
			9/17/2019	11:35	14.96	0.0	3614.94
			10/10/2019	11:25	14.67	0.0	3615.23
			11/13/2019	11:37	14.66	0.0	3615.24
			12/10/2019	8:15	14.47	0.0	3615.43
			1/14/2020	11:20	14.40	0.0	3615.50
			2/18/2020	11:37	13.92	0.0	3615.98
			3/18/2020	10:45	14.51	0.0	3615.39
			4/14/2020	11:30	14.39	0.0	3615.51
			5/19/2020	11:00	13.18	0.0	3616.72
			6/18/2020	11:30	14.22	0.0	3615.68
			7/14/2020	12:30	14.47	0.0	3615.43
			8/12/2020	12:10	14.44	0.0	3615.46
			9/15/2020	12:00	14.67	0.0	3615.23
			10/13/2020	8:55	14.57	0.0	3615.33
			12/8/2020	11:50	15.02	0.0	3614.88
			2/16/2021	11:21	14.37	0.0	3615.53
			4/13/2021	10:44	15.01	0.0	3614.89
			6/15/2021	11:25	15.70	0.0	3614.20
			8/12/2021	10:05	15.98	0.0	3613.92
			10/12/2021	11:04	16.55	0.0	3613.35
			12/6/2021	11:15	15.97	0.0	3613.93
			2/11/2022	10:35	15.93	0.0	3613.97
			4/5/2022	10:40	15.57	0.0	3614.33
			6/14/2022	12:55	16.73	0.0	3613.17
			8/8/2022	10:55	17.16	0.0	3612.74
			10/6/2022	13:05	17.73	0.0	3612.17
			12/13/2022	12:05	16.98	0.0	3612.92
			2/7/2023	11:20	16.47	0.0	3613.43
			4/11/2023	11:20	15.53	0.0	3614.37
			6/5/2023	12:25	15.14	0.0	3614.76

**TABLE 2**  
**BASELINE GROUNDWATER ELEVATION DATA**  
**Cabin Bar Ranch GMMRP Monitoring Points**

Well ID	Monitoring Point	Surveyed TOC Elevation (ft amsl)	Date	Time	DTW (ft) (2)	Measuring Point Adjustment	GWE (ft amsl) (3)
P-10	Piezometer P-10	3637.66	3/1/2016	12:15	22.48	0.0	3615.18
			4/5/2016	12:29	22.50	0.0	3615.16
			5/9/2016	10:57	22.72	0.0	3614.94
			6/14/2016	12:51	22.99	0.0	3614.67
			7/26/2016	12:33	23.32	0.0	3614.34
			8/24/2016	12:16	23.51	0.0	3614.15
			9/14/2016	13:03	23.63	0.0	3614.03
			11/22/2016	13:13	23.58	0.0	3614.08
			12/14/2016	12:31	23.45	0.0	3614.21
			1/25/2017	13:28	23.00	0.0	3614.66
			2/23/2017	12:18	22.72	0.0	3614.94
			3/22/2017	12:22	22.71	0.0	3614.95
			4/27/2017	11:48	22.45	0.0	3615.21
			5/30/2017	11:43	21.62	0.0	3616.04
			6/21/2017	12:20	20.80	0.0	3616.86
			7/18/2017	12:16	20.65	0.0	3617.01
			8/22/2017	12:44	20.72	0.0	3616.94
			9/26/2017	12:01	20.76	0.0	3616.90
			10/30/2017	12:50	20.62	0.0	3617.04
			11/21/2017	13:08	20.55	0.0	3617.11
			12/19/2017	13:06	20.40	0.0	3617.26
			1/18/2018	13:07	20.26	0.0	3617.40
			2/15/2018	13:11	20.22	0.0	3617.44
			3/13/2018	12:10	20.16	0.0	3617.50
			4/18/2018	12:33	20.24	0.0	3617.42
			5/22/2018	13:04	20.49	0.0	3617.17
			6/12/2018	12:56	20.70	0.0	3616.96
			7/17/2018	11:50	21.02	0.0	3616.64
			8/14/2018	12:25	21.30	0.0	3616.36
			9/19/2018	12:20	21.62	0.0	3616.04
			10/16/2018	11:40	21.78	0.0	3615.88
			11/13/2018	10:56	21.78	0.0	3615.88
			12/11/2018	11:15	21.64	0.0	3616.02
			1/16/2019	12:30	21.61	0.0	3616.05
			2/12/2019	12:56	21.53	0.0	3616.13
			3/14/2019	11:20	21.37	0.0	3616.29
			4/16/2019	11:55	21.23	0.0	3616.43
			5/21/2019	12:05	20.39	0.0	3617.27
			6/18/2019	11:30	19.66	0.0	3618.00
			7/16/2019	11:50	19.71	0.0	3617.95
			8/13/2019	11:54	19.98	0.0	3617.68
			9/17/2019	11:55	20.17	0.0	3617.49
			10/10/2019	11:50	20.21	0.0	3617.45
			11/13/2019	12:18	20.05	0.0	3617.61
			12/10/2019	8:30	19.95	0.0	3617.71
			1/14/2020	11:45	19.78	0.0	3617.88
			2/18/2020	12:01	19.49	0.0	3618.17
			3/18/2020	11:15	19.59	0.0	3618.07
			4/14/2020	11:45	19.55	0.0	3618.11
			5/19/2020	12:02	18.70	0.0	3618.96
			6/18/2020	12:00	18.84	0.0	3618.82
			7/14/2020	12:10	19.12	0.0	3618.54
			8/12/2020	13:05	19.60	0.0	3618.06
			9/15/2020	12:30	19.90	0.0	3617.76
			10/13/2020	9:15	20.09	0.0	3617.57
			12/8/2020	11:33	20.19	0.0	3617.47
			2/16/2021	12:22	20.05	0.0	3617.61
			4/13/2021	11:07	20.20	0.0	3617.46
			6/15/2021	12:55	20.78	0.0	3616.88
			8/12/2021	10:27	21.38	0.0	3616.28
			10/12/2021	11:15	21.80	0.0	3615.86
			12/6/2021	11:35	21.58	0.0	3616.08
			2/11/2022	11:35	21.57	0.0	3616.09
			4/5/2022	12:05	21.59	0.0	3616.07
			6/14/2022	13:15	22.08	0.0	3615.58
			8/8/2022	12:40	22.49	0.0	3615.17
			10/6/2022	13:35	23.02	0.0	3614.64
			12/13/2022	12:25	22.79	0.0	3614.87
			2/7/2023	12:25	22.39	0.0	3615.27
			4/11/2023	11:40	21.63	0.0	3616.03
			6/5/2023	12:55	20.56	0.0	3617.10

**TABLE 2**  
**BASELINE GROUNDWATER ELEVATION DATA**  
**Cabin Bar Ranch GMMRP Monitoring Points**

Well ID	Monitoring Point	Surveyed TOC Elevation (ft amsl)	Date	Time	DTW (ft) (2)	Measuring Point Adjustment	GWE (ft amsl) (3)
P-15	Piezometer P-15	3605.99	3/1/2016	12:35	2.73	0.13	3603.39
			4/5/2016	11:50	3.05	0.13	3603.07
			5/9/2016	11:10	3.58	0.13	3602.54
			6/14/2016	14:00	4.87	0.13	3601.25
			7/26/2016	11:56	> 7 (4)	0.13	NC
			8/24/2016	11:38	> 7 (4)	0.13	NC
			9/14/2016	12:14	> 7 (4)	0.13	NC
			11/22/2016	11:48	6.15	0.13	3599.71
			12/14/2016	11:18	4.90	0.13	3600.96
			1/25/2017	12:55	2.31	0.13	3603.55
			2/23/2017	11:25	2.14	0.13	3603.72
			3/22/2017	11:21	2.44	0.13	3603.42
			4/27/2017	10:57	2.82	0.13	3603.04
			5/30/2017	11:20	3.65	0.13	3602.21
			6/21/2017	11:37	4.27	0.13	3601.59
			7/18/2017	11:42	5.04	0.13	3600.82
			8/22/2017	11:58	5.21	0.13	3600.65
			9/26/2017	10:59	3.92	0.13	3601.94
			10/30/2017	11:44	2.66	0.13	3603.20
			11/21/2017	12:33	2.28	0.13	3603.58
			12/19/2017	12:23	2.01	0.13	3603.85
			1/18/2018	11:53	1.95	0.13	3603.91
			2/15/2018	11:51	1.94	0.13	3603.92
			3/13/2018	11:14	1.85	0.13	3604.01
			4/18/2018	11:38	2.21	0.13	3603.65
			5/22/2018	12:28	2.50	0.13	3603.36
			6/12/2018	11:35	3.16	0.13	3602.70
			7/17/2018	11:15	4.08	0.13	3601.78
			8/14/2018	10:15	4.89	0.13	3600.97
			9/19/2018	11:25	5.92	0.13	3599.94
			10/16/2018	11:05	5.27	0.13	3600.59
			11/13/2018	10:29	3.98	0.13	3601.88
			12/11/2018	10:35	2.79	0.13	3603.07
			1/16/2019	10:50	2.48	0.13	3603.38
			2/12/2019	10:27	2.41	0.13	3603.45
			3/14/2019	11:30	2.24	0.13	3603.62
			4/16/2019	11:15	2.48	0.13	3603.38
			5/21/2019	10:46	2.95	0.13	3602.91
			6/18/2019	10:35	3.39	0.13	3602.47
			7/16/2019	11:00	4.21	0.13	3601.65
			8/13/2019	10:31	5.03	0.13	3600.83
			9/17/2019	11:10	5.44	0.13	3600.42
			10/10/2019	11:00	4.44	0.13	3601.42
			11/13/2019	10:33	2.75	0.13	3603.11
			12/10/2019	9:50	2.06	0.13	3603.80
			1/14/2020	10:55	1.78	0.13	3604.08
			2/18/2020	10:48	1.59	0.13	3604.27
			3/18/2020	10:25	1.99	0.13	3603.87
			4/14/2020	11:10	2.06	0.13	3603.80
			5/19/2020	10:29	2.55	0.13	3603.31
			6/18/2020	11:10	3.07	0.13	3602.79
			7/14/2020	11:55	3.68	0.13	3602.18
			8/12/2020	12:20	4.29	0.13	3601.57
			9/15/2020	11:45	4.30	0.13	3601.56
			10/13/2020	9:20	3.68	0.13	3602.18
			12/8/2020	11:00	2.39	0.13	3603.47
			2/16/2021	10:59	2.21	0.13	3603.65
			4/13/2021	11:18	2.38	0.13	3603.48
			6/15/2021	11:10	4.04	0.13	3601.82
			8/12/2021	10:41	6.21	0.13	3599.65
			10/12/2021	11:41	> 7 (4)	0.13	NC
			12/6/2021	11:50	3.86	0.13	3602.00
			2/11/2022	11:15	2.92	0.13	3602.94
			4/5/2022	11:25	2.99	0.13	3602.87
			6/14/2022	12:45	4.96	0.13	3600.90
			8/8/2022	11:20	> 7 (4)	0.13	NC
			10/6/2022	12:30	> 7 (4)	0.13	NC
			12/13/2022	10:50	4.48	0.13	3601.38
			2/7/2023	11:30	3.23	0.13	3602.63
			4/11/2023	11:00	2.58	0.13	3603.28
			6/5/2023	11:40	3.75	0.13	3602.11

**TABLE 2**  
**BASELINE GROUNDWATER ELEVATION DATA**  
**Cabin Bar Ranch GMMRP Monitoring Points**

Well ID	Monitoring Point	Surveyed TOC Elevation (ft amsl)	Date	Time	DTW (ft) (2)	Measuring Point Adjustment	GWE (ft amsl) (3)
P-15A	Piezometer P-15A	3608.06	7/27/2022	11:00	8.73	0.00	3599.33
			8/8/2022	11:25	8.94	0.00	3599.12
			10/6/2022	12:32	9.72	0.00	3598.34
			12/13/2022	10:55	6.10	0.00	3601.96
			2/7/2023	11:35	4.78	0.00	3603.28
			4/11/2023	11:05	4.17	0.00	3603.89
			6/5/2023	11:45	5.32	0.00	3602.74

**TABLE 2**  
**BASELINE GROUNDWATER ELEVATION DATA**  
**Cabin Bar Ranch GMMRP Monitoring Points**

Well ID	Monitoring Point	Surveyed TOC Elevation (ft amsl)	Date	Time	DTW (ft) (2)	Measuring Point Adjustment	GWE (ft amsl) (3)
PAT-1	PAT-1	3657.49	3/1/2016	11:10	40.29	0.0	3617.20
			4/5/2016	10:05	40.30	0.0	3617.19
			5/9/2016	12:15	40.59	0.0	3616.90
			6/15/2016	11:06	40.82	0.0	3616.67
			7/26/2016	9:30	41.28	0.0	3616.21
			8/24/2016	NM	NM	0.0	NM
			9/15/2016	10:49	41.59	0.0	3615.90
			11/22/2016	10:13	41.27	0.0	3616.22
			12/14/2016	10:00	41.09	0.0	3616.40
			1/25/2017	10:53	40.89	0.0	3616.60
			2/23/2017	10:00	40.67	0.0	3616.82
			3/22/2017	10:06	40.41	0.0	3617.08
			4/27/2017	NA	NM	0.0	NM
			5/30/2017	NA	NM	0.0	NM
			6/15/2017	9:05	39.81	0.0	3617.68
			7/18/2017	9:39	38.25	0.0	3619.24
			8/22/2017	9:59	38.19	0.0	3619.30
			9/26/2017	10:16	37.97	0.0	3619.52
			10/30/2017	9:52	37.81	0.0	3619.68
			11/21/2017	10:30	37.65	0.0	3619.84
			12/19/2017	10:00	37.56	0.0	3619.93
			1/30/2018	9:44	37.43	0.0	3620.06
			2/15/2018	10:25	37.44	0.0	3620.05
			3/13/2018	9:45	37.37	0.0	3620.12
			4/18/2018	10:08	37.49	0.0	3620.00
			5/22/2018	9:53	37.75	0.0	3619.74
			6/12/2018	9:10	38.05	0.0	3619.44
			7/17/2018	9:40	38.56	0.0	3618.93
			8/14/2018	9:10	38.54	0.0	3618.95
			9/19/2018	10:05	38.75	0.0	3618.74
			10/16/2018	9:55	38.78	0.0	3618.71
			11/13/2018	9:25	38.73	0.0	3618.76
			12/11/2018	9:30	38.60	0.0	3618.89
			1/16/2019	9:55	38.58	0.0	3618.91
			2/12/2019	9:28	38.55	0.0	3618.94
			3/14/2019	9:52	38.58	0.0	3618.91
			4/16/2019	10:05	38.41	0.0	3619.08
			5/21/2019	9:30	37.92	0.0	3619.57
			6/18/2019	9:25	37.32	0.0	3620.17
			7/16/2019	9:50	36.85	0.0	3620.64
			8/13/2019	9:38	37.02	0.0	3620.47
			9/17/2019	10:05	36.77	0.0	3620.72
			10/10/2019	9:35	36.82	0.0	3620.67
			11/13/2019	9:30	36.70	0.0	3620.79
			12/10/2019	8:50	36.54	0.0	3620.95
			1/14/2020	12:00	36.30	0.0	3621.19
			2/18/2020	NA	NM	0.0	NM
			3/18/2020	9:30	36.07	0.0	3621.42
			4/14/2020	10:00	36.04	0.0	3621.45
			5/19/2020	13:10	36.05	0.0	3621.44
			6/18/2020	9:45	36.95	0.0	3620.54
			7/14/2020	9:30	36.20	0.0	3621.29
			8/12/2020	9:25	36.62	0.0	3620.87
			9/15/2020	10:00	36.73	0.0	3620.76
			10/13/2020	8:45	37.06	0.0	3620.43
			12/8/2020	9:20	36.91	0.0	3620.58
			2/16/2021	8:57	36.81	0.0	3620.68
			4/13/2021	9:53	37.32	0.0	3620.17
			6/15/2021	8:52	37.17	0.0	3620.32
			8/12/2021	9:08	38.37	0.0	3619.12
			10/12/2021	10:06	38.64	0.0	3618.85
			12/6/2021	9:55	38.58	0.0	3618.91
			2/11/2022	9:30	38.55	0.0	3618.94
			4/5/2022	9:50	38.68	0.0	3618.81
			6/14/2022	10:15	39.27	0.0	3618.22
			8/8/2022	9:32	39.54	0.0	3617.95
			10/6/2022	10:05	40.29	0.0	3617.20
			12/13/2022	9:35	40.08	0.0	3617.41
			2/7/2023	9:45	40.60	0.0	3616.89
			4/11/2023	9:35	40.01	0.0	3617.48
			6/5/2023	9:45	39.03	0.0	3618.46

**TABLE 2**  
**BASELINE GROUNDWATER ELEVATION DATA**  
**Cabin Bar Ranch GMMRP Monitoring Points**

Well ID	Monitoring Point	Surveyed TOC Elevation (ft amsl)	Date	Time	DTW (ft) (2)	Measuring Point Adjustment	GWE (ft amsl) (3)
RP-1	Riparian Well #1	3615.33	3/1/2016	13:50	NM	0.0	NC
			4/5/2016	11:35	2.06	0.0	3613.27
			5/11/2016	9:41	2.43	0.0	3612.90
			6/14/2016	14:13	2.79	0.0	3612.54
			7/26/2016	11:42	3.39	0.0	3611.94
			8/24/2016	10:47	3.31	0.0	3612.02
			9/14/2016	11:57	3.32	0.0	3612.01
			11/22/2016	11:33	2.75	0.0	3612.58
			12/14/2016	11:06	2.56	0.0	3612.77
			1/25/2017	13:32	2.16	0.0	3613.17
			2/23/2017	11:06	2.08	0.0	3613.25
			3/22/2017	11:11	2.17	0.0	3613.16
			4/27/2017	10:48	2.37	0.0	3612.96
			5/30/2017	11:02	2.97	0.0	3612.36
			6/21/2017	11:00	2.38	0.0	3612.95
			7/18/2017	10:48	2.38	0.0	3612.95
			8/22/2017	11:44	2.38	0.0	3612.95
			9/26/2017	10:49	2.26	0.0	3613.07
			10/30/2017	11:17	1.90	0.0	3613.43
			11/21/2017	12:04	1.75	0.0	3613.58
			12/19/2017	12:04	1.65	0.0	3613.68
			1/18/2017	11:34	1.62	0.0	3613.71
			2/15/2018	11:23	1.62	0.0	3613.71
			3/13/2018	10:54	1.58	0.0	3613.75
			4/18/2018	11:25	1.73	0.0	3613.60
			5/22/2018	12:15	1.92	0.0	3613.41
			6/12/2018	11:20	2.28	0.0	3613.05
			7/17/2018	10:47	2.45	0.0	3612.88
			8/14/2018	10:03	2.65	0.0	3612.68
			9/19/2018	11:15	2.63	0.0	3612.70
			10/16/2018	10:55	2.60	0.0	3612.73
			11/13/2018	10:12	2.23	0.0	3613.10
			12/11/2018	10:25	2.03	0.0	3613.30
			1/16/2019	12:10	2.02	0.0	3613.31
			2/12/2019	10:13	2.00	0.0	3613.33
			3/14/2019	12:08	1.95	0.0	3613.38
			4/16/2019	11:05	2.10	0.0	3613.23
			5/21/2019	10:28	2.18	0.0	3613.15
			6/18/2019	10:25	2.29	0.0	3613.04
			7/16/2019	10:40	2.41	0.0	3612.92
			8/13/2019	10:18	2.41	0.0	3612.92
			9/17/2019	11:00	2.38	0.0	3612.95
			10/10/2019	10:45	2.23	0.0	3613.10
			11/13/2019	10:18	1.91	0.0	3613.42
			12/10/2019	9:40	1.75	0.0	3613.58
			1/14/2020	10:40	1.84	0.0	3613.49
			2/18/2020	10:26	1.61	0.0	3613.72
			3/18/2020	10:15	1.90	0.0	3613.43
			4/14/2020	10:55	1.56	0.0	3613.77
			5/19/2020	10:17	1.66	0.0	3613.67
			6/18/2020	10:50	1.82	0.0	3613.51
			7/14/2020	11:00	1.98	0.0	3613.35
			8/12/2020	10:25	1.97	0.0	3613.36
			9/15/2020	11:20	2.00	0.0	3613.33
			10/13/2020	10:10	1.85	0.0	3613.48
			12/8/2020	10:45	1.68	0.0	3613.65
			2/16/2021	10:01	1.63	0.0	3613.70
			4/13/2021	11:55	1.87	0.0	3613.46
			6/15/2021	9:42	2.26	0.0	3613.07
			8/12/2021	11:32	2.46	0.0	3612.87
			10/12/2021	12:56	2.29	0.0	3613.04
			12/6/2021	12:45	1.91	0.0	3613.42
			2/11/2022	11:00	1.94	0.0	3613.39
			4/5/2022	11:05	1.98	0.0	3613.35
			6/14/2022	11:40	2.45	0.0	3612.88
			8/8/2022	12:05	2.57	0.0	3612.76
			10/6/2022	12:15	2.75	0.0	3612.58
			12/13/2022	11:55	2.18	0.0	3613.15
			2/7/2023	12:05	2.03	0.0	3613.30
			4/11/2023	10:45	1.83	0.0	3613.50
			6/5/2023	11:25	2.03	0.0	3613.30

**TABLE 2**  
**BASELINE GROUNDWATER ELEVATION DATA**  
**Cabin Bar Ranch GMMRP Monitoring Points**

Well ID	Monitoring Point	Surveyed TOC Elevation (ft amsl)	Date	Time	DTW (ft) (2)	Measuring Point Adjustment	GWE (ft amsl) (3)
SS-1A	Monitoring Well SS-1A	3627.21	3/1/2016	13:42	8.65	0.0	3618.56
			4/5/2016	13:31	8.54	0.0	3618.67
			5/9/2016	11:47	8.88	0.0	3618.33
			6/14/2016	14:35	9.36	0.0	3617.85
			7/26/2016	11:12	10.09	0.0	3617.12
			8/24/2016	11:15	10.43	0.0	3616.78
			9/14/2016	11:48	10.51	0.0	3616.70
			11/22/2016	12:51	10.09	0.0	3617.12
			12/14/2016	12:45	9.75	0.0	3617.46
			1/25/2017	11:58	9.15	0.0	3618.06
			2/23/2017	12:28	8.87	0.0	3618.34
			3/22/2017	10:31	8.51	0.0	3618.70
			4/27/2017	10:11	8.02	0.0	3619.19
			5/30/2017	10:04	7.21	0.0	3620.00
			6/21/2017	12:32	7.33	0.0	3619.88
			7/18/2017	12:31	7.51	0.0	3619.70
			8/22/2017	11:08	7.70	0.0	3619.51
			9/26/2017	12:11	7.78	0.0	3619.43
			10/30/2017	10:32	7.23	0.0	3619.98
			11/21/2017	10:50	6.92	0.0	3620.29
			12/19/2017	11:26	6.78	0.0	3620.43
			1/18/2018	10:16	6.50	0.0	3620.71
			2/15/2018	12:25	6.54	0.0	3620.67
			3/13/2018	11:40	6.24	0.0	3620.97
			4/18/2018	12:03	6.27	0.0	3620.94
			5/22/2018	10:37	6.58	0.0	3620.63
			6/12/2018	9:40	6.90	0.0	3620.31
			7/17/2018	10:12	7.29	0.0	3619.92
			8/14/2018	9:34	7.97	0.0	3619.24
			9/19/2018	10:30	9.04	0.0	3618.17
			10/16/2018	10:20	9.10	0.0	3618.11
			11/13/2018	9:38	7.87	0.0	3619.34
			12/11/2018	9:50	7.35	0.0	3619.86
			1/16/2019	11:50	7.18	0.0	3620.03
			2/12/2019	9:46	6.90	0.0	3620.31
			3/14/2019	12:37	6.63	0.0	3620.58
			4/16/2019	10:30	6.48	0.0	3620.73
			5/21/2019	9:58	6.19	0.0	3621.02
			6/18/2019	9:45	5.98	0.0	3621.23
			7/16/2019	10:05	6.15	0.0	3621.06
			8/13/2019	9:53	6.32	0.0	3620.89
			9/17/2019	10:30	6.58	0.0	3620.63
			10/10/2019	9:50	6.49	0.0	3620.72
			11/13/2019	9:49	6.11	0.0	3621.10
			12/10/2019	9:05	5.70	0.0	3621.51
			1/14/2020	10:00	5.57	0.0	3621.64
			2/18/2020	9:54	5.31	0.0	3621.90
			3/18/2020	9:40	5.40	0.0	3621.81
			4/14/2020	10:20	5.35	0.0	3621.86
			5/19/2020	9:40	5.21	0.0	3622.00
			6/18/2020	10:05	5.72	0.0	3621.49
			7/14/2020	10:10	6.16	0.0	3621.05
			8/12/2020	9:49	6.49	0.0	3620.72
			9/15/2020	10:30	6.74	0.0	3620.47
			10/13/2020	9:40	6.49	0.0	3620.72
			12/8/2020	9:36	6.17	0.0	3621.04
			2/16/2021	9:16	5.78	0.0	3621.43
			4/13/2021	10:11	5.88	0.0	3621.33
			6/15/2021	9:04	6.76	0.0	3620.45
			8/12/2021	9:25	7.57	0.0	3619.64
			10/12/2021	10:23	7.82	0.0	3619.39
			12/6/2021	10:25	7.24	0.0	3619.97
			2/11/2022	9:45	7.00	0.0	3620.21
			4/5/2022	10:00	6.93	0.0	3620.28
			6/14/2022	10:45	7.79	0.0	3619.42
			8/8/2022	10:30	8.28	0.0	3618.93
			10/6/2022	11:25	8.78	0.0	3618.43
			12/13/2022	9:50	7.90	0.0	3619.31
			2/7/2023	10:20	7.27	0.0	3619.94
			4/11/2023	10:10	6.42	0.0	3620.79
			6/5/2023	10:35	6.33	0.0	3620.88

1) NM – not measured; NC = not calculated; UA – Data currently unavailable

2) DTW – Depth to water in feet (ft) below top of casing or other reference point. Pressure reading recorded in lieu of DTW when artesian

3) GWE- Groundwater elevation in feet above mean sea level (ft amsl). GWE for artesian wells OW-9u and OW-8us,

calculated based on manual pressure readings and are shown in italics.

4) Well P-15 was dry to approximately 7 feet below top of casing during monitoring event.

5) Well OW-7m was artesian during the monitoring event with a water level above the top of casing. The GWE listed is the surveyed top of casing.

**TABLE 3**  
**WATER QUALITY DATA**  
**Cabin Bar Ranch GMMRP Monitoring Points**

Well ID	Date Collected:		Field Parameters					Lab Parameters															Total Metals																
	pH units	μS/cm	deg C	NTU	mg/L	odor units	umhos /cm	NTU	mg/L	mg/L	mg/L	mg/L	mg/L	pH units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L			
Cartago Supply CMW-2	03/23/16	NA	NA	NA	NA	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	06/15/16	8.5	213	18.8	0.0	139	ND	NA	0.37	27.4	2.36	13	1.3	7.4	7.57	NA	NA	0.001	0.006	ND	ND	ND	0.024	0.003	ND	0.001	ND	ND	ND	ND	ND	0.006	ND	ND	ND	ND	0.006		
	09/15/16	7.6	183	17.0	0.0	119	ND	NA	0.13	25.0	2.16	11.8	1.0	7.9	7.49	82.0	125	ND	0.002	0.006	ND	ND	ND	ND	ND	0.001	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	03/27/18	6.4	214	15.2	11.1	139	ND	NA	ND	24.9	2.26	13.1	1.0	9.6	7.66	92.0	150	ND	0.002	0.007	ND	ND	ND	0.002	ND	ND	0.001	ND	ND	ND	ND	ND	0.001	ND	ND	ND	ND	0.047	
	06/12/18	6.8	217	17.6	0.0	142	ND	NA	ND	28.4	2.37	13.5	1.3	8.3	7.80	89.0	115	ND	0.003	0.007	ND	ND	ND	0.003	ND	ND	0.001	0.007	ND	ND	ND	ND	ND	0.001	ND	ND	ND	0.020	
	08/14/18	5.7	218	18.5	0.0	141	ND	NA	ND	26.0	2.45	12.6	1.1	9.0	7.50	78.0	110	ND	0.002	0.007	ND	ND	ND	ND	ND	ND	0.001	ND	ND	ND	ND	ND	0.001	ND	ND	ND	0.012		
	11/13/18	6.2	257	15.6	0.0	167	ND	NA	0.08	24.3	2.21	12.2	1.1	8.5	7.30	82.0	130	ND	0.002	0.007	ND	ND	ND	0.001	ND	ND	ND	ND	ND	ND	0.001	ND	ND	ND	0.007				
	02/12/19	6.2	209	15.0	12.2	136	ND	NA	ND	25.3	2.32	12.6	1.2	8.6	8.05	83.0	125	ND	0.002	0.007	ND	ND	ND	ND	ND	ND	0.001	ND	ND	ND	ND	ND	0.001	ND	ND	ND	0.009		
	05/21/19	7.0	203	16.9	0.0	132	NA	NA	0.23	27.0	2.36	10.9	1.1	8.5	8.06	91.0	115	ND	0.002	0.007	ND	ND	ND	ND	ND	ND	0.001	ND	ND	ND	ND	ND	0.001	ND	ND	ND	ND		
	08/13/19	6.5	194	19.2	0.2	129	ND	NA	0.07	23.8	2.21	12.9	1.1	8.3	8.10	88.3	85	ND	0.002	0.007	ND	ND	ND	ND	ND	ND	0.0004	0.001	ND	ND	ND	ND	0.001	ND	ND	ND	ND		
	11/13/19	6.0	212	16.4	0.0	138	ND	NA	0.35	26.9	2.37	13.9	1.3	8.4	8.00	103.0	145	ND	0.002	0.007	ND	ND	ND	ND	ND	ND	0.001	ND	ND	ND	ND	ND	0.001	ND	ND	ND	ND		
	02/18/20	NA	NA	NA	NA	ND	NA	0.28	22.9	2.04	12.8	ND	9.3	8.10	97.1	138	ND	0.002	0.007	ND	ND	ND	0.001	ND	ND	0.001	ND	ND	ND	ND	ND	0.001	ND	ND	ND	ND			
	05/19/20	6.2	207	17.5	0.0	133	ND	NA	ND	22.9	2.17	11.4	1.2	8.8	8.10	87.9	188	ND	0.002	0.007	ND	ND	ND	ND	ND	ND	0.001	ND	ND	ND	ND	ND	0.001	ND	ND	ND	ND		
	08/12/20	6.2	299	19.6	0.0	112	ND	NA	0.59	23.4	2.04	12.9	1.2	7.9	8.10	85.8	155	ND	0.002	0.006	ND	ND	ND	ND	ND	ND	0.001	0.001	ND	ND	ND	ND	0.001	ND	ND	ND	ND		
	12/08/20	6.5	231	18.2	0.0	130	ND	NA	1.78	24.1	2.03	13.1	1.1	7.8	8.10	85.9	ND	ND	0.002	0.006	ND	ND	ND	ND	ND	ND	0.001	ND	ND	ND	ND	ND	0.001	0.012	ND	ND	ND		
	02/16/21	6.7	210	18.0	0.0	122	ND	NA	0.85	22.3	2.03	11.8	1.4	8.8	8.10	84.5	115	ND	0.002	0.007	ND	ND	ND	0.056	0.002	ND	0.001	ND	ND	ND	0.001	0.042	ND	ND	ND	ND			
	06/15/21	7.2	184	19.6	2.7	120	ND	NA	ND	24.2	2.14	12.5	1.1	7.7	8.20	86.8	108	ND	0.002	0.006	ND	ND	ND	ND	ND	ND	0.001	ND	ND	ND	ND	ND	0.001	0.008	ND	ND	ND		
	12/06/21	-	-	-	-	ND	NA	0.35	23.5	2.18	12.2	1.1	7.4	7.90	89.2	118	ND	0.002	0.007	ND	ND	ND	ND	ND	ND	0.001	ND	ND	ND	ND	ND	0.001	0.007	ND	ND	ND			
	12/06/21	7.4	189	17.1	0.5	122	ND	NA	0.7	23.7	2.18	12.3	1.1	7.4	8.00	88.8	115	ND	0.002	0.006	ND	ND	ND	ND	ND	ND	0.001	ND	ND	ND	ND	ND	0.001	0.007	ND	ND	ND		
	06/14/22	6.9	189	19.0	0.0	123	ND	NA	ND	24.5	2.14	12.0	1.0	7.2	8.20	81.2	129	ND	0.002	0.006	ND	ND	ND	ND	ND	ND	0.001	ND	ND	ND	ND	ND	0.001	ND	ND	ND	ND		
	12/13/22	6.9	190	17.7	0.0	123	ND	NA	ND	25.1	2.15	12.3	1.3	7.0	8.20	83.6	152	ND	0.002	0.007	ND	ND	ND	ND	ND	ND	0.001	ND	ND	ND	ND	ND	0.001	ND	ND	ND	ND		
	06/05/23	7.5	179	19.5	0.0	116	ND	NA	ND	24.4	2.05	11.8	1.1	7.1	8.00	81.3	144	ND	0.002	0.006	ND	ND	ND	ND	ND	ND	0.001	ND	ND	ND	ND	ND	0.001	0.008	ND	ND	ND		
MW-3	03/23/16	8.8	124	17.7	40.1	80	ND	140	39	4.																													

**TABLE 3**  
**WATER QUALITY DATA**  
**Cabin Bar Ranch GMMRP Monitoring Points**

Well ID	Date Collected:		Field Parameters					Lab Parameters															Total Metals														
	pH units	μS/cm	deg C	NTU	mg/L	odor units	umhos/cm	NTU	mg/L	mg/L	mg/L	mg/L	mg/L	pH units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L		
OW-7m	03/23/16	7.8	191	16.7	0.0	125	ND	220	0.38	22.2	1.77	23.0	3.4	30	7.77	72.0	162	0.002	0.024	0.012	ND	ND	0.002	ND	ND	ND	ND	0.004	ND	ND	ND	ND	0.004	0.036			
	06/14/16	8.6	235	18.9	0.0	152	ND	NA	0.24	24.5	1.79	23.2	3.6	28	7.44	NA	NA	0.002	0.022	0.012	ND	ND	0.001	ND	ND	ND	ND	0.004	ND	ND	ND	ND	0.004	0.027			
	09/14/16	8.5	231	20.8	0.0	150	ND	NA	0.21	22.7	1.65	21.3	3.3	30	7.56	71.0	155	0.002	0.022	0.012	ND	ND	0.002	ND	ND	ND	ND	0.037	ND	ND	ND	ND	0.004	0.024			
	03/27/18	6.7	228	15.6	4.9	148	ND	NA	0.10	21.6	1.63	21.8	3.2	29	7.83	70.0	150	0.002	0.023	0.012	ND	ND	0.002	ND	ND	ND	ND	0.004	ND	ND	ND	ND	0.005	0.080			
	06/12/18	7.8	230	19.6	0.0	149	ND	NA	ND	23.8	1.79	21.9	3.0	27	7.79	75.0	130	0.002	0.028	0.012	ND	ND	0.001	ND	ND	ND	ND	0.004	0.007	ND	ND	ND	0.005	0.077			
	08/14/18	7.8	231	20.3	0.0	150	ND	NA	ND	22.6	1.80	20.9	3.4	30	7.63	70.0	115	0.002	0.024	0.012	ND	ND	0.002	ND	ND	ND	ND	0.004	ND	ND	ND	ND	0.005	0.062			
	11/13/18	7.5	217	19.5	0.0	141	ND	NA	0.10	21.7	1.73	20.5	2.9	28	7.58	66.0	140	0.004	0.023	0.012	ND	ND	0.002	ND	ND	ND	ND	0.004	ND	ND	ND	ND	0.004	0.059			
	02/12/19	7.3	214	14.9	13.2	139	ND	NA	0.06	21.6	1.63	20	3.1	27	7.99	69.0	145	0.002	0.023	0.011	ND	ND	0.001	ND	ND	ND	ND	0.004	ND	ND	ND	ND	0.005	0.052			
	05/21/19	7.1	221	18.9	2.7	143	ND	NA	0.18	23.6	1.75	18.1	2.8	28	8.03	72.0	135	0.002	0.024	0.011	ND	ND	0.002	ND	ND	ND	ND	0.004	ND	ND	ND	ND	0.004	0.044			
	08/13/19	7.4	204	21.0	0.0	133	ND	NA	0.12	20.2	1.59	20.7	3.0	26	8.20	68.0	105	ND	0.024	0.017	ND	ND	0.002	ND	ND	ND	ND	0.004	ND	ND	ND	ND	0.005	0.006			
	11/13/19	7.4	215	19.4	0.2	140	ND	NA	0.30	21.1	1.69	21.0	2.6	26	8.20	68.0	118	ND	0.023	0.016	ND	ND	0.001	ND	ND	ND	ND	0.003	ND	ND	ND	ND	0.005	0.015			
	02/18/20	NA	NA	NA	NA	ND	NA	0.22	18.0	1.50	19.5	2.4	27	8.10	73.5	180	ND	0.024	0.019	ND	ND	0.001	ND	ND	ND	ND	0.003	ND	ND	ND	ND	0.006	ND				
	05/19/20	6.6	207	19.2	0.0	134	ND	NA	0.14	19.8	1.54	17.9	2.8	27	8.20	69.5	155	ND	0.023	0.012	ND	ND	0.001	ND	ND	ND	ND	0.004	ND	ND	ND	ND	0.005	ND			
	08/12/20	8.1	223	25.2	0.0	145	ND	NA	0.44	20.9	1.58	20.4	2.9	27	8.00	70.7	180	0.001	0.019	0.011	ND	ND	0.001	ND	ND	ND	ND	0.003	ND	ND	ND	ND	0.005	0.013			
	12/08/20	NA	NA	NA	NA	ND	NA	1.02	20.9	1.50	20.3	2.8	27	8.10	68.4	133	ND	0.022	0.010	ND	ND	0.002	ND	ND	ND	ND	0.003	ND	ND	ND	ND	0.004	0.009				
	02/16/21	8.4	206	20.2	0.0	134	ND	NA	0.30	19.0	1.47	18.6	2.9	28	8.10	66.0	148	ND	0.022	0.011	ND	ND	0.001	ND	ND	ND	ND	0.004	ND	ND	ND	ND	0.005	ND			
	06/15/21	7.2	207	25.1	0.0	134	ND	NA	ND	22.6	1.67	20.3	2.6	27	8.20	71.2	145	ND	0.022	0.010	ND	ND	0.002	ND	ND	ND	ND	0.004	ND	ND	ND	ND	0.005	0.009			
	12/07/21	8.2	206	19.1	0.0	134	ND	NA	0.15	21.3	1.67	19.9	2.7	27	8.00	71.6	133	0.001	0.023	0.010	ND	ND	0.001	ND	ND	ND	ND	0.003	ND	ND	ND	ND	0.005	ND			
	06/15/22	7.9	212	20.6	0.0	138	ND	NA	ND	22.1	1.63	19.5	3.0	27	8.10	66.1	153	0.001	0.023	0.010	ND	ND	0.002	ND	ND	ND	ND	0.004	ND	ND	ND	ND	0.005	ND			
	12/14/22	8.3	205	18.9	0.0	133	ND	NA	ND	23.0	1.67	19.6	3.0	26	8.20	71.8	149	ND	0.021	0.010	ND	ND	0.001	ND	ND	ND	ND	0.003	ND	ND	ND	ND	0.005	ND			
	06/06/23	7.9	192	19.4	0.0	124	ND	NA	ND	22.8	1.66	19.3	3.0	27	8.00	67.1	171	ND	0.022	0.011	ND	ND	0.001	ND	ND	ND	ND	0.004	ND	ND	ND	ND	0.005	ND			
OW-8us (QCMW)	04/19/16	7.8	191	16.7	0.0	125	2	190	0.08	12.3	2.62	19.2	3.9	6.1	8.25	76.0	132	ND	0.005	0.002	ND	ND	ND	ND	ND	ND	ND	0.002	ND	ND	ND	ND	ND	0.013			
	06/14/16	9.4	198	14.0	0.0	129	2	NA	0.26	12.8	2.51	16.3	4.7	6.4	7.94	NA	NA	ND	0.005	0.002	ND	ND	ND	ND	ND	ND	ND	0.001	ND	ND	ND	ND	ND	ND			
	09/14/16	-	-	-	-	-	ND	NA	ND	1																											

**TABLE 3**  
**WATER QUALITY DATA**  
**Cabin Bar Ranch GMMRP Monitoring Points**

Date Collected:		Field Parameters					Lab Parameters																		Total Metals																							
		pH (field)	Electric Conductivity (field)	Temperature (field)	Turbidity (field)	Total Dissolved Solids (field)	Odor (lab)	Specific Conductance (lab)	Turbidity (lab)	Calcium	Magnesium	Sodium	Chloride	Sulfate	pH (lab)	Bicarbonate (as CaCO <sub>3</sub> )	Total Dissolved Solids (lab)	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	Cobalt	Copper	Lead	Mercury	Molybdenum	Nickel	Selenium	Silver	Thallium	Vanadium	Zinc														
Well ID																																																
OW-10u		pH units	µS/cm	deg C	NTU	mg/L	odor units	umhos /cm	NTU	mg/L	mg/L	mg/L	mg/L	mg/L	pH units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	
(QCMW)	03/23/16	8.0	206	12.6	0.0	134	ND	160	3.40	17.0	2.34	14.8	ND	5.6	7.09	72.0	122	ND	0.004	0.017	ND	ND	ND	ND	0.002	ND	ND	0.003	0.002	ND	ND	ND	0.001	0.005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	06/14/16	7.8	164	16.9	0.9	107	ND	NA	0.57	17.4	2.21	13.4	1.2	5.1	7.26	NA	NA	ND	0.003	0.017	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.003	0.001	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND					
	09/14/16	7.6	159	17.4	0.0	104	2.0	NA	1.30	17.1	2.1	13.4	ND	5.3	7.45	73.0	85	ND	0.003	0.019	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.003	0.002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.008					
	03/27/18	6.1	160	17.3	0.0	104	NA	NA	0.56	16.0	2.01	13.1	ND	5.5	7.52	58.0	95	0.001	0.004	0.020	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.003	0.004	ND	ND	ND	ND	0.002	0.008	ND	ND	ND	ND	ND	ND					
	06/12/18	-	-	-	-	-	ND	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA						
	06/12/18	7.0	163	17.9	0.0	108	ND	NA	0.11	18.0	2.17	13.8	ND	5.0	7.46	68.0	95	0.007	0.004	0.021	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.003	0.008	ND	ND	ND	0.001	0.013	ND	ND	ND	ND	ND	ND						
	08/14/18	6.9	159	18.6	0.0	103	1.0	NA	0.56	16.7	2.16	13.0	ND	5.3	5.99	62.0	90	ND	0.003	0.021	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.003	0.003	ND	ND	ND	0.001	0.021	ND	ND	ND	ND	ND	ND						
	11/13/18	6.7	149	7.2	0.0	97	1.0	NA	0.91	15.7	2.02	12.6	ND	4.8	7.5	63.0	100	ND	0.004	0.022	ND	ND	0.001	ND	ND	ND	ND	ND	0.003	0.004	ND	ND	ND	0.001	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND				
	02/12/19	-	-	-	-	-	ND	NA	0.58	15.2	1.98	12.0	ND	4.5	7.56	63.0	95	ND	0.004	0.020	ND	ND	ND	ND	ND	ND	ND	ND	0.002	0.003	ND	ND	ND	0.002	ND	ND	ND	ND	ND	ND	ND	ND	ND					
	02/12/19	6.6	145	17.4	0.0	94	ND	NA	0.39	15.4	1.86	12.1	ND	4.5	7.54	63.0	85	ND	0.003	0.020	ND	ND	ND	ND	ND	ND	ND	ND	0.002	0.003	ND	ND	ND	0.001	0.008	ND	ND	ND	ND	ND	ND							
	05/21/19	6.4	153	17.8	3.4	99	ND	NA	0.36	17.4	2.12	10.6	ND	5.3	7.45	70.0	90	ND	0.004	0.022	ND	ND	ND	ND	ND	ND	ND	ND	0.002	0.002	ND	ND	ND	0.001	0.005	ND	ND	ND	ND	ND	ND							
	08/13/19	-	-	-	-	-	ND	NA	0.27	14.6	2.01	13.2	ND	5.2	7.60	67.6	ND	ND	0.003	0.020	ND	ND	ND	ND	ND	ND	ND	ND	0.0003	0.003	ND	ND	ND	0.001	ND	ND	ND	ND	ND	ND	ND	ND						
	08/13/19	6.2	145	18.1	0.0	94	ND	NA	0.23	14.8	1.98	13.5	1.0	5.2	7.60	67.4	145	ND	0.003	0.019	ND	ND	ND	ND	ND	ND	ND	ND	0.002	0.001	ND	ND	ND	0.001	ND	ND	ND	ND	ND	ND	ND							
	11/13/19	6.6	153	17.9	0.0	99	ND	NA	0.50	15.6	2.07	13.6	1.2	4.6	7.40	75.8	97.5	ND	0.003	0.019	ND	ND	ND	ND	ND	ND	ND	ND	0.002	0.002	ND	ND	ND	0.001	ND	ND	ND	ND	ND	ND	ND							
	02/18/20	NA	NA	NA	NA	NA	ND	NA	2.37	13.1	1.82	12.1	ND	5.0	7.40	72.0	115	ND	0.007	0.028	ND	ND	0.006	0.001	ND	ND	ND	0.002	0.002	ND	ND	ND	0.002	0.006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
	05/19/20	5.9	142	17.8	0.0	93	ND	NA	0.35	14.1	1.82	11.2	ND	4.9	7.70	66.9	138	ND	0.003	0.021	ND	ND	ND	ND	ND	ND	ND	ND	0.003	0.003	ND	ND	ND	0.002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			
	08/18/20	6.9	138	19.2	0.0	89	1.0	NA	0.21	14.7	1.92	13.4	ND	5.2	7.40	65.4	113	ND	0.003	0.019	ND	ND	ND	ND	ND	ND	ND	ND	0.003	0.002	0.002	ND	ND	0.001	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			
	12/09/20	7.4	142	18.8	0.0	92	ND	NA	1.35	14.1	1.83	13.5	1.1	4.6	7.60	64.4	85	ND	0.002	0.020	ND	ND	ND	ND	ND	ND	ND	ND	0.003	0.00																		

**TABLE 3**  
**WATER QUALITY DATA**  
**Cabin Bar Ranch GMMRP Monitoring Points**

Well ID	Field Parameters										Lab Parameters										Total Metals											
	pH units	µS/cm	deg C	NTU	mg/L	odor units	umhos /cm	NTU	mg/L	mg/L	mg/L	mg/L	mg/L	pH units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
PAT-1	03/01/16	NA	NA	NA	NA	ND	190	0.12	18.7	1.58	9.97	ND	3.2	7.52	67.0	NA	ND	ND	0.007	ND	ND	ND	ND	ND	ND	0.002	ND	ND	ND	ND	0.011	
	06/15/16	8.7	154	17.3	0.0	100	ND	NA	0.24	20.9	1.65	9.98	1.1	2.9	7.42	NA	NA	ND	ND	0.006	ND	ND	ND	ND	ND	ND	0.002	ND	ND	ND	ND	0.005
	09/15/16	7.7	140	20.3	0.0	91	ND	NA	ND	19.2	1.58	9.25	ND	3.3	7.52	76.0	150	ND	ND	0.007	ND	ND	ND	ND	ND	ND	0.001	ND	ND	ND	ND	0.015
	03/27/18	6.1	162	10.2	3.8	105	ND	NA	1.80	19.5	1.59	9.70	ND	3.8	7.77	68.0	70	ND	ND	0.007	ND	ND	ND	ND	ND	ND	0.002	ND	ND	ND	ND	0.030
	06/12/18	7.4	156	17.4	0.0	101	ND	NA	ND	20.8	1.65	9.76	ND	3.3	7.83	68.0	90	ND	0.001	0.008	ND	ND	ND	ND	0.002	ND	ND	0.001	ND	ND	0.018	
	08/14/18	7.9	161	21.7	5.2	104	ND	NA	ND	19.3	1.65	9.30	ND	3.7	7.48	68.0	85	ND	ND	0.007	ND	ND	ND	ND	ND	ND	0.002	ND	ND	ND	ND	0.023
	11/13/18	7.0	164	9.9	0.0	107	ND	NA	0.07	18.8	1.59	9.24	ND	3.6	7.50	63.0	95	ND	ND	0.007	ND	ND	ND	ND	ND	ND	0.002	ND	ND	ND	ND	0.015
	02/12/19	6.4	150	4.1	0.0	97	ND	NA	0.60	19.5	1.58	9.21	ND	3.4	8.01	66.0	80	0.007	ND	0.007	ND	ND	ND	ND	ND	ND	0.003	ND	ND	ND	ND	0.007
	05/21/19	6.8	152	15.6	1.9	99	1.0	NA	0.18	19.7	1.63	7.48	ND	3.3	7.81	70.0	95	ND	0.001	0.007	ND	ND	ND	ND	0.003	ND	ND	ND	ND	0.021		
	08/13/19	7.0	153	23.5	14.2	99	1.0	NA	0.07	18.2	1.49	9.67	ND	3.5	8.10	70.3	100	ND	ND	0.007	ND	ND	ND	ND	ND	ND	0.002	ND	ND	ND	ND	0.008
	11/13/19	6.5	156	13.2	0.0	101	ND	NA	0.28	20.7	1.67	10.1	1.0	3.4	8.00	94.5	110	ND	0.001	0.007	ND	ND	ND	ND	ND	ND	0.001	ND	ND	ND	ND	0.013
	02/18/20	NA	NA	NA	NA	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	05/19/20	6.5	140	17.6	0.0	91	ND	NA	ND	17.0	1.43	8.14	ND	50	8.10	68.9	133	ND	ND	0.007	ND	ND	ND	ND	ND	ND	0.002	ND	ND	ND	ND	0.006
	08/12/20	7.0	151	25.0	0.0	98	ND	NA	0.49	18.1	1.46	9.64	ND	3.4	8.00	68.8	100	ND	ND	0.007	ND	ND	ND	ND	ND	ND	0.001	ND	ND	ND	ND	0.008
	12/08/20	7.4	155	17.9	0.0	95	ND	NA	1.15	18.4	1.47	9.69	ND	3.1	8.00	67.9	120	0.001	ND	0.007	ND	ND	ND	ND	ND	ND	0.002	0.002	ND	ND	ND	0.006
	02/16/21	6.9	144	10.7	0.0	93	ND	NA	0.44	17.9	1.46	8.56	1.1	3.6	8.10	67.0	52.5	ND	ND	0.007	ND	ND	ND	ND	ND	ND	0.002	ND	ND	ND	ND	0.014
	06/15/21	7.0	136	20.6	0.0	89	ND	NA	ND	16.7	1.41	8.93	1.1	3.2	8.10	71.8	75	ND	0.008	ND	ND	ND	ND	ND	ND	0.002	ND	ND	ND	ND	ND	
	12/06/21	7.7	139	11.5	0.0	90	ND	NA	0.25	18.6	1.57	9.16	ND	3.3	8.00	71.6	82.5	ND	ND	0.007	ND	ND	ND	ND	ND	ND	0.001	ND	ND	ND	ND	0.019
	06/14/22	7.0	150	23.3	0.0	98	ND	NA	ND	19.1	1.54	8.99	ND	3.2	8.10	64.4	96	ND	ND	0.007	ND	ND	ND	ND	ND	ND	0.002	ND	ND	ND	ND	0.001
	12/13/22	NA	NA	NA	NA	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	06/05/23	7.7	145	24.3	0.0	94	ND	NA	ND	19.8	1.56	9.06	ND	3.5	7.90	66.3	106	ND	0.008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Detection Limit</b>	-	-	-	-	-	1.0	1.0	0.05	0.1	0.1(4)	0.5	1.0	1.0	0.01	1.0	1.0	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.0002	0.001	0.001	0.001	0.001	0.005			
<b>Drinking Water MCL</b>	-	-	-	-	-	500	-	-	-	-	-	250	-	-	-	500	0.006	0.010	1.0	0.004	0.005	0.05	-	1.3	0.015	0.002	-	0.1	0.05	-	0.002	-

Notes: Metals are Total Metals by EPA Method 200.8 (Title 22 Priority Pollutants)

1) ND indicates not-detected at or above the listed laboratory detection limit. NS indicates not sampled. NA indicates not analyzed. "-" indicated not applicable.

2) Constituents in bold (Na, Cl, CaCO<sub>3</sub>, TDS, As, Ba) are proposed for water quality triggers in selected wells per GMMRP. See Table 5 for additional water quality trigger data.

3) Cells shaded in light gray represent water quality samples collected during the baseline data period.

4) The detection limit for Magnesium was raised to 0.5 mg/L during the February 2019 sampling event and all subsequent sampling events.

**TABLE 4**  
**SUMMARY OF GROUNDWATER ELEVATION AND TRIGGER LEVELS**  
**Cabin Bar Ranch GMMRP Monitoring Points**  
**July 2023**

Monitoring Area	Monitoring Point	Baseline GWE <sup>1</sup> (feet amsl)	Recent Date of Measurement	Recent GWE (feet amsl)	Change from Baseline <sup>2</sup> (feet)	Drawdown Trigger Level <sup>3</sup> (feet)	Trigger Level Exceeded? YES/NO
Northern	P-10	3614.03	06/05/23	3617.10	3.07	-6.0	NO
	OW-10u	3616.86	06/05/23	3618.85	1.99	-6.0	NO
Southern	OW-10m	3617.66	06/05/23	3619.56	1.90	-6.0	NO
	OW-7u	3611.87	06/05/23	3614.51	2.64	-10.0	NO
Eastern	OW-7m	3620.70	06/05/23	3625.33	4.63	-10.0	NO
	OW-9u	3607.03	06/05/23	3611.70	4.67	-7.0	NO
Vegetation	P-15	N/A	06/05/23	3602.11	DTW = 3.75 <sup>4</sup>	DTW > 5.4 <sup>4</sup>	NO
	P-15A	N/A	06/05/23	3602.74	DTW = 5.32	Not Yet Established	--

1) GWE: Groundwater elevation measured in feet above mean sea level. Baseline GWEs set July 6, 2017 and approved by Inyo County Water Department (ICWD)

2) Recent GWE measurement compared to Baseline GWE. Positive numbers indicate an increase in GWE from baseline, and negative numbers indicate drawdown.

3) "Trigger Level" from Table 1 of Geosyntec GMMRP and updated in April 6, 2017 letter. Negative values indicate drawdown from baseline GWEs.

4) Trigger for P-15 is Depth-to-Water (DTW) greater than 5.4 feet below top of casing in any continuous 12-month period.

If exceeded, duration of exceedance is indicated in parentheses.

**TABLE 5**  
**SUMMARY OF WATER QUALITY DATA AND TRIGGER LEVELS**  
**Cabin Bar Ranch GMMRP Monitoring Points**

Well ID	Date Collected	Sodium (Na)	Sodium Trigger Level (4)	Chloride (Cl)	Chloride Trigger Level	Bicarbonate (CaCO <sub>3</sub> )	Bicarbonate Trigger Level	Total Dissolved Solids (TDS)	Total Dissolved Solids Trigger Level	Arsenic (As)	Arsenic Trigger Level (5)	Barium (Ba)	Barium Trigger Level	Trigger Levels Exceeded?	Constituents in Exceedance of Trigger Levels (Na / Cl / CaCO <sub>3</sub> / TDS / As / Ba)
	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	Yes/No	
Cartago Supply CMW-2	06/12/18	13.5	34.0	1.3	27.7	89.0	179	115	321	0.0032	0.0075	0.007	0.75	No	-
	08/14/18	12.6		1.1		78.0		110		0.0021		0.007		No	-
	11/13/18	12.2		1.1		82.0		130		0.0023		0.007		No	-
	02/12/19	12.6		1.2		83.0		125		0.0019		0.007		No	-
	05/21/19	10.9		1.1		91.0		115		0.0023		0.007		No	-
	08/13/19	12.9		1.1		88.3		85		0.0023		0.007		No	-
	11/13/19	13.9		1.3		103.0		145		0.0019		0.007		No	-
	02/18/20	12.8		ND		97.1		138		0.0021		0.007		No	-
	05/19/20	12.8		1.2		87.9		188		0.0021		0.007		No	-
	08/12/20	12.9		1.2		85.8		155		0.0023		0.006		No	-
	12/08/20	13.1		1.1		82.9		ND		0.0023		0.006		No	-
	02/16/21	11.8		1.4		84.5		115		0.0020		0.007		No	-
	06/15/21	12.5		1.1		86.8		108		0.0021		0.006		No	-
	12/06/21	12.3		1.1		88.8		115		0.0024		0.006		No	-
	06/14/22	12.0		1.0		81.2		129		0.0022		0.006		No	-
	12/13/22	12.3		1.3		83.6		152		0.0021		0.007		No	-
	06/05/23	11.8		1.1		81.3		144		0.0023		0.006		No	-
OW-7u	06/12/18	20.2	34.0	2.2	27.7	77.0	179	125	321	0.0167	0.0075	0.008	0.75	No	-
	08/14/18	21.0		1.8		68.0		115		0.0143		0.008		No	-
	11/13/18	17.4		1.8		67.0		135		0.0160		0.009		No	-
	02/12/19	16.9		2.1		65.0		95		0.0224		0.008		No	-
	05/21/19	14.9		1.8		73.0		120		0.0244		0.009		No	-
	08/13/19	19.2		2.2		68.4		105		0.0261		0.007		No	-
	11/13/19	20.5		2.0		79.7		105		0.0271		0.007		No	-
	02/18/20	17.7		1.5		76.3		155		0.0266		0.007		No	-
	05/19/20	15.8		1.7		68.5		175		0.0262		0.007		No	-
	08/18/20	18.8		1.7		69.1		170		0.0258		0.007		No	-
	12/09/20	18.6		1.7		66.8		133		0.0246		0.007		No	-
	02/16/21	16.1		2.0		67.0		115		0.0232		0.007		No	-
	06/15/21	18.3		1.6		68.8		110		0.0240		0.007		No	-
	12/07/21	16.5		1.7		70.8		113		0.0239		0.007		No	-
	06/15/22	16.5		1.7		68.1		128		0.0225		0.008		No	-
	12/14/22	16.0		1.8		72.0		129		0.0192		0.007		No	-
	06/06/23	16.2		1.6		67.3		167		0.0200		0.008		No	-
OW-Bus	06/12/18	17.1	34.0	3.9	27.7	75.0	179	115	321	0.0069	0.0075	0.002	0.75	No	-
	08/14/18	16.7		4.5		66.0		105		0.0056		0.002		No	-
	11/13/18	16.4		3.8		67.0		120		0.0050		0.002		No	-
	02/12/19	15.7		4.1		68.0		120		0.0049		0.002		No	-
	05/21/19	13.8		3.8		75.0		110		0.0053		0.002		No	-
	08/13/19	17.3		4.2		73.6		130		0.0052		0.002		No	-
	11/13/19	19.1		4.0		85.6		110		0.0051		0.002		No	-
	02/18/20	16.0		3.6		78.0		160		0.0047		0.002		No	-
	05/19/20	14.9		3.9		74.5		170		0.0048		0.002		No	-
	08/12/20	17.5		4.0		74.7		155		0.0046		0.002		No	-
	12/08/20	18.0		3.7		72.6		133		0.0045		0.002		No	-
	02/16/21	15.6		4.1		70.5		125		0.0045		0.002		No	-
	06/15/21	17.7		3.7		72.6		145		0.0042		0.002		No	-
	12/06/21	16.8		3.7		76.0		153							

**TABLE 6**  
**PRODUCTION WELL TOTALIZER READINGS AND PROJECT PUMPING TOTALS**  
**Cabin Bar Ranch GMMRP Monitoring Points**

Date	CGR-8 Totalizer Value	CGR-9 Totalizer Value	CGR-10 Totalizer Value	Total Pumped in Period (gallons)	Total Pumped in Period (acre-feet)
3/13/2018	523,472	477,554	484,541	0	0.00
4/18/2018	1,140,345	1,413,780	1,074,325	2,142,883	6.58
5/22/2018	2,061,409	2,806,639	1,988,179	3,227,777	9.91
6/12/2018	2,466,815	3,421,720	2,383,008	1,415,316	4.34
7/17/2018	3,527,725	5,027,030	3,433,470	3,716,682	11.41
8/14/2018	4,453,727	6,430,638	4,360,637	3,256,777	9.99
9/24/2018	6,131,242	8,956,504	6,026,207	5,868,951	18.01
10/16/2018	7,184,746	10,684,484	7,214,499	3,969,776	12.18
11/13/2018	8,236,009	12,738,215	8,751,254	4,641,749	14.25
12/11/2018	9,242,438	14,727,848	10,265,388	4,510,196	13.84
1/16/2019	10,618,269	17,440,069	12,338,478	6,161,142	18.91
2/12/2019	11,868,799	19,869,156	14,147,894	5,489,033	16.85
3/14/2019	13,313,452	22,553,382	16,108,130	6,089,115	18.69
4/16/2019	14,909,440	25,570,945	18,396,092	6,901,513	21.18
5/21/2019	16,669,772	29,181,570	21,198,548	8,173,413	25.08
6/18/2019	18,044,860	31,914,282	23,302,450	6,211,702	19.06
7/16/2019	19,607,588	34,999,621	25,736,440	8,334,463	25.58
8/13/2019	21,295,258	38,278,786	28,387,933	7,618,328	23.38
9/17/2019	23,213,402	41,849,344	31,474,533	8,575,302	26.32
10/10/2019	24,402,886	44,078,559	33,375,760	5,319,926	16.33
11/13/2019	25,895,652	46,907,487	35,921,208	6,867,142	21.07
12/10/2019	27,118,333	49,326,544	38,016,920	5,737,450	17.61
1/14/2020	28,675,620	52,375,905	40,674,708	7,264,436	22.29
2/18/2020	30,232,240	55,306,671	43,445,912	7,258,590	22.28
3/18/2020	32,114,055	58,773,658	46,562,248	8,465,138	25.98
4/14/2020	33,417,538	62,861,789	50,642,628	9,471,994	29.07
5/19/2020	34,794,997	66,571,456	54,349,591	8,794,089	26.99
6/18/2020	35,176,055	69,636,454	57,420,175	6,516,640	20.00
7/14/2020	35,936,207	72,073,600	59,815,394	5,592,517	17.16
8/12/2020	36,776,060	75,378,349	63,096,969	7,426,177	22.79
9/15/2020	37,836,602	79,327,770	67,070,040	8,983,034	27.57
10/13/2020	38,857,236	82,170,369	69,953,872	6,747,065	20.71
11/16/2020	39,898,668	84,912,304	72,864,889	6,694,384	20.54
12/8/2020	40,944,721	87,877,026	75,757,142	6,903,028	21.18
1/22/2021	42,573,486	92,207,047	80,145,026	10,346,670	31.75
2/16/2021	43,461,148	94,722,503	82,722,988	5,981,080	18.36
3/18/2021	44,538,655	97,933,500	86,032,504	7,598,020	23.32
4/13/2021	45,350,411	100,630,072	88,771,312	6,247,136	19.17
5/21/2021	45,765,783	104,795,520	92,986,676	8,796,184	26.99
6/15/2021	45,968,760	107,240,610	95,472,942	5,134,333	15.76
7/14/2021	46,369,238	110,748,758	99,024,142	7,459,826	22.89
8/12/2021	47,039,467	114,273,150	102,589,210	7,759,689	23.81
9/23/2021	47,971,848	118,832,668	107,203,284	10,105,973	31.01
10/12/2021	48,436,498	121,054,940	109,451,978	4,935,616	15.15
12/6/2021	49,825,996	126,267,698	114,696,750	11,847,028	36.36
1/13/2022	50,806,313	129,867,780	118,339,832	8,223,481	25.24
2/11/2022	51,510,218	133,403,692	121,947,356	7,847,341	24.08
3/15/2022	52,151,393	136,629,568	125,197,700	7,117,395	21.84
4/5/2022	52,343,621	138,981,796	127,595,056	4,941,812	15.17
5/17/2022	53,145,871	143,471,587	132,125,729	9,822,714	30.14
6/14/2022	53,767,857	146,497,795	135,231,455	6,753,920	20.73
7/13/2022	54,382,966	149,812,166	138,604,778	7,302,803	22.41
8/8/2022	54,798,908	153,053,667	141,889,432	6,942,097	21.30
9/12/2022	55,343,688	157,196,612	146,888,968	9,687,261	29.73
10/6/2022	55,710,266	160,396,640	149,342,860	6,020,498	18.48
11/15/2022	56,333,268	163,876,557	152,877,772	7,637,831	23.44
12/13/2022	56,795,793	166,197,562	155,238,069	5,143,827	15.79
1/11/2023	57,290,089	168,651,286	157,719,896	5,429,847	16.66
2/7/2023	57,747,018	171,224,990	160,321,109	5,631,846	17.28
3/16/2023	58,379,458	174,397,412	163,534,113	7,017,866	21.54
4/11/2023	58,848,106	176,602,255	165,781,945	4,921,323	15.10
5/8/2023	59,308,006	179,300,432	168,534,542	5,910,674	18.14
6/5/2023	59,807,716	182,045,235	171,321,270	6,031,241	18.51
<b>Annual Period</b>	<b>CGR-8 Total</b>	<b>CGR-9 Total</b>	<b>CGR-10 Total</b>	<b>Total (gallons)</b>	<b>Total (acre-feet)</b>
<b>March 2018 – March 2019</b>	12,789,980	22,075,828	15,623,589	50,489,397	154.95
<b>March 2019 – March 2020</b>	18,800,603	36,220,276	30,454,118	85,474,997	262.31
<b>March 2020 – March 2021</b>	12,424,600	39,159,842	39,470,256	91,054,698	279.44
<b>March 2021 – March 2022</b>	7,612,738	38,696,068	39,165,196	85,474,002	262.31
<b>March 2022 – March 2023</b>	6,228,065	37,767,844	38,336,413	82,332,322	252.67
<b>March 2023 – March 2024 (as of 6/5/23)</b>	1,428,258	7,647,823	7,787,157	16,863,238	51.75

1) All units in Gallons unless otherwise specified. Final column in Acre-Feet.

2) Totals given reflect volumes pumped since project commencement on March 19, 2018 for individual production wells (CGR-8, 9, and 10) and combined project totals.


**APPENDIX A**

**TRANSDUCER DATA**

**GROUNDWATER HYDROGRAPHS AND CONDUCTIVITY**

## GROUNDWATER ELEVATION DATA - Transducer

### CMW-2 - Cabin Bar Ranch GMMRP




Note: Transducer data from AquaTroll 200 correlated to Manual DTW.

Transducer was found to be faulty on April 18, 2018 and replaced on May 22, 2018.

## GROUNDWATER ELEVATION DATA – Transducer

### MW-3 – Cabin Bar Ranch GMMRP




Note: Transducer data from LevelTroll 500 correlated to Manual DTW.

Transducer was found to be faulty on March 13, 2018 and was replaced on May 22, 2018.

Data gap from October 2021 to February 2022 due to transducer failure.

## GROUNDWATER ELEVATION DATA – Transducer

### OW-7u – Cabin Bar Ranch GMMRP




Note: Transducer data from AquaTroll 200 correlated to Manual DTW.

Data gap from 12/2017 to 02/2018 and 08 to 12/2021 due to transducer malfunction.

## GROUNDWATER ELEVATION DATA - Transducer

### OW-7m - Cabin Bar Ranch GMMRP




Note: Transducer data from AquaTroll 200 correlated to Manual DTW.

Data gap from 02 to 05/18 and 08 to 10/21 due to malfunction.

No manual GWE was collected from 07 to 08/19, 11/19 to 06/20, or 02/21 due to artesian conditions.

## GROUNDWATER ELEVATION DATA – Transducer

### OW-10u – Cabin Bar Ranch GMMRP




Note: Transducer data from LevelTroll 500 correlated to Manual DTW.

Original transducer was found to be faulty and was replaced on May 9, 2016.

Data gap from 08/20 to 12/20 due to transducer malfunction.

## GROUNDWATER ELEVATION DATA – Transducer


### OW-10m – Cabin Bar Ranch GMMRP



Note: Transducer data from AquaTroll 200 correlated to Manual DTW.

## GROUNDWATER ELEVATION DATA - Transducer

### PAT-1 - Cabin Bar Ranch GMMRP




Note: Transducer data from AquaTroll 200 correlated to Manual DTW.

Data gap from 06/20 to 08/20 due to transducer failure.

## GROUNDWATER ELEVATION DATA – Transducer

### P-5 – Cabin Bar Ranch GMMRP




Note: Transducer data from AquaTroll 200 correlated to Manual DTW.

Data gap from February to June 2023 due to transducer malfunction.

## GROUNDWATER ELEVATION DATA – Transducer


### P-10 – Cabin Bar Ranch GMMRP



Note: Transducer data from LevelTroll 500 correlated to Manual DTW.

## GROUNDWATER ELEVATION DATA - Transducer

### P-15 & P-15A - Cabin Bar Ranch GMMRP




Note: Transducer data from LevelTroll 500 correlated to Manual DTW.

P-15 was measured to be dry from 07 to 09/2016, 10/2021, and from 08 to 10/2022.

Trigger level indicated may not be exceeded for any continuous 12 month period.


## GROUNDWATER ELEVATION DATA – Transducer

### RP-1 – Cabin Bar Ranch GMMRP



Note: Transducer data from LevelTroll 500 correlated to Manual DTW.


## GROUNDWATER ELEVATION DATA – Transducer SS-1A – Cabin Bar Ranch GMMRP



Note: Transducer data from LevelTroll 500 correlated to Manual DTW.

## WELL PRESSURE - Transducer Data

### OW-9u - Cabin Bar Ranch GMMRP




Note: Artesian Well. Transducer data from AquaTroll 200 correlated to reference pressure and converted to GWE.

Transducer was pulled from the well for evaluation in January 2018 and February 2019.

## WELL PRESSURE - Transducer Data

### OW-8u - Cabin Bar Ranch GMMRP



Note: Artesian Well. Transducer data from AquaTroll 200 correlated to reference pressure and converted to GWE.

Transducer was found to be faulty on January 18, 2018 and was replaced on May 22, 2018.

**APPENDIX B**

**LABORATORY DATA FOR SAMPLES**

**COLLECTED JUNE 14 & 15, 2022**

# ANALYTICAL REPORT

## PREPARED FOR

Attn: Naomi Jensen  
TEAM Environmental, Inc.  
PO BOX 1265  
Bishop, California 93515

Generated 6/12/2023 6:05:22 PM

## JOB DESCRIPTION

CG Roxane

## JOB NUMBER

570-140734-1

# Eurofins Calscience

## Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Calscience Project Manager.

## Authorization



Authorized for release by  
Sandy Tat, Project Manager I  
[Sandy.Tat@et.eurofinsus.com](mailto:Sandy.Tat@et.eurofinsus.com)  
(714)895-5494

Generated  
6/12/2023 6:05:22 PM

# Table of Contents

Cover Page .....	1
Table of Contents .....	3
Definitions/Glossary .....	4
Case Narrative .....	5
Detection Summary .....	6
Client Sample Results .....	11
QC Sample Results .....	24
QC Association Summary .....	32
Lab Chronicle .....	37
Certification Summary .....	43
Method Summary .....	44
Sample Summary .....	45
Chain of Custody .....	46
Receipt Checklists .....	47

# Definitions/Glossary

Client: TEAM Environmental, Inc.  
Project/Site: CG Roxane

Job ID: 570-140734-1

## Qualifiers

### Metals

Qualifier	Qualifier Description
4	MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable.

### General Chemistry

Qualifier	Qualifier Description
H	Sample was prepped or analyzed beyond the specified holding time. This does not meet regulatory requirements.
H3	Sample was received and analyzed past holding time. This does not meet regulatory requirements.
HF	Field parameter with a holding time of 15 minutes. Test performed by laboratory at client's request.

## Glossary

### Abbreviation

These commonly used abbreviations may or may not be present in this report.

□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

# Case Narrative

Client: TEAM Environmental, Inc.  
Project/Site: CG Roxane

Job ID: 570-140734-1

## Job ID: 570-140734-1

### Laboratory: Eurofins Calscience

#### Narrative

#### Job Narrative 570-140734-1

#### Comments

No additional comments.

#### Receipt

The samples were received on 6/7/2023 9:40 AM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 3.6° C.

#### HPLC/IC

Method 300.0: Due to the high concentration of Sulfate, the matrix spike / matrix spike duplicate (MS/MSD) for analytical batch 570-335786 could not be evaluated for accuracy and precision. The associated laboratory control sample / laboratory control sample duplicate (LCS/LCSD) met acceptance criteria.

Method 300.0: Due to the high concentration of Sulfate, the matrix spike / matrix spike duplicate (MS/MSD) for analytical batch 570-335794 could not be evaluated for accuracy and precision. The associated laboratory control sample / laboratory control sample duplicate (LCS/LCSD) met acceptance criteria.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

#### Metals

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

#### General Chemistry

Method SM 2130B: The following sample was received outside of holding time: CMW-2 (570-140734-9).

Method SM 2130B: The following sample(s) was received with less than 2 days remaining on the holding time or less than one shift (8 hours) remaining on a test with a holding time of 48 hours or less. As such, the laboratory had insufficient time remaining to perform the analysis within holding time: PAT-1 (570-140734-1).

Method SM 4500 H+ B: This analysis is normally performed in the field and has a method-defined holding time of 15 minutes. The following samples has been qualified with the "HF" flag to indicate analysis was performed in the laboratory outside the 15 minute timeframe: PAT-1 (570-140734-1), OW-7u (570-140734-2), OW-7m (570-140734-3), OW-8us (570-140734-4), OW-9u (570-140734-5), OW-10u (570-140734-6), OW-10m (570-140734-7), P-5 (570-140734-8), CMW-2 (570-140734-9) and QCMW (570-140734-10).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

# Detection Summary

Client: TEAM Environmental, Inc.  
Project/Site: CG Roxane

Job ID: 570-140734-1

## **Client Sample ID: PAT-1**

## **Lab Sample ID: 570-140734-1**

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Sulfate	3.5		1.0	mg/L	1	300.0		Total/NA
Calcium	19.8		2.00	mg/L	1	200.7 Rev 4.4		Total Recoverable
Magnesium	1.56		0.500	mg/L	1	200.7 Rev 4.4		Total Recoverable
Sodium	9.06		2.00	mg/L	1	200.7 Rev 4.4		Total Recoverable
Barium	0.00758		0.00100	mg/L	1	200.8		Total Recoverable
Alkalinity, Total (As CaCO <sub>3</sub> )	66.3		5.00	mg/L	1	SM 2320B		Total/NA
Bicarbonate (as CaCO <sub>3</sub> )	66.3		5.00	mg/L	1	SM 2320B		Total/NA
Total Dissolved Solids	106		10.0	mg/L	1	SM 2540C		Total/NA
pH	7.9 HF		0.01	S.U.	1	SM 4500 H+ B		Total/NA
Temperature	22.3 HF		1.0	Deg. C	1	SM 4500 H+ B		Total/NA

## **Client Sample ID: OW-7u**

## **Lab Sample ID: 570-140734-2**

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Chloride	1.6		1.0	mg/L	1	300.0		Total/NA
Sulfate	14		1.0	mg/L	1	300.0		Total/NA
Calcium	19.4		2.00	mg/L	1	200.7 Rev 4.4		Total Recoverable
Magnesium	1.89		0.500	mg/L	1	200.7 Rev 4.4		Total Recoverable
Sodium	16.2		2.00	mg/L	1	200.7 Rev 4.4		Total Recoverable
Arsenic	0.0200		0.00100	mg/L	1	200.8		Total Recoverable
Barium	0.00776		0.00100	mg/L	1	200.8		Total Recoverable
Molybdenum	0.00701		0.00200	mg/L	1	200.8		Total Recoverable
Vanadium	0.00417		0.00200	mg/L	1	200.8		Total Recoverable
Alkalinity, Total (As CaCO <sub>3</sub> )	67.3		5.00	mg/L	1	SM 2320B		Total/NA
Bicarbonate (as CaCO <sub>3</sub> )	67.3		5.00	mg/L	1	SM 2320B		Total/NA
Total Dissolved Solids	167		10.0	mg/L	1	SM 2540C		Total/NA
pH	8.1 HF		0.01	S.U.	1	SM 4500 H+ B		Total/NA
Temperature	22.4 HF		1.0	Deg. C	1	SM 4500 H+ B		Total/NA

## **Client Sample ID: OW-7m**

## **Lab Sample ID: 570-140734-3**

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Chloride	3.0		1.0	mg/L	1	300.0		Total/NA
Sulfate	27		1.0	mg/L	1	300.0		Total/NA
Calcium	22.8		2.00	mg/L	1	200.7 Rev 4.4		Total Recoverable
Magnesium	1.66		0.500	mg/L	1	200.7 Rev 4.4		Total Recoverable
Sodium	19.3		2.00	mg/L	1	200.7 Rev 4.4		Total Recoverable
Arsenic	0.0218		0.00100	mg/L	1	200.8		Total Recoverable
Barium	0.0105		0.00100	mg/L	1	200.8		Total Recoverable

This Detection Summary does not include radiochemical test results.

Eurofins Calscience

# Detection Summary

Client: TEAM Environmental, Inc.  
Project/Site: CG Roxane

Job ID: 570-140734-1

## Client Sample ID: OW-7m (Continued)

## Lab Sample ID: 570-140734-3

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Molybdenum	0.00374		0.00200	mg/L	1		200.8	Total Recoverable
Vanadium	0.00515		0.00200	mg/L	1		200.8	Total Recoverable
Alkalinity, Total (As CaCO <sub>3</sub> )	67.1		5.00	mg/L	1		SM 2320B	Total/NA
Bicarbonate (as CaCO <sub>3</sub> )	67.1		5.00	mg/L	1		SM 2320B	Total/NA
Total Dissolved Solids	171		10.0	mg/L	1		SM 2540C	Total/NA
pH	8.0 HF		0.01	S.U.	1		SM 4500 H+ B	Total/NA
Temperature	22.4 HF		1.0	Deg. C	1		SM 4500 H+ B	Total/NA

## Client Sample ID: OW-8us

## Lab Sample ID: 570-140734-4

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Chloride	3.9		1.0	mg/L	1		300.0	Total/NA
Sulfate	7.8		1.0	mg/L	1		300.0	Total/NA
Calcium	11.8		2.00	mg/L	1		200.7 Rev 4.4	Total Recoverable
Magnesium	2.06		0.500	mg/L	1		200.7 Rev 4.4	Total Recoverable
Sodium	16.0		2.00	mg/L	1		200.7 Rev 4.4	Total Recoverable
Arsenic	0.00474		0.00100	mg/L	1		200.8	Total Recoverable
Barium	0.00184		0.00100	mg/L	1		200.8	Total Recoverable
Molybdenum	0.00244		0.00200	mg/L	1		200.8	Total Recoverable
Alkalinity, Total (As CaCO <sub>3</sub> )	69.1		5.00	mg/L	1		SM 2320B	Total/NA
Bicarbonate (as CaCO <sub>3</sub> )	69.1		5.00	mg/L	1		SM 2320B	Total/NA
Total Dissolved Solids	167		10.0	mg/L	1		SM 2540C	Total/NA
pH	8.2 HF		0.01	S.U.	1		SM 4500 H+ B	Total/NA
Temperature	22.5 HF		1.0	Deg. C	1		SM 4500 H+ B	Total/NA

## Client Sample ID: OW-9u

## Lab Sample ID: 570-140734-5

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Chloride	3.3		1.0	mg/L	1		300.0	Total/NA
Sulfate	9.8		1.0	mg/L	1		300.0	Total/NA
Calcium	10.7		2.00	mg/L	1		200.7 Rev 4.4	Total Recoverable
Magnesium	0.980		0.500	mg/L	1		200.7 Rev 4.4	Total Recoverable
Sodium	16.5		2.00	mg/L	1		200.7 Rev 4.4	Total Recoverable
Barium	0.00165		0.00100	mg/L	1		200.8	Total Recoverable
Molybdenum	0.00490		0.00200	mg/L	1		200.8	Total Recoverable
Alkalinity, Total (As CaCO <sub>3</sub> )	71.3		5.00	mg/L	1		SM 2320B	Total/NA
Bicarbonate (as CaCO <sub>3</sub> )	69.5		5.00	mg/L	1		SM 2320B	Total/NA
Total Dissolved Solids	189		10.0	mg/L	1		SM 2540C	Total/NA
pH	8.4 HF		0.01	S.U.	1		SM 4500 H+ B	Total/NA
Temperature	22.6 HF		1.0	Deg. C	1		SM 4500 H+ B	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Calscience

# Detection Summary

Client: TEAM Environmental, Inc.  
Project/Site: CG Roxane

Job ID: 570-140734-1

## **Client Sample ID: OW-10u**

## **Lab Sample ID: 570-140734-6**

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Sulfate	4.9		1.0	mg/L	1	300.0		Total/NA
Calcium	15.7		2.00	mg/L	1	200.7 Rev 4.4		Total Recoverable
Magnesium	1.93		0.500	mg/L	1	200.7 Rev 4.4		Total Recoverable
Sodium	12.3		2.00	mg/L	1	200.7 Rev 4.4		Total Recoverable
Arsenic	0.00313		0.00100	mg/L	1	200.8		Total Recoverable
Barium	0.0225		0.00100	mg/L	1	200.8		Total Recoverable
Molybdenum	0.00265		0.00200	mg/L	1	200.8		Total Recoverable
Turbidity	0.35		0.05	NTU	1	SM 2130B		Total/NA
Alkalinity, Total (As CaCO <sub>3</sub> )	64.7		5.00	mg/L	1	SM 2320B		Total/NA
Bicarbonate (as CaCO <sub>3</sub> )	64.7		5.00	mg/L	1	SM 2320B		Total/NA
Total Dissolved Solids	141		10.0	mg/L	1	SM 2540C		Total/NA
pH	7.5 HF		0.01	S.U.	1	SM 4500 H+ B		Total/NA
Temperature	22.5 HF		1.0	Deg. C	1	SM 4500 H+ B		Total/NA

## **Client Sample ID: OW-10m**

## **Lab Sample ID: 570-140734-7**

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Chloride	1.6		1.0	mg/L	1	300.0		Total/NA
Sulfate	1.6		1.0	mg/L	1	300.0		Total/NA
Calcium	8.21		2.00	mg/L	1	200.7 Rev 4.4		Total Recoverable
Magnesium	0.890		0.500	mg/L	1	200.7 Rev 4.4		Total Recoverable
Sodium	27.3		2.00	mg/L	1	200.7 Rev 4.4		Total Recoverable
Barium	0.00474		0.00100	mg/L	1	200.8		Total Recoverable
Turbidity	7.9		0.05	NTU	1	SM 2130B		Total/NA
Alkalinity, Total (As CaCO <sub>3</sub> )	101		5.00	mg/L	1	SM 2320B		Total/NA
Bicarbonate (as CaCO <sub>3</sub> )	98.9		5.00	mg/L	1	SM 2320B		Total/NA
Total Dissolved Solids	199		10.0	mg/L	1	SM 2540C		Total/NA
pH	8.3 HF		0.01	S.U.	1	SM 4500 H+ B		Total/NA
Temperature	22.3 HF		1.0	Deg. C	1	SM 4500 H+ B		Total/NA

## **Client Sample ID: P-5**

## **Lab Sample ID: 570-140734-8**

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Sulfate	3.4		1.0	mg/L	1	300.0		Total/NA
Calcium	10.5		2.00	mg/L	1	200.7 Rev 4.4		Total Recoverable
Magnesium	1.36		0.500	mg/L	1	200.7 Rev 4.4		Total Recoverable
Sodium	13.2		2.00	mg/L	1	200.7 Rev 4.4		Total Recoverable
Barium	0.0220		0.00100	mg/L	1	200.8		Total Recoverable
Lead	0.00868		0.00100	mg/L	1	200.8		Total Recoverable
Molybdenum	0.00354		0.00200	mg/L	1	200.8		Total Recoverable

This Detection Summary does not include radiochemical test results.

Eurofins Calscience

# Detection Summary

Client: TEAM Environmental, Inc.  
Project/Site: CG Roxane

Job ID: 570-140734-1

## Client Sample ID: P-5 (Continued)

## Lab Sample ID: 570-140734-8

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Vanadium	0.00217		0.00200	mg/L	1		200.8	Total Recoverable
Zinc	0.497		0.0200	mg/L	1		200.8	Total Recoverable
Turbidity	0.95		0.05	NTU	1		SM 2130B	Total/NA
Alkalinity, Total (As CaCO <sub>3</sub> )	52.6		5.00	mg/L	1		SM 2320B	Total/NA
Bicarbonate (as CaCO <sub>3</sub> )	52.6		5.00	mg/L	1		SM 2320B	Total/NA
Total Dissolved Solids	110		10.0	mg/L	1		SM 2540C	Total/NA
pH	7.3 HF		0.01	S.U.	1		SM 4500 H+ B	Total/NA
Temperature	22.2 HF		1.0	Deg. C	1		SM 4500 H+ B	Total/NA

## Client Sample ID: CMW-2

## Lab Sample ID: 570-140734-9

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Chloride	1.1		1.0	mg/L	1		300.0	Total/NA
Sulfate	7.1		1.0	mg/L	1		300.0	Total/NA
Calcium	24.4		2.00	mg/L	1		200.7 Rev 4.4	Total Recoverable
Magnesium	2.05		0.500	mg/L	1		200.7 Rev 4.4	Total Recoverable
Sodium	11.8		2.00	mg/L	1		200.7 Rev 4.4	Total Recoverable
Arsenic	0.00225		0.00100	mg/L	1		200.8	Total Recoverable
Barium	0.00621		0.00100	mg/L	1		200.8	Total Recoverable
Alkalinity, Total (As CaCO <sub>3</sub> )	81.3		5.00	mg/L	1		SM 2320B	Total/NA
Bicarbonate (as CaCO <sub>3</sub> )	81.3		5.00	mg/L	1		SM 2320B	Total/NA
Total Dissolved Solids	144		10.0	mg/L	1		SM 2540C	Total/NA
pH	8.0 HF		0.01	S.U.	1		SM 4500 H+ B	Total/NA
Temperature	22.1 HF		1.0	Deg. C	1		SM 4500 H+ B	Total/NA

## Client Sample ID: QCMW

## Lab Sample ID: 570-140734-10

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Chloride	1.1		1.0	mg/L	1		300.0	Total/NA
Sulfate	7.2		1.0	mg/L	1		300.0	Total/NA
Calcium	10.5		2.00	mg/L	1		200.7 Rev 4.4	Total Recoverable
Magnesium	1.37		0.500	mg/L	1		200.7 Rev 4.4	Total Recoverable
Sodium	13.1		2.00	mg/L	1		200.7 Rev 4.4	Total Recoverable
Barium	0.0219		0.00100	mg/L	1		200.8	Total Recoverable
Lead	0.00851		0.00100	mg/L	1		200.8	Total Recoverable
Molybdenum	0.00354		0.00200	mg/L	1		200.8	Total Recoverable
Vanadium	0.00211		0.00200	mg/L	1		200.8	Total Recoverable
Zinc	0.504		0.0200	mg/L	1		200.8	Total Recoverable
Turbidity	1.1		0.05	NTU	1		SM 2130B	Total/NA
Alkalinity, Total (As CaCO <sub>3</sub> )	53.6		5.00	mg/L	1		SM 2320B	Total/NA
Bicarbonate (as CaCO <sub>3</sub> )	53.6		5.00	mg/L	1		SM 2320B	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Calscience

## Detection Summary

Client: TEAM Environmental, Inc.

Project/Site: CG Roxane

Job ID: 570-140734-1

### Client Sample ID: QCMW (Continued)

### Lab Sample ID: 570-140734-10

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Total Dissolved Solids	111		10.0	mg/L	1		SM 2540C	Total/NA
pH	7.3	HF	0.01	S.U.	1		SM 4500 H+ B	Total/NA
Temperature	22.2	HF	1.0	Deg. C	1		SM 4500 H+ B	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Calscience

# Client Sample Results

Client: TEAM Environmental, Inc.  
Project/Site: CG Roxane

Job ID: 570-140734-1

## Method: EPA 300.0 - Anions, Ion Chromatography

Client Sample ID: PAT-1 Date Collected: 06/05/23 09:50 Date Received: 06/07/23 09:40							Lab Sample ID: 570-140734-1 Matrix: Water			
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac		
Chloride	ND		1.0	mg/L			06/09/23 13:14	1		
Sulfate	3.5		1.0	mg/L			06/09/23 13:14	1		
Client Sample ID: OW-7u Date Collected: 06/06/23 10:21 Date Received: 06/07/23 09:40							Lab Sample ID: 570-140734-2 Matrix: Water			
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac		
Chloride	1.6		1.0	mg/L			06/09/23 13:31	1		
Sulfate	14		1.0	mg/L			06/09/23 13:31	1		
Client Sample ID: OW-7m Date Collected: 06/06/23 09:45 Date Received: 06/07/23 09:40							Lab Sample ID: 570-140734-3 Matrix: Water			
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac		
Chloride	3.0		1.0	mg/L			06/09/23 13:47	1		
Sulfate	27		1.0	mg/L			06/09/23 13:47	1		
Client Sample ID: OW-8us Date Collected: 06/05/23 10:50 Date Received: 06/07/23 09:40							Lab Sample ID: 570-140734-4 Matrix: Water			
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac		
Chloride	3.9		1.0	mg/L			06/09/23 14:04	1		
Sulfate	7.8		1.0	mg/L			06/09/23 14:04	1		
Client Sample ID: OW-9u Date Collected: 06/05/23 11:55 Date Received: 06/07/23 09:40							Lab Sample ID: 570-140734-5 Matrix: Water			
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac		
Chloride	3.3		1.0	mg/L			06/09/23 14:22	1		
Sulfate	9.8		1.0	mg/L			06/09/23 14:22	1		
Client Sample ID: OW-10u Date Collected: 06/06/23 11:25 Date Received: 06/07/23 09:40							Lab Sample ID: 570-140734-6 Matrix: Water			
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac		
Chloride	ND		1.0	mg/L			06/09/23 14:40	1		
Sulfate	4.9		1.0	mg/L			06/09/23 14:40	1		
Client Sample ID: OW-10m Date Collected: 06/06/23 11:00 Date Received: 06/07/23 09:40							Lab Sample ID: 570-140734-7 Matrix: Water			
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac		
Chloride	1.6		1.0	mg/L			06/09/23 14:58	1		
Sulfate	1.6		1.0	mg/L			06/09/23 14:58	1		
Client Sample ID: P-5 Date Collected: 06/06/23 11:55 Date Received: 06/07/23 09:40							Lab Sample ID: 570-140734-8 Matrix: Water			
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac		
Chloride	ND		1.0	mg/L			06/09/23 15:15	1		
Sulfate	3.4		1.0	mg/L			06/09/23 15:15	1		

Eurofins Calscience

# Client Sample Results

Client: TEAM Environmental, Inc.

Job ID: 570-140734-1

Project/Site: CG Roxane

## Method: EPA 300.0 - Anions, Ion Chromatography

**Client Sample ID: CMW-2**

**Date Collected: 06/05/23 09:32**

**Date Received: 06/07/23 09:40**

**Lab Sample ID: 570-140734-9**

**Matrix: Water**

Analyte

Result Qualifier

RL

Unit

D

Prepared

Analyzed

Dil Fac

Chloride

1.1

1.0

mg/L

06/09/23 15:33

1

Sulfate

7.1

1.0

mg/L

06/09/23 15:33

1

**Client Sample ID: QCMW**

**Date Collected: 06/06/23 00:00**

**Date Received: 06/07/23 09:40**

**Lab Sample ID: 570-140734-10**

**Matrix: Water**

Analyte

Result Qualifier

RL

Unit

D

Prepared

Analyzed

Dil Fac

Chloride

1.1

1.0

mg/L

06/09/23 15:51

1

Sulfate

7.2

1.0

mg/L

06/09/23 15:51

1

# Client Sample Results

Client: TEAM Environmental, Inc.

Job ID: 570-140734-1

Project/Site: CG Roxane

## Method: EPA 200.7 Rev 4.4 - Metals (ICP) - Total Recoverable

**Client Sample ID: PAT-1**

**Date Collected: 06/05/23 09:50**

**Date Received: 06/07/23 09:40**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Calcium	19.8		2.00	mg/L		06/08/23 07:12	06/09/23 13:13	1
Magnesium	1.56		0.500	mg/L		06/08/23 07:12	06/09/23 13:13	1
Sodium	9.06		2.00	mg/L		06/08/23 07:12	06/09/23 13:13	1

**Client Sample ID: OW-7u**

**Date Collected: 06/06/23 10:21**

**Date Received: 06/07/23 09:40**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Calcium	19.4		2.00	mg/L		06/08/23 07:12	06/09/23 13:11	1
Magnesium	1.89		0.500	mg/L		06/08/23 07:12	06/09/23 13:11	1
Sodium	16.2		2.00	mg/L		06/08/23 07:12	06/09/23 13:11	1

**Client Sample ID: OW-7m**

**Date Collected: 06/06/23 09:45**

**Date Received: 06/07/23 09:40**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Calcium	22.8		2.00	mg/L		06/08/23 07:12	06/09/23 13:08	1
Magnesium	1.66		0.500	mg/L		06/08/23 07:12	06/09/23 13:08	1
Sodium	19.3		2.00	mg/L		06/08/23 07:12	06/09/23 13:08	1

**Client Sample ID: OW-8us**

**Date Collected: 06/05/23 10:50**

**Date Received: 06/07/23 09:40**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Calcium	11.8		2.00	mg/L		06/08/23 08:01	06/08/23 14:53	1
Magnesium	2.06		0.500	mg/L		06/08/23 08:01	06/08/23 14:53	1
Sodium	16.0		2.00	mg/L		06/08/23 08:01	06/08/23 14:53	1

**Client Sample ID: OW-9u**

**Date Collected: 06/05/23 11:55**

**Date Received: 06/07/23 09:40**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Calcium	10.7		2.00	mg/L		06/08/23 08:01	06/08/23 15:00	1
Magnesium	0.980		0.500	mg/L		06/08/23 08:01	06/08/23 15:00	1
Sodium	16.5		2.00	mg/L		06/08/23 08:01	06/08/23 15:00	1

**Client Sample ID: OW-10u**

**Date Collected: 06/06/23 11:25**

**Date Received: 06/07/23 09:40**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Calcium	15.7		2.00	mg/L		06/08/23 08:01	06/08/23 15:03	1
Magnesium	1.93		0.500	mg/L		06/08/23 08:01	06/08/23 15:03	1
Sodium	12.3		2.00	mg/L		06/08/23 08:01	06/08/23 15:03	1

**Client Sample ID: OW-10m**

**Date Collected: 06/06/23 11:00**

**Date Received: 06/07/23 09:40**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Calcium	8.21		2.00	mg/L		06/08/23 08:01	06/08/23 15:05	1
Magnesium	0.890		0.500	mg/L		06/08/23 08:01	06/08/23 15:05	1
Sodium	27.3		2.00	mg/L		06/08/23 08:01	06/08/23 15:05	1

**Lab Sample ID: 570-140734-1**  
**Matrix: Water**

**Lab Sample ID: 570-140734-2**  
**Matrix: Water**

**Lab Sample ID: 570-140734-3**  
**Matrix: Water**

**Lab Sample ID: 570-140734-4**  
**Matrix: Water**

**Lab Sample ID: 570-140734-5**  
**Matrix: Water**

**Lab Sample ID: 570-140734-6**  
**Matrix: Water**

**Lab Sample ID: 570-140734-7**  
**Matrix: Water**

Eurofins Calscience

# Client Sample Results

Client: TEAM Environmental, Inc.

Job ID: 570-140734-1

Project/Site: CG Roxane

## Method: EPA 200.7 Rev 4.4 - Metals (ICP) - Total Recoverable

**Client Sample ID: P-5**

**Date Collected: 06/06/23 11:55**

**Date Received: 06/07/23 09:40**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Calcium	10.5		2.00	mg/L		06/08/23 08:01	06/08/23 15:08	1
Magnesium	1.36		0.500	mg/L		06/08/23 08:01	06/08/23 15:08	1
Sodium	13.2		2.00	mg/L		06/08/23 08:01	06/08/23 15:08	1

**Client Sample ID: CMW-2**

**Date Collected: 06/05/23 09:32**

**Date Received: 06/07/23 09:40**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Calcium	24.4		2.00	mg/L		06/08/23 08:01	06/08/23 15:35	1
Magnesium	2.05		0.500	mg/L		06/08/23 08:01	06/08/23 15:35	1
Sodium	11.8		2.00	mg/L		06/08/23 08:01	06/08/23 15:35	1

**Client Sample ID: QCMW**

**Date Collected: 06/06/23 00:00**

**Date Received: 06/07/23 09:40**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Calcium	10.5		2.00	mg/L		06/08/23 08:01	06/08/23 15:37	1
Magnesium	1.37		0.500	mg/L		06/08/23 08:01	06/08/23 15:37	1
Sodium	13.1		2.00	mg/L		06/08/23 08:01	06/08/23 15:37	1

**Lab Sample ID: 570-140734-8**

**Matrix: Water**

**Lab Sample ID: 570-140734-9**

**Matrix: Water**

**Lab Sample ID: 570-140734-10**

**Matrix: Water**

# Client Sample Results

Client: TEAM Environmental, Inc.  
Project/Site: CG Roxane

Job ID: 570-140734-1

## Method: EPA 200.8 - Metals (ICP/MS) - Total Recoverable

**Client Sample ID: PAT-1**

**Date Collected: 06/05/23 09:50**

**Date Received: 06/07/23 09:40**

**Lab Sample ID: 570-140734-1**

**Matrix: Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	ND		0.00200	mg/L	06/08/23 08:12	06/08/23 11:27		1
Arsenic	ND		0.00100	mg/L	06/08/23 08:12	06/08/23 11:27		1
<b>Barium</b>	<b>0.00758</b>		0.00100	mg/L	06/08/23 08:12	06/08/23 11:27		1
Beryllium	ND		0.000500	mg/L	06/08/23 08:12	06/08/23 11:27		1
Cadmium	ND		0.00100	mg/L	06/08/23 08:12	06/08/23 11:27		1
Chromium	ND		0.00200	mg/L	06/08/23 08:12	06/08/23 11:27		1
Cobalt	ND		0.00100	mg/L	06/08/23 08:12	06/08/23 11:27		1
Copper	ND		0.00200	mg/L	06/08/23 08:12	06/08/23 11:27		1
Lead	ND		0.00100	mg/L	06/08/23 08:12	06/08/23 11:27		1
Molybdenum	ND		0.00200	mg/L	06/08/23 08:12	06/08/23 11:27		1
Nickel	ND		0.00200	mg/L	06/08/23 08:12	06/08/23 11:27		1
Selenium	ND		0.00200	mg/L	06/08/23 08:12	06/08/23 11:27		1
Silver	ND		0.00100	mg/L	06/08/23 08:12	06/08/23 11:27		1
Thallium	ND		0.00100	mg/L	06/08/23 08:12	06/08/23 11:27		1
Vanadium	ND		0.00200	mg/L	06/08/23 08:12	06/08/23 11:27		1
Zinc	ND		0.0200	mg/L	06/08/23 08:12	06/08/23 11:27		1

**Client Sample ID: OW-7u**

**Date Collected: 06/06/23 10:21**

**Date Received: 06/07/23 09:40**

**Lab Sample ID: 570-140734-2**

**Matrix: Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	ND		0.00200	mg/L	06/08/23 08:12	06/08/23 11:33		1
<b>Arsenic</b>	<b>0.0200</b>		0.00100	mg/L	06/08/23 08:12	06/08/23 11:33		1
<b>Barium</b>	<b>0.00776</b>		0.00100	mg/L	06/08/23 08:12	06/08/23 11:33		1
Beryllium	ND		0.000500	mg/L	06/08/23 08:12	06/08/23 11:33		1
Cadmium	ND		0.00100	mg/L	06/08/23 08:12	06/08/23 11:33		1
Chromium	ND		0.00200	mg/L	06/08/23 08:12	06/08/23 11:33		1
Cobalt	ND		0.00100	mg/L	06/08/23 08:12	06/08/23 11:33		1
Copper	ND		0.00200	mg/L	06/08/23 08:12	06/08/23 11:33		1
Lead	ND		0.00100	mg/L	06/08/23 08:12	06/08/23 11:33		1
<b>Molybdenum</b>	<b>0.00701</b>		0.00200	mg/L	06/08/23 08:12	06/08/23 11:33		1
Nickel	ND		0.00200	mg/L	06/08/23 08:12	06/08/23 11:33		1
Selenium	ND		0.00200	mg/L	06/08/23 08:12	06/08/23 11:33		1
Silver	ND		0.00100	mg/L	06/08/23 08:12	06/08/23 11:33		1
Thallium	ND		0.00100	mg/L	06/08/23 08:12	06/08/23 11:33		1
<b>Vanadium</b>	<b>0.00417</b>		0.00200	mg/L	06/08/23 08:12	06/08/23 11:33		1
Zinc	ND		0.0200	mg/L	06/08/23 08:12	06/08/23 11:33		1

**Client Sample ID: OW-7m**

**Date Collected: 06/06/23 09:45**

**Date Received: 06/07/23 09:40**

**Lab Sample ID: 570-140734-3**

**Matrix: Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	ND		0.00200	mg/L	06/08/23 08:12	06/08/23 11:35		1
<b>Arsenic</b>	<b>0.0218</b>		0.00100	mg/L	06/08/23 08:12	06/08/23 11:35		1
<b>Barium</b>	<b>0.0105</b>		0.00100	mg/L	06/08/23 08:12	06/08/23 11:35		1
Beryllium	ND		0.000500	mg/L	06/08/23 08:12	06/08/23 11:35		1
Cadmium	ND		0.00100	mg/L	06/08/23 08:12	06/08/23 11:35		1
Chromium	ND		0.00200	mg/L	06/08/23 08:12	06/08/23 11:35		1
Cobalt	ND		0.00100	mg/L	06/08/23 08:12	06/08/23 11:35		1
Copper	ND		0.00200	mg/L	06/08/23 08:12	06/08/23 11:35		1

Eurofins Calscience

# Client Sample Results

Client: TEAM Environmental, Inc.  
Project/Site: CG Roxane

Job ID: 570-140734-1

## Method: EPA 200.8 - Metals (ICP/MS) - Total Recoverable (Continued)

**Client Sample ID: OW-7m**

**Date Collected: 06/06/23 09:45**

**Date Received: 06/07/23 09:40**

**Lab Sample ID: 570-140734-3**

**Matrix: Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	ND		0.00100	mg/L	06/08/23 08:12	06/08/23 11:35		1
<b>Molybdenum</b>	<b>0.00374</b>		0.00200	mg/L	06/08/23 08:12	06/08/23 11:35		1
Nickel	ND		0.00200	mg/L	06/08/23 08:12	06/08/23 11:35		1
Selenium	ND		0.00200	mg/L	06/08/23 08:12	06/08/23 11:35		1
Silver	ND		0.00100	mg/L	06/08/23 08:12	06/08/23 11:35		1
Thallium	ND		0.00100	mg/L	06/08/23 08:12	06/08/23 11:35		1
<b>Vanadium</b>	<b>0.00515</b>		0.00200	mg/L	06/08/23 08:12	06/08/23 11:35		1
Zinc	ND		0.0200	mg/L	06/08/23 08:12	06/08/23 11:35		1

**Client Sample ID: OW-8us**

**Date Collected: 06/05/23 10:50**

**Date Received: 06/07/23 09:40**

**Lab Sample ID: 570-140734-4**

**Matrix: Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	ND		0.00200	mg/L	06/08/23 08:12	06/08/23 11:57		1
<b>Arsenic</b>	<b>0.00474</b>		0.00100	mg/L	06/08/23 08:12	06/08/23 11:57		1
<b>Barium</b>	<b>0.00184</b>		0.00100	mg/L	06/08/23 08:12	06/08/23 11:57		1
Beryllium	ND		0.000500	mg/L	06/08/23 08:12	06/08/23 11:57		1
Cadmium	ND		0.00100	mg/L	06/08/23 08:12	06/08/23 11:57		1
Chromium	ND		0.00200	mg/L	06/08/23 08:12	06/08/23 11:57		1
Cobalt	ND		0.00100	mg/L	06/08/23 08:12	06/08/23 11:57		1
Copper	ND		0.00200	mg/L	06/08/23 08:12	06/08/23 11:57		1
Lead	ND		0.00100	mg/L	06/08/23 08:12	06/08/23 11:57		1
<b>Molybdenum</b>	<b>0.00244</b>		0.00200	mg/L	06/08/23 08:12	06/08/23 11:57		1
Nickel	ND		0.00200	mg/L	06/08/23 08:12	06/08/23 11:57		1
Selenium	ND		0.00200	mg/L	06/08/23 08:12	06/08/23 11:57		1
Silver	ND		0.00100	mg/L	06/08/23 08:12	06/08/23 11:57		1
Thallium	ND		0.00100	mg/L	06/08/23 08:12	06/08/23 11:57		1
Vanadium	ND		0.00200	mg/L	06/08/23 08:12	06/08/23 11:57		1
Zinc	ND		0.0200	mg/L	06/08/23 08:12	06/08/23 11:57		1

**Client Sample ID: OW-9u**

**Date Collected: 06/05/23 11:55**

**Date Received: 06/07/23 09:40**

**Lab Sample ID: 570-140734-5**

**Matrix: Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	ND		0.00200	mg/L	06/08/23 08:12	06/08/23 12:00		1
Arsenic	ND		0.00100	mg/L	06/08/23 08:12	06/08/23 12:00		1
<b>Barium</b>	<b>0.00165</b>		0.00100	mg/L	06/08/23 08:12	06/08/23 12:00		1
Beryllium	ND		0.000500	mg/L	06/08/23 08:12	06/08/23 12:00		1
Cadmium	ND		0.00100	mg/L	06/08/23 08:12	06/08/23 12:00		1
Chromium	ND		0.00200	mg/L	06/08/23 08:12	06/08/23 12:00		1
Cobalt	ND		0.00100	mg/L	06/08/23 08:12	06/08/23 12:00		1
Copper	ND		0.00200	mg/L	06/08/23 08:12	06/08/23 12:00		1
Lead	ND		0.00100	mg/L	06/08/23 08:12	06/08/23 12:00		1
<b>Molybdenum</b>	<b>0.00490</b>		0.00200	mg/L	06/08/23 08:12	06/08/23 12:00		1
Nickel	ND		0.00200	mg/L	06/08/23 08:12	06/08/23 12:00		1
Selenium	ND		0.00200	mg/L	06/08/23 08:12	06/08/23 12:00		1
Silver	ND		0.00100	mg/L	06/08/23 08:12	06/08/23 12:00		1
Thallium	ND		0.00100	mg/L	06/08/23 08:12	06/08/23 12:00		1
Vanadium	ND		0.00200	mg/L	06/08/23 08:12	06/08/23 12:00		1
Zinc	ND		0.0200	mg/L	06/08/23 08:12	06/08/23 12:00		1

Eurofins Calscience

# Client Sample Results

Client: TEAM Environmental, Inc.

Project/Site: CG Roxane

Job ID: 570-140734-1

## Method: EPA 200.8 - Metals (ICP/MS) - Total Recoverable

**Client Sample ID: OW-10u**

**Date Collected: 06/06/23 11:25**

**Date Received: 06/07/23 09:40**

**Lab Sample ID: 570-140734-6**

**Matrix: Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	ND		0.00200	mg/L	06/08/23 08:12	06/08/23 12:02		1
Arsenic	<b>0.00313</b>		0.00100	mg/L	06/08/23 08:12	06/08/23 12:02		1
Barium	<b>0.0225</b>		0.00100	mg/L	06/08/23 08:12	06/08/23 12:02		1
Beryllium	ND		0.000500	mg/L	06/08/23 08:12	06/08/23 12:02		1
Cadmium	ND		0.00100	mg/L	06/08/23 08:12	06/08/23 12:02		1
Chromium	ND		0.00200	mg/L	06/08/23 08:12	06/08/23 12:02		1
Cobalt	ND		0.00100	mg/L	06/08/23 08:12	06/08/23 12:02		1
Copper	ND		0.00200	mg/L	06/08/23 08:12	06/08/23 12:02		1
Lead	ND		0.00100	mg/L	06/08/23 08:12	06/08/23 12:02		1
Molybdenum	<b>0.00265</b>		0.00200	mg/L	06/08/23 08:12	06/08/23 12:02		1
Nickel	ND		0.00200	mg/L	06/08/23 08:12	06/08/23 12:02		1
Selenium	ND		0.00200	mg/L	06/08/23 08:12	06/08/23 12:02		1
Silver	ND		0.00100	mg/L	06/08/23 08:12	06/08/23 12:02		1
Thallium	ND		0.00100	mg/L	06/08/23 08:12	06/08/23 12:02		1
Vanadium	ND		0.00200	mg/L	06/08/23 08:12	06/08/23 12:02		1
Zinc	ND		0.0200	mg/L	06/08/23 08:12	06/08/23 12:02		1

**Client Sample ID: OW-10m**

**Date Collected: 06/06/23 11:00**

**Date Received: 06/07/23 09:40**

**Lab Sample ID: 570-140734-7**

**Matrix: Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	ND		0.00200	mg/L	06/08/23 08:12	06/08/23 12:04		1
Arsenic	ND		0.00100	mg/L	06/08/23 08:12	06/08/23 12:04		1
Barium	<b>0.00474</b>		0.00100	mg/L	06/08/23 08:12	06/08/23 12:04		1
Beryllium	ND		0.000500	mg/L	06/08/23 08:12	06/08/23 12:04		1
Cadmium	ND		0.00100	mg/L	06/08/23 08:12	06/08/23 12:04		1
Chromium	ND		0.00200	mg/L	06/08/23 08:12	06/08/23 12:04		1
Cobalt	ND		0.00100	mg/L	06/08/23 08:12	06/08/23 12:04		1
Copper	ND		0.00200	mg/L	06/08/23 08:12	06/08/23 12:04		1
Lead	ND		0.00100	mg/L	06/08/23 08:12	06/08/23 12:04		1
Molybdenum	ND		0.00200	mg/L	06/08/23 08:12	06/08/23 12:04		1
Nickel	ND		0.00200	mg/L	06/08/23 08:12	06/08/23 12:04		1
Selenium	ND		0.00200	mg/L	06/08/23 08:12	06/08/23 12:04		1
Silver	ND		0.00100	mg/L	06/08/23 08:12	06/08/23 12:04		1
Thallium	ND		0.00100	mg/L	06/08/23 08:12	06/08/23 12:04		1
Vanadium	ND		0.00200	mg/L	06/08/23 08:12	06/08/23 12:04		1
Zinc	ND		0.0200	mg/L	06/08/23 08:12	06/08/23 12:04		1

**Client Sample ID: P-5**

**Date Collected: 06/06/23 11:55**

**Date Received: 06/07/23 09:40**

**Lab Sample ID: 570-140734-8**

**Matrix: Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	ND		0.00200	mg/L	06/08/23 08:12	06/08/23 12:06		1
Arsenic	ND		0.00100	mg/L	06/08/23 08:12	06/08/23 12:06		1
Barium	<b>0.0220</b>		0.00100	mg/L	06/08/23 08:12	06/08/23 12:06		1
Beryllium	ND		0.000500	mg/L	06/08/23 08:12	06/08/23 12:06		1
Cadmium	ND		0.00100	mg/L	06/08/23 08:12	06/08/23 12:06		1
Chromium	ND		0.00200	mg/L	06/08/23 08:12	06/08/23 12:06		1
Cobalt	ND		0.00100	mg/L	06/08/23 08:12	06/08/23 12:06		1
Copper	ND		0.00200	mg/L	06/08/23 08:12	06/08/23 12:06		1

Eurofins Calscience

# Client Sample Results

Client: TEAM Environmental, Inc.  
Project/Site: CG Roxane

Job ID: 570-140734-1

## Method: EPA 200.8 - Metals (ICP/MS) - Total Recoverable (Continued)

**Client Sample ID: P-5**

**Date Collected: 06/06/23 11:55**

**Date Received: 06/07/23 09:40**

**Lab Sample ID: 570-140734-8**

**Matrix: Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	0.00868		0.00100	mg/L	06/08/23 08:12	06/08/23 12:06		1
Molybdenum	0.00354		0.00200	mg/L	06/08/23 08:12	06/08/23 12:06		1
Nickel	ND		0.00200	mg/L	06/08/23 08:12	06/08/23 12:06		1
Selenium	ND		0.00200	mg/L	06/08/23 08:12	06/08/23 12:06		1
Silver	ND		0.00100	mg/L	06/08/23 08:12	06/08/23 12:06		1
Thallium	ND		0.00100	mg/L	06/08/23 08:12	06/08/23 12:06		1
Vanadium	0.00217		0.00200	mg/L	06/08/23 08:12	06/08/23 12:06		1
Zinc	0.497		0.0200	mg/L	06/08/23 08:12	06/08/23 12:06		1

**Client Sample ID: CMW-2**

**Date Collected: 06/05/23 09:32**

**Date Received: 06/07/23 09:40**

**Lab Sample ID: 570-140734-9**

**Matrix: Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	ND		0.00200	mg/L	06/08/23 08:12	06/08/23 12:08		1
Arsenic	0.00225		0.00100	mg/L	06/08/23 08:12	06/08/23 12:08		1
Barium	0.00621		0.00100	mg/L	06/08/23 08:12	06/08/23 12:08		1
Beryllium	ND		0.000500	mg/L	06/08/23 08:12	06/08/23 12:08		1
Cadmium	ND		0.00100	mg/L	06/08/23 08:12	06/08/23 12:08		1
Chromium	ND		0.00200	mg/L	06/08/23 08:12	06/08/23 12:08		1
Cobalt	ND		0.00100	mg/L	06/08/23 08:12	06/08/23 12:08		1
Copper	ND		0.00200	mg/L	06/08/23 08:12	06/08/23 12:08		1
Lead	ND		0.00100	mg/L	06/08/23 08:12	06/08/23 12:08		1
Molybdenum	ND		0.00200	mg/L	06/08/23 08:12	06/08/23 12:08		1
Nickel	ND		0.00200	mg/L	06/08/23 08:12	06/08/23 12:08		1
Selenium	ND		0.00200	mg/L	06/08/23 08:12	06/08/23 12:08		1
Silver	ND		0.00100	mg/L	06/08/23 08:12	06/08/23 12:08		1
Thallium	ND		0.00100	mg/L	06/08/23 08:12	06/08/23 12:08		1
Vanadium	ND		0.00200	mg/L	06/08/23 08:12	06/08/23 12:08		1
Zinc	ND		0.0200	mg/L	06/08/23 08:12	06/08/23 12:08		1

**Client Sample ID: QCMW**

**Date Collected: 06/06/23 00:00**

**Date Received: 06/07/23 09:40**

**Lab Sample ID: 570-140734-10**

**Matrix: Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	ND		0.00200	mg/L	06/08/23 08:12	06/08/23 11:51		1
Arsenic	ND		0.00100	mg/L	06/08/23 08:12	06/08/23 11:51		1
Barium	0.0219		0.00100	mg/L	06/08/23 08:12	06/08/23 11:51		1
Beryllium	ND		0.000500	mg/L	06/08/23 08:12	06/08/23 11:51		1
Cadmium	ND		0.00100	mg/L	06/08/23 08:12	06/08/23 11:51		1
Chromium	ND		0.00200	mg/L	06/08/23 08:12	06/08/23 11:51		1
Cobalt	ND		0.00100	mg/L	06/08/23 08:12	06/08/23 11:51		1
Copper	ND		0.00200	mg/L	06/08/23 08:12	06/08/23 11:51		1
Lead	0.00851		0.00100	mg/L	06/08/23 08:12	06/08/23 11:51		1
Molybdenum	0.00354		0.00200	mg/L	06/08/23 08:12	06/08/23 11:51		1
Nickel	ND		0.00200	mg/L	06/08/23 08:12	06/08/23 11:51		1
Selenium	ND		0.00200	mg/L	06/08/23 08:12	06/08/23 11:51		1
Silver	ND		0.00100	mg/L	06/08/23 08:12	06/08/23 11:51		1
Thallium	ND		0.00100	mg/L	06/08/23 08:12	06/08/23 11:51		1
Vanadium	0.00211		0.00200	mg/L	06/08/23 08:12	06/08/23 11:51		1
Zinc	0.504		0.0200	mg/L	06/08/23 08:12	06/08/23 11:51		1

Eurofins Calscience

# Client Sample Results

Client: TEAM Environmental, Inc.  
Project/Site: CG Roxane

Job ID: 570-140734-1

## Method: EPA 245.1 - Mercury (CVAA)

<b>Client Sample ID: PAT-1</b> <b>Date Collected: 06/05/23 09:50</b> <b>Date Received: 06/07/23 09:40</b>						<b>Lab Sample ID: 570-140734-1</b> <b>Matrix: Water</b>			
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Mercury	ND		0.000200	mg/L		06/08/23 17:43	06/09/23 14:33	1	
<b>Client Sample ID: OW-7u</b> <b>Date Collected: 06/06/23 10:21</b> <b>Date Received: 06/07/23 09:40</b>						<b>Lab Sample ID: 570-140734-2</b> <b>Matrix: Water</b>			
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Mercury	ND		0.000200	mg/L		06/08/23 17:43	06/09/23 14:34	1	
<b>Client Sample ID: OW-7m</b> <b>Date Collected: 06/06/23 09:45</b> <b>Date Received: 06/07/23 09:40</b>						<b>Lab Sample ID: 570-140734-3</b> <b>Matrix: Water</b>			
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Mercury	ND		0.000200	mg/L		06/08/23 17:43	06/09/23 14:36	1	
<b>Client Sample ID: OW-8us</b> <b>Date Collected: 06/05/23 10:50</b> <b>Date Received: 06/07/23 09:40</b>						<b>Lab Sample ID: 570-140734-4</b> <b>Matrix: Water</b>			
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Mercury	ND		0.000200	mg/L		06/08/23 17:43	06/09/23 14:42	1	
<b>Client Sample ID: OW-9u</b> <b>Date Collected: 06/05/23 11:55</b> <b>Date Received: 06/07/23 09:40</b>						<b>Lab Sample ID: 570-140734-5</b> <b>Matrix: Water</b>			
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Mercury	ND		0.000200	mg/L		06/08/23 17:43	06/09/23 14:44	1	
<b>Client Sample ID: OW-10u</b> <b>Date Collected: 06/06/23 11:25</b> <b>Date Received: 06/07/23 09:40</b>						<b>Lab Sample ID: 570-140734-6</b> <b>Matrix: Water</b>			
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Mercury	ND		0.000200	mg/L		06/08/23 17:43	06/09/23 14:46	1	
<b>Client Sample ID: OW-10m</b> <b>Date Collected: 06/06/23 11:00</b> <b>Date Received: 06/07/23 09:40</b>						<b>Lab Sample ID: 570-140734-7</b> <b>Matrix: Water</b>			
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Mercury	ND		0.000200	mg/L		06/08/23 17:43	06/09/23 14:48	1	
<b>Client Sample ID: P-5</b> <b>Date Collected: 06/06/23 11:55</b> <b>Date Received: 06/07/23 09:40</b>						<b>Lab Sample ID: 570-140734-8</b> <b>Matrix: Water</b>			
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Mercury	ND		0.000200	mg/L		06/08/23 17:43	06/09/23 14:50	1	
<b>Client Sample ID: CMW-2</b> <b>Date Collected: 06/05/23 09:32</b> <b>Date Received: 06/07/23 09:40</b>						<b>Lab Sample ID: 570-140734-9</b> <b>Matrix: Water</b>			
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Mercury	ND		0.000200	mg/L		06/08/23 17:43	06/09/23 14:52	1	

# Client Sample Results

Client: TEAM Environmental, Inc.

Job ID: 570-140734-1

Project/Site: CG Roxane

## Method: EPA 245.1 - Mercury (CVAA)

Client Sample ID: QCMW

Lab Sample ID: 570-140734-10

Date Collected: 06/06/23 00:00

Matrix: Water

Date Received: 06/07/23 09:40

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.000200	mg/L		06/08/23 17:43	06/09/23 14:54	1

# Client Sample Results

Client: TEAM Environmental, Inc.  
Project/Site: CG Roxane

Job ID: 570-140734-1

## General Chemistry

**Client Sample ID: PAT-1**

**Date Collected: 06/05/23 09:50**  
**Date Received: 06/07/23 09:40**

**Lab Sample ID: 570-140734-1**  
**Matrix: Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Turbidity (SM 2130B)	ND	H	0.05	NTU			06/07/23 10:17	1
Alkalinity, Total (As CaCO <sub>3</sub> ) (SM 2320B)	66.3		5.00	mg/L			06/08/23 13:49	1
Bicarbonate (as CaCO <sub>3</sub> ) (SM 2320B)	66.3		5.00	mg/L			06/08/23 13:49	1
Total Dissolved Solids (SM 2540C)	106		10.0	mg/L			06/08/23 20:35	1
pH (SM 4500 H+ B)	7.9	HF	0.01	S.U.			06/08/23 13:49	1
Temperature (SM 4500 H+ B)	22.3	HF	1.0	Deg. C			06/08/23 13:49	1

**Client Sample ID: OW-7u**

**Date Collected: 06/06/23 10:21**  
**Date Received: 06/07/23 09:40**

**Lab Sample ID: 570-140734-2**  
**Matrix: Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Turbidity (SM 2130B)	ND		0.05	NTU			06/07/23 17:35	1
Alkalinity, Total (As CaCO <sub>3</sub> ) (SM 2320B)	67.3		5.00	mg/L			06/08/23 14:01	1
Bicarbonate (as CaCO <sub>3</sub> ) (SM 2320B)	67.3		5.00	mg/L			06/08/23 14:01	1
Total Dissolved Solids (SM 2540C)	167		10.0	mg/L			06/08/23 20:35	1
pH (SM 4500 H+ B)	8.1	HF	0.01	S.U.			06/08/23 14:01	1
Temperature (SM 4500 H+ B)	22.4	HF	1.0	Deg. C			06/08/23 14:01	1

**Client Sample ID: OW-7m**

**Date Collected: 06/06/23 09:45**  
**Date Received: 06/07/23 09:40**

**Lab Sample ID: 570-140734-3**  
**Matrix: Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Turbidity (SM 2130B)	ND		0.05	NTU			06/07/23 17:37	1
Alkalinity, Total (As CaCO <sub>3</sub> ) (SM 2320B)	67.1		5.00	mg/L			06/08/23 14:08	1
Bicarbonate (as CaCO <sub>3</sub> ) (SM 2320B)	67.1		5.00	mg/L			06/08/23 14:08	1
Total Dissolved Solids (SM 2540C)	171		10.0	mg/L			06/08/23 20:35	1
pH (SM 4500 H+ B)	8.0	HF	0.01	S.U.			06/08/23 14:08	1
Temperature (SM 4500 H+ B)	22.4	HF	1.0	Deg. C			06/08/23 14:08	1

**Client Sample ID: OW-8us**

**Date Collected: 06/05/23 10:50**  
**Date Received: 06/07/23 09:40**

**Lab Sample ID: 570-140734-4**  
**Matrix: Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Turbidity (SM 2130B)	ND		0.05	NTU			06/07/23 10:09	1
Alkalinity, Total (As CaCO <sub>3</sub> ) (SM 2320B)	69.1		5.00	mg/L			06/08/23 14:14	1
Bicarbonate (as CaCO <sub>3</sub> ) (SM 2320B)	69.1		5.00	mg/L			06/08/23 14:14	1
Total Dissolved Solids (SM 2540C)	167		10.0	mg/L			06/08/23 20:35	1
pH (SM 4500 H+ B)	8.2	HF	0.01	S.U.			06/08/23 14:14	1
Temperature (SM 4500 H+ B)	22.5	HF	1.0	Deg. C			06/08/23 14:14	1

# Client Sample Results

Client: TEAM Environmental, Inc.  
Project/Site: CG Roxane

Job ID: 570-140734-1

## General Chemistry

**Client Sample ID: OW-9u**

**Date Collected: 06/05/23 11:55**

**Date Received: 06/07/23 09:40**

**Lab Sample ID: 570-140734-5**

**Matrix: Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Turbidity (SM 2130B)	ND		0.05	NTU			06/07/23 10:14	1
Alkalinity, Total (As CaCO <sub>3</sub> ) (SM 2320B)	71.3		5.00	mg/L			06/08/23 14:21	1
Bicarbonate (as CaCO <sub>3</sub> ) (SM 2320B)	69.5		5.00	mg/L			06/08/23 14:21	1
Total Dissolved Solids (SM 2540C)	189		10.0	mg/L			06/08/23 20:35	1
pH (SM 4500 H+ B)	8.4 HF		0.01	S.U.			06/08/23 14:21	1
Temperature (SM 4500 H+ B)	22.6 HF		1.0	Deg. C			06/08/23 14:21	1

**Client Sample ID: OW-10u**

**Date Collected: 06/06/23 11:25**

**Date Received: 06/07/23 09:40**

**Lab Sample ID: 570-140734-6**

**Matrix: Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Turbidity (SM 2130B)	0.35		0.05	NTU			06/07/23 17:42	1
Alkalinity, Total (As CaCO <sub>3</sub> ) (SM 2320B)	64.7		5.00	mg/L			06/08/23 14:27	1
Bicarbonate (as CaCO <sub>3</sub> ) (SM 2320B)	64.7		5.00	mg/L			06/08/23 14:27	1
Total Dissolved Solids (SM 2540C)	141		10.0	mg/L			06/08/23 20:35	1
pH (SM 4500 H+ B)	7.5 HF		0.01	S.U.			06/08/23 14:27	1
Temperature (SM 4500 H+ B)	22.5 HF		1.0	Deg. C			06/08/23 14:27	1

**Client Sample ID: OW-10m**

**Date Collected: 06/06/23 11:00**

**Date Received: 06/07/23 09:40**

**Lab Sample ID: 570-140734-7**

**Matrix: Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Turbidity (SM 2130B)	7.9		0.05	NTU			06/07/23 17:46	1
Alkalinity, Total (As CaCO <sub>3</sub> ) (SM 2320B)	101		5.00	mg/L			06/08/23 14:34	1
Bicarbonate (as CaCO <sub>3</sub> ) (SM 2320B)	98.9		5.00	mg/L			06/08/23 14:34	1
Total Dissolved Solids (SM 2540C)	199		10.0	mg/L			06/08/23 20:35	1
pH (SM 4500 H+ B)	8.3 HF		0.01	S.U.			06/08/23 14:34	1
Temperature (SM 4500 H+ B)	22.3 HF		1.0	Deg. C			06/08/23 14:34	1

**Client Sample ID: P-5**

**Date Collected: 06/06/23 11:55**

**Date Received: 06/07/23 09:40**

**Lab Sample ID: 570-140734-8**

**Matrix: Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Turbidity (SM 2130B)	0.95		0.05	NTU			06/07/23 17:50	1
Alkalinity, Total (As CaCO <sub>3</sub> ) (SM 2320B)	52.6		5.00	mg/L			06/08/23 14:40	1
Bicarbonate (as CaCO <sub>3</sub> ) (SM 2320B)	52.6		5.00	mg/L			06/08/23 14:40	1
Total Dissolved Solids (SM 2540C)	110		10.0	mg/L			06/08/23 20:35	1
pH (SM 4500 H+ B)	7.3 HF		0.01	S.U.			06/08/23 14:40	1
Temperature (SM 4500 H+ B)	22.2 HF		1.0	Deg. C			06/08/23 14:40	1

# Client Sample Results

Client: TEAM Environmental, Inc.  
Project/Site: CG Roxane

Job ID: 570-140734-1

## General Chemistry

**Client Sample ID: CMW-2**

**Date Collected: 06/05/23 09:32**

**Date Received: 06/07/23 09:40**

**Lab Sample ID: 570-140734-9**

**Matrix: Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Turbidity (SM 2130B)	ND	H H3	0.05	NTU			06/07/23 10:15	1
Alkalinity, Total (As CaCO <sub>3</sub> ) (SM 2320B)	81.3		5.00	mg/L			06/08/23 14:46	1
Bicarbonate (as CaCO <sub>3</sub> ) (SM 2320B)	81.3		5.00	mg/L			06/08/23 14:46	1
Total Dissolved Solids (SM 2540C)	144		10.0	mg/L			06/08/23 20:35	1
pH (SM 4500 H+ B)	8.0	HF	0.01	S.U.			06/08/23 14:46	1
Temperature (SM 4500 H+ B)	22.1	HF	1.0	Deg. C			06/08/23 14:46	1

**Client Sample ID: QCMW**

**Date Collected: 06/06/23 00:00**

**Date Received: 06/07/23 09:40**

**Lab Sample ID: 570-140734-10**

**Matrix: Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Turbidity (SM 2130B)	1.1		0.05	NTU			06/07/23 17:52	1
Alkalinity, Total (As CaCO <sub>3</sub> ) (SM 2320B)	53.6		5.00	mg/L			06/08/23 14:52	1
Bicarbonate (as CaCO <sub>3</sub> ) (SM 2320B)	53.6		5.00	mg/L			06/08/23 14:52	1
Total Dissolved Solids (SM 2540C)	111		10.0	mg/L			06/08/23 20:35	1
pH (SM 4500 H+ B)	7.3	HF	0.01	S.U.			06/08/23 14:52	1
Temperature (SM 4500 H+ B)	22.2	HF	1.0	Deg. C			06/08/23 14:52	1

# QC Sample Results

Client: TEAM Environmental, Inc.  
Project/Site: CG Roxane

Job ID: 570-140734-1

## Method: 300.0 - Anions, Ion Chromatography

**Lab Sample ID:** MB 570-335786/5

**Matrix:** Water

**Analysis Batch:** 335786

**Client Sample ID:** Method Blank  
**Prep Type:** Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		1.0	mg/L			06/09/23 05:54	1
Sulfate	ND		1.0	mg/L			06/09/23 05:54	1

**Lab Sample ID:** LCS 570-335786/6

**Matrix:** Water

**Analysis Batch:** 335786

**Client Sample ID:** Lab Control Sample  
**Prep Type:** Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	50.0	49.60		mg/L		99	90 - 110
Sulfate	50.0	50.23		mg/L		100	90 - 110

**Lab Sample ID:** LCSD 570-335786/7

**Matrix:** Water

**Analysis Batch:** 335786

**Client Sample ID:** Lab Control Sample Dup  
**Prep Type:** Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	50.0	49.72		mg/L		99	90 - 110	0	15
Sulfate	50.0	50.40		mg/L		101	90 - 110	0	15

**Lab Sample ID:** MB 570-335794/5

**Matrix:** Water

**Analysis Batch:** 335794

**Client Sample ID:** Method Blank  
**Prep Type:** Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		1.0	mg/L			06/09/23 07:50	1
Sulfate	ND		1.0	mg/L			06/09/23 07:50	1

**Lab Sample ID:** LCS 570-335794/6

**Matrix:** Water

**Analysis Batch:** 335794

**Client Sample ID:** Lab Control Sample  
**Prep Type:** Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	50.0	48.70		mg/L		97	90 - 110
Sulfate	50.0	49.37		mg/L		99	90 - 110

**Lab Sample ID:** LCSD 570-335794/7

**Matrix:** Water

**Analysis Batch:** 335794

**Client Sample ID:** Lab Control Sample Dup  
**Prep Type:** Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	50.0	48.76		mg/L		98	90 - 110	0	15
Sulfate	50.0	49.23		mg/L		98	90 - 110	0	15

Eurofins Calscience

# QC Sample Results

Client: TEAM Environmental, Inc.  
Project/Site: CG Roxane

Job ID: 570-140734-1

## Method: 200.7 Rev 4.4 - Metals (ICP)

**Lab Sample ID: MB 570-335462/1-A**

**Matrix: Water**

**Analysis Batch: 335985**

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Calcium	ND		2.00	mg/L		06/08/23 07:12	06/09/23 12:23	1
Magnesium	ND		0.500	mg/L		06/08/23 07:12	06/09/23 12:23	1
Sodium	ND		2.00	mg/L		06/08/23 07:12	06/09/23 12:23	1

**Lab Sample ID: LCS 570-335462/2-A**

**Matrix: Water**

**Analysis Batch: 335985**

Analyte		Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Calcium		2.50	2.737		mg/L		109	85 - 115
Magnesium		2.50	2.717		mg/L		109	85 - 115
Sodium		5.00	5.550		mg/L		111	85 - 115

**Lab Sample ID: LCSD 570-335462/3-A**

**Matrix: Water**

**Analysis Batch: 335985**

Analyte		Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Calcium		2.50	2.685		mg/L		107	85 - 115	2	20
Magnesium		2.50	2.681		mg/L		107	85 - 115	1	20
Sodium		5.00	5.419		mg/L		108	85 - 115	2	20

**Lab Sample ID: MB 570-335465/1-A**

**Matrix: Water**

**Analysis Batch: 335883**

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Calcium	ND		2.00	mg/L		06/08/23 08:01	06/08/23 14:45	1
Magnesium	ND		0.500	mg/L		06/08/23 08:01	06/08/23 14:45	1
Sodium	ND		2.00	mg/L		06/08/23 08:01	06/08/23 14:45	1

**Lab Sample ID: LCS 570-335465/2-A**

**Matrix: Water**

**Analysis Batch: 335883**

Analyte		Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Calcium		2.50	2.587		mg/L		103	85 - 115
Magnesium		2.50	2.547		mg/L		102	85 - 115
Sodium		5.00	5.233		mg/L		105	85 - 115

**Lab Sample ID: LCSD 570-335465/3-A**

**Matrix: Water**

**Analysis Batch: 335883**

Analyte		Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Calcium		2.50	2.453		mg/L		98	85 - 115	5	20
Magnesium		2.50	2.395		mg/L		96	85 - 115	6	20
Sodium		5.00	4.946		mg/L		99	85 - 115	6	20

**Client Sample ID: Method Blank**

**Prep Type: Total Recoverable**

**Prep Batch: 335462**

**Client Sample ID: Lab Control Sample**

**Prep Type: Total Recoverable**

**Prep Batch: 335462**

**Client Sample ID: Lab Control Sample Dup**

**Prep Type: Total Recoverable**

**Prep Batch: 335462**

**Client Sample ID: Method Blank**

**Prep Type: Total Recoverable**

**Prep Batch: 335465**

**Client Sample ID: Lab Control Sample**

**Prep Type: Total Recoverable**

**Prep Batch: 335465**

**Client Sample ID: Lab Control Sample Dup**

**Prep Type: Total Recoverable**

**Prep Batch: 335465**

# QC Sample Results

Client: TEAM Environmental, Inc.  
Project/Site: CG Roxane

Job ID: 570-140734-1

## Method: 200.7 Rev 4.4 - Metals (ICP) (Continued)

**Lab Sample ID: 570-140734-4 MS**

**Matrix: Water**

**Analysis Batch: 335883**

**Client Sample ID: OW-8us**

**Prep Type: Total Recoverable**

**Prep Batch: 335465**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Calcium	11.8		2.50	14.39	4	mg/L		105	80 - 120
Magnesium	2.06		2.50	4.586		mg/L		101	80 - 120
Sodium	16.0		5.00	21.13		mg/L		103	80 - 120

**Lab Sample ID: 570-140734-4 MSD**

**Matrix: Water**

**Analysis Batch: 335883**

**Client Sample ID: OW-8us**

**Prep Type: Total Recoverable**

**Prep Batch: 335465**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Calcium	11.8		2.50	13.79	4	mg/L		81	80 - 120	4	20
Magnesium	2.06		2.50	4.387		mg/L		93	80 - 120	4	20
Sodium	16.0		5.00	20.25		mg/L		85	80 - 120	4	20

## Method: 200.8 - Metals (ICP/MS)

**Lab Sample ID: MB 570-335467/1-A**

**Matrix: Water**

**Analysis Batch: 335600**

**Client Sample ID: Method Blank**

**Prep Type: Total Recoverable**

**Prep Batch: 335467**

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	ND		0.00200	mg/L		06/08/23 08:12	06/08/23 11:20	1
Arsenic	ND		0.00100	mg/L		06/08/23 08:12	06/08/23 11:20	1
Barium	ND		0.00100	mg/L		06/08/23 08:12	06/08/23 11:20	1
Beryllium	ND		0.000500	mg/L		06/08/23 08:12	06/08/23 11:20	1
Cadmium	ND		0.00100	mg/L		06/08/23 08:12	06/08/23 11:20	1
Chromium	ND		0.00200	mg/L		06/08/23 08:12	06/08/23 11:20	1
Cobalt	ND		0.00100	mg/L		06/08/23 08:12	06/08/23 11:20	1
Copper	ND		0.00200	mg/L		06/08/23 08:12	06/08/23 11:20	1
Lead	ND		0.00100	mg/L		06/08/23 08:12	06/08/23 11:20	1
Molybdenum	ND		0.00200	mg/L		06/08/23 08:12	06/08/23 11:20	1
Nickel	ND		0.00200	mg/L		06/08/23 08:12	06/08/23 11:20	1
Selenium	ND		0.00200	mg/L		06/08/23 08:12	06/08/23 11:20	1
Silver	ND		0.00100	mg/L		06/08/23 08:12	06/08/23 11:20	1
Thallium	ND		0.00100	mg/L		06/08/23 08:12	06/08/23 11:20	1
Vanadium	ND		0.00200	mg/L		06/08/23 08:12	06/08/23 11:20	1
Zinc	ND		0.0200	mg/L		06/08/23 08:12	06/08/23 11:20	1

**Lab Sample ID: LCS 570-335467/2-A**

**Matrix: Water**

**Analysis Batch: 335600**

**Client Sample ID: Lab Control Sample**

**Prep Type: Total Recoverable**

**Prep Batch: 335467**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Antimony	0.0800	0.08515		mg/L		106	85 - 115
Arsenic	0.0800	0.08031		mg/L		100	85 - 115
Barium	0.0800	0.08008		mg/L		100	85 - 115
Beryllium	0.0800	0.08597		mg/L		107	85 - 115
Cadmium	0.0800	0.08142		mg/L		102	85 - 115
Chromium	0.0800	0.08128		mg/L		102	85 - 115
Cobalt	0.0800	0.08090		mg/L		101	85 - 115

Eurofins Calscience

# QC Sample Results

Client: TEAM Environmental, Inc.  
Project/Site: CG Roxane

Job ID: 570-140734-1

## Method: 200.8 - Metals (ICP/MS) (Continued)

**Lab Sample ID: LCS 570-335467/2-A**

**Matrix: Water**

**Analysis Batch: 335600**

**Client Sample ID: Lab Control Sample**

**Prep Type: Total Recoverable**

**Prep Batch: 335467**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits		
Copper	0.0800	0.08224		mg/L		103	85 - 115		
Lead	0.0800	0.08064		mg/L		101	85 - 115		
Molybdenum	0.0800	0.08180		mg/L		102	85 - 115		
Nickel	0.0800	0.08244		mg/L		103	85 - 115		
Selenium	0.0800	0.07620		mg/L		95	85 - 115		
Silver	0.0800	0.08201		mg/L		103	85 - 115		
Thallium	0.0800	0.07824		mg/L		98	85 - 115		
Vanadium	0.0800	0.08077		mg/L		101	85 - 115		
Zinc	0.0800	0.07871		mg/L		98	85 - 115		

**Lab Sample ID: LCSD 570-335467/3-A**

**Matrix: Water**

**Analysis Batch: 335600**

**Client Sample ID: Lab Control Sample Dup**

**Prep Type: Total Recoverable**

**Prep Batch: 335467**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Antimony	0.0800	0.08771		mg/L		110	85 - 115	3	20
Arsenic	0.0800	0.08301		mg/L		104	85 - 115	3	20
Barium	0.0800	0.08291		mg/L		104	85 - 115	3	20
Beryllium	0.0800	0.08834		mg/L		110	85 - 115	3	20
Cadmium	0.0800	0.08412		mg/L		105	85 - 115	3	20
Chromium	0.0800	0.08459		mg/L		106	85 - 115	4	20
Cobalt	0.0800	0.08401		mg/L		105	85 - 115	4	20
Copper	0.0800	0.08521		mg/L		107	85 - 115	4	20
Lead	0.0800	0.08379		mg/L		105	85 - 115	4	20
Molybdenum	0.0800	0.08384		mg/L		105	85 - 115	2	20
Nickel	0.0800	0.08527		mg/L		107	85 - 115	3	20
Selenium	0.0800	0.07924		mg/L		99	85 - 115	4	20
Silver	0.0800	0.08464		mg/L		106	85 - 115	3	20
Thallium	0.0800	0.08173		mg/L		102	85 - 115	4	20
Vanadium	0.0800	0.08391		mg/L		105	85 - 115	4	20
Zinc	0.0800	0.08108		mg/L		101	85 - 115	3	20

**Lab Sample ID: 570-140734-1 MS**

**Matrix: Water**

**Analysis Batch: 335600**

**Client Sample ID: PAT-1**

**Prep Type: Total Recoverable**

**Prep Batch: 335467**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	Limits
Antimony	ND		0.0800	0.08546		mg/L		106	80 - 120
Arsenic	ND		0.0800	0.08160		mg/L		101	80 - 120
Barium	0.00758		0.0800	0.08818		mg/L		101	80 - 120
Beryllium	ND		0.0800	0.08751		mg/L		109	80 - 120
Cadmium	ND		0.0800	0.08213		mg/L		103	80 - 120
Chromium	ND		0.0800	0.08324		mg/L		103	80 - 120
Cobalt	ND		0.0800	0.08255		mg/L		103	80 - 120
Copper	ND		0.0800	0.08610		mg/L		107	80 - 120
Lead	ND		0.0800	0.08089		mg/L		101	80 - 120
Molybdenum	ND		0.0800	0.08427		mg/L		103	80 - 120
Nickel	ND		0.0800	0.08263		mg/L		103	80 - 120
Selenium	ND		0.0800	0.07458		mg/L		93	80 - 120

Eurofins Calscience

# QC Sample Results

Client: TEAM Environmental, Inc.  
Project/Site: CG Roxane

Job ID: 570-140734-1

## Method: 200.8 - Metals (ICP/MS) (Continued)

**Lab Sample ID: 570-140734-1 MS**

**Matrix: Water**

**Analysis Batch: 335600**

**Client Sample ID: PAT-1**  
**Prep Type: Total Recoverable**  
**Prep Batch: 335467**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	Limits		
Silver	ND		0.0800	0.08250		mg/L		103	80 - 120		
Thallium	ND		0.0800	0.07900		mg/L		99	80 - 120		
Vanadium	ND		0.0800	0.08324		mg/L		102	80 - 120		
Zinc	ND		0.0800	0.09148		mg/L		99	80 - 120		

**Lab Sample ID: 570-140734-1 MSD**

**Matrix: Water**

**Analysis Batch: 335600**

**Client Sample ID: PAT-1**  
**Prep Type: Total Recoverable**  
**Prep Batch: 335467**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Antimony	ND		0.0800	0.08769		mg/L		109	80 - 120	3	20
Arsenic	ND		0.0800	0.08293		mg/L		102	80 - 120	2	20
Barium	0.00758		0.0800	0.08959		mg/L		103	80 - 120	2	20
Beryllium	ND		0.0800	0.08899		mg/L		111	80 - 120	2	20
Cadmium	ND		0.0800	0.08351		mg/L		104	80 - 120	2	20
Chromium	ND		0.0800	0.08412		mg/L		105	80 - 120	1	20
Cobalt	ND		0.0800	0.08291		mg/L		104	80 - 120	0	20
Copper	ND		0.0800	0.08657		mg/L		107	80 - 120	1	20
Lead	ND		0.0800	0.08276		mg/L		103	80 - 120	2	20
Molybdenum	ND		0.0800	0.08450		mg/L		103	80 - 120	0	20
Nickel	ND		0.0800	0.08360		mg/L		104	80 - 120	1	20
Selenium	ND		0.0800	0.07791		mg/L		97	80 - 120	4	20
Silver	ND		0.0800	0.08339		mg/L		104	80 - 120	1	20
Thallium	ND		0.0800	0.08129		mg/L		102	80 - 120	3	20
Vanadium	ND		0.0800	0.08452		mg/L		104	80 - 120	2	20
Zinc	ND		0.0800	0.09332		mg/L		102	80 - 120	2	20

**Lab Sample ID: 570-140734-10 MS**

**Matrix: Water**

**Analysis Batch: 335600**

**Client Sample ID: QCMW**  
**Prep Type: Total Recoverable**  
**Prep Batch: 335467**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	Limits		
Antimony	ND		0.0800	0.08195		mg/L		102	80 - 120		
Arsenic	ND		0.0800	0.07813		mg/L		97	80 - 120		
Barium	0.0219		0.0800	0.09733		mg/L		94	80 - 120		
Beryllium	ND		0.0800	0.08212		mg/L		103	80 - 120		
Cadmium	ND		0.0800	0.07727		mg/L		97	80 - 120		
Chromium	ND		0.0800	0.07634		mg/L		95	80 - 120		
Cobalt	ND		0.0800	0.07541		mg/L		94	80 - 120		
Copper	ND		0.0800	0.07785		mg/L		97	80 - 120		
Lead	0.00851		0.0800	0.08483		mg/L		95	80 - 120		
Molybdenum	0.00354		0.0800	0.08091		mg/L		97	80 - 120		
Nickel	ND		0.0800	0.07596		mg/L		95	80 - 120		
Selenium	ND		0.0800	0.07221		mg/L		90	80 - 120		
Silver	ND		0.0800	0.07698		mg/L		96	80 - 120		
Thallium	ND		0.0800	0.07294		mg/L		91	80 - 120		
Vanadium	0.00211		0.0800	0.07793		mg/L		95	80 - 120		
Zinc	0.504		0.0800	0.5610	4	mg/L		72	80 - 120		

Eurofins Calscience

# QC Sample Results

Client: TEAM Environmental, Inc.

Job ID: 570-140734-1

Project/Site: CG Roxane

## Method: 200.8 - Metals (ICP/MS) (Continued)

**Lab Sample ID: 570-140734-10 MSD**

**Matrix: Water**

**Analysis Batch: 335600**

**Client Sample ID: QCMW**

**Prep Type: Total Recoverable**

**Prep Batch: 335467**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	RPD	RPD Limit
Antimony	ND		0.0800	0.08391		mg/L		105	80 - 120	2 20
Arsenic	ND		0.0800	0.08013		mg/L		99	80 - 120	3 20
Barium	0.0219		0.0800	0.1002		mg/L		98	80 - 120	3 20
Beryllium	ND		0.0800	0.08371		mg/L		105	80 - 120	2 20
Cadmium	ND		0.0800	0.07934		mg/L		99	80 - 120	3 20
Chromium	ND		0.0800	0.07971		mg/L		99	80 - 120	4 20
Cobalt	ND		0.0800	0.07923		mg/L		99	80 - 120	5 20
Copper	ND		0.0800	0.08173		mg/L		102	80 - 120	5 20
Lead	0.00851		0.0800	0.08671		mg/L		98	80 - 120	2 20
Molybdenum	0.00354		0.0800	0.08323		mg/L		100	80 - 120	3 20
Nickel	ND		0.0800	0.07937		mg/L		99	80 - 120	4 20
Selenium	ND		0.0800	0.07344		mg/L		92	80 - 120	2 20
Silver	ND		0.0800	0.07941		mg/L		99	80 - 120	3 20
Thallium	ND		0.0800	0.07468		mg/L		93	80 - 120	2 20
Vanadium	0.00211		0.0800	0.08110		mg/L		99	80 - 120	4 20
Zinc	0.504		0.0800	0.5729 4		mg/L		87	80 - 120	2 20

## Method: 245.1 - Mercury (CVAA)

**Lab Sample ID: MB 570-335728/1-A**

**Matrix: Water**

**Analysis Batch: 336072**

**Client Sample ID: Method Blank**

**Prep Type: Total/NA**

**Prep Batch: 335728**

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.000200	mg/L		06/08/23 17:43	06/09/23 14:12	1

**Lab Sample ID: LCS 570-335728/2-A**

**Matrix: Water**

**Analysis Batch: 336072**

**Client Sample ID: Lab Control Sample**

**Prep Type: Total/NA**

**Prep Batch: 335728**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	RPD
Mercury	0.00800	0.008161		mg/L		102	85 - 115

**Lab Sample ID: LCSD 570-335728/3-A**

**Matrix: Water**

**Analysis Batch: 336072**

**Client Sample ID: Lab Control Sample Dup**

**Prep Type: Total/NA**

**Prep Batch: 335728**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	RPD
Mercury	0.00800	0.007773		mg/L		97	85 - 115

## Method: SM 2130B - Turbidity

**Lab Sample ID: LCSSRM 570-335182/1**

**Matrix: Water**

**Analysis Batch: 335182**

**Client Sample ID: Lab Control Sample**

**Prep Type: Total/NA**

Analyte	Spike Added	LCSSRM Result	LCSSRM Qualifier	Unit	D	%Rec	RPD
Turbidity	1000	1000		NTU		99.1	99.0 - 101.0

Eurofins Calscience

# QC Sample Results

Client: TEAM Environmental, Inc.  
Project/Site: CG Roxane

Job ID: 570-140734-1

## Method: SM 2130B - Turbidity (Continued)

**Lab Sample ID: LCSSRM 570-335182/2**

**Matrix: Water**

**Analysis Batch: 335182**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCSSRM Result	LCSSRM Qualifier	Unit	D	%Rec	%Rec Limits	RPD	Limit
Turbidity	10.0	10		NTU		100.0	99.0 - 101.		0

**Lab Sample ID: LCSSRM 570-335182/3**

**Matrix: Water**

**Analysis Batch: 335182**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCSSRM Result	LCSSRM Qualifier	Unit	D	%Rec	%Rec Limits	RPD	Limit
Turbidity	0.0200	ND		NTU		100.0	0.0 - 200.		0

**Lab Sample ID: 570-140734-4 DU**

**Matrix: Water**

**Analysis Batch: 335182**

**Client Sample ID: OW-8us**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	Limit
Turbidity	ND		ND		NTU		NC	25

## Method: SM 2320B - Alkalinity

**Lab Sample ID: MB 570-335673/4**

**Matrix: Water**

**Analysis Batch: 335673**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Alkalinity, Total (As CaCO <sub>3</sub> )	ND		5.00	mg/L			06/08/23 13:42	1
Bicarbonate (as CaCO <sub>3</sub> )	ND		5.00	mg/L			06/08/23 13:42	1

**Lab Sample ID: LCS 570-335673/2**

**Matrix: Water**

**Analysis Batch: 335673**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits	RPD	Limit
Alkalinity, Total (As CaCO <sub>3</sub> )	106	91.78		mg/L		87	78 - 110		

**Lab Sample ID: LCSD 570-335673/3**

**Matrix: Water**

**Analysis Batch: 335673**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	Limit
Alkalinity, Total (As CaCO <sub>3</sub> )	106	91.31		mg/L		86	78 - 110	1	10

**Lab Sample ID: 570-140734-1 DU**

**Matrix: Water**

**Analysis Batch: 335673**

**Client Sample ID: PAT-1**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	Limit
Alkalinity, Total (As CaCO <sub>3</sub> )	66.3		66.20		mg/L		0.2	25
Bicarbonate (as CaCO <sub>3</sub> )	66.3		66.20		mg/L		0.2	25

Eurofins Calscience

# QC Sample Results

Client: TEAM Environmental, Inc.  
Project/Site: CG Roxane

Job ID: 570-140734-1

## Method: SM 2540C - Solids, Total Dissolved (TDS)

**Lab Sample ID: MB 570-335765/1**

**Matrix: Water**

**Analysis Batch: 335765**

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	ND		10.0	mg/L			06/08/23 20:35	1

**Lab Sample ID: LCS 570-335765/2**

**Matrix: Water**

**Analysis Batch: 335765**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec Limits	
Total Dissolved Solids	1000	988.0		mg/L	99	84 - 108	

**Lab Sample ID: LCSD 570-335765/3**

**Matrix: Water**

**Analysis Batch: 335765**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec Limits		RPD	RPD Limit
Total Dissolved Solids	1000	968.0		mg/L	97	84 - 108		2	10

## Method: SM 4500 H+ B - pH

**Lab Sample ID: 570-140734-1 DU**

**Matrix: Water**

**Analysis Batch: 335674**

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D		RPD	RPD Limit
pH	7.9	HF	7.9		S.U.			0.1	25
Temperature	22.3	HF	22.3		Deg. C			0.09	25

**Client Sample ID: PAT-1**  
**Prep Type: Total/NA**

# QC Association Summary

Client: TEAM Environmental, Inc.  
Project/Site: CG Roxane

Job ID: 570-140734-1

## HPLC/IC

### Analysis Batch: 335786

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-140734-1	PAT-1	Total/NA	Water	300.0	
570-140734-2	OW-7u	Total/NA	Water	300.0	
570-140734-3	OW-7m	Total/NA	Water	300.0	
MB 570-335786/5	Method Blank	Total/NA	Water	300.0	
LCS 570-335786/6	Lab Control Sample	Total/NA	Water	300.0	
LCSD 570-335786/7	Lab Control Sample Dup	Total/NA	Water	300.0	

### Analysis Batch: 335794

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-140734-4	OW-8us	Total/NA	Water	300.0	
570-140734-5	OW-9u	Total/NA	Water	300.0	
570-140734-6	OW-10u	Total/NA	Water	300.0	
570-140734-7	OW-10m	Total/NA	Water	300.0	
570-140734-8	P-5	Total/NA	Water	300.0	
570-140734-9	CMW-2	Total/NA	Water	300.0	
570-140734-10	QCMW	Total/NA	Water	300.0	
MB 570-335794/5	Method Blank	Total/NA	Water	300.0	
LCS 570-335794/6	Lab Control Sample	Total/NA	Water	300.0	
LCSD 570-335794/7	Lab Control Sample Dup	Total/NA	Water	300.0	

## Metals

### Prep Batch: 335462

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-140734-1	PAT-1	Total Recoverable	Water	200.7	
570-140734-2	OW-7u	Total Recoverable	Water	200.7	
570-140734-3	OW-7m	Total Recoverable	Water	200.7	
MB 570-335462/1-A	Method Blank	Total Recoverable	Water	200.7	
LCS 570-335462/2-A	Lab Control Sample	Total Recoverable	Water	200.7	
LCSD 570-335462/3-A	Lab Control Sample Dup	Total Recoverable	Water	200.7	

### Prep Batch: 335465

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-140734-4	OW-8us	Total Recoverable	Water	200.7	
570-140734-5	OW-9u	Total Recoverable	Water	200.7	
570-140734-6	OW-10u	Total Recoverable	Water	200.7	
570-140734-7	OW-10m	Total Recoverable	Water	200.7	
570-140734-8	P-5	Total Recoverable	Water	200.7	
570-140734-9	CMW-2	Total Recoverable	Water	200.7	
570-140734-10	QCMW	Total Recoverable	Water	200.7	
MB 570-335465/1-A	Method Blank	Total Recoverable	Water	200.7	
LCS 570-335465/2-A	Lab Control Sample	Total Recoverable	Water	200.7	
LCSD 570-335465/3-A	Lab Control Sample Dup	Total Recoverable	Water	200.7	
570-140734-4 MS	OW-8us	Total Recoverable	Water	200.7	
570-140734-4 MSD	OW-8us	Total Recoverable	Water	200.7	

### Prep Batch: 335467

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-140734-1	PAT-1	Total Recoverable	Water	200.8	
570-140734-2	OW-7u	Total Recoverable	Water	200.8	
570-140734-3	OW-7m	Total Recoverable	Water	200.8	

Eurofins Calscience

# QC Association Summary

Client: TEAM Environmental, Inc.  
Project/Site: CG Roxane

Job ID: 570-140734-1

## Metals (Continued)

### Prep Batch: 335467 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-140734-4	OW-8us	Total Recoverable	Water	200.8	
570-140734-5	OW-9u	Total Recoverable	Water	200.8	
570-140734-6	OW-10u	Total Recoverable	Water	200.8	
570-140734-7	OW-10m	Total Recoverable	Water	200.8	
570-140734-8	P-5	Total Recoverable	Water	200.8	
570-140734-9	CMW-2	Total Recoverable	Water	200.8	
570-140734-10	QCMW	Total Recoverable	Water	200.8	
MB 570-335467/1-A	Method Blank	Total Recoverable	Water	200.8	
LCS 570-335467/2-A	Lab Control Sample	Total Recoverable	Water	200.8	
LCSD 570-335467/3-A	Lab Control Sample Dup	Total Recoverable	Water	200.8	
570-140734-1 MS	PAT-1	Total Recoverable	Water	200.8	
570-140734-1 MSD	PAT-1	Total Recoverable	Water	200.8	
570-140734-10 MS	QCMW	Total Recoverable	Water	200.8	
570-140734-10 MSD	QCMW	Total Recoverable	Water	200.8	

### Analysis Batch: 335600

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-140734-1	PAT-1	Total Recoverable	Water	200.8	335467
570-140734-2	OW-7u	Total Recoverable	Water	200.8	335467
570-140734-3	OW-7m	Total Recoverable	Water	200.8	335467
570-140734-4	OW-8us	Total Recoverable	Water	200.8	335467
570-140734-5	OW-9u	Total Recoverable	Water	200.8	335467
570-140734-6	OW-10u	Total Recoverable	Water	200.8	335467
570-140734-7	OW-10m	Total Recoverable	Water	200.8	335467
570-140734-8	P-5	Total Recoverable	Water	200.8	335467
570-140734-9	CMW-2	Total Recoverable	Water	200.8	335467
570-140734-10	QCMW	Total Recoverable	Water	200.8	335467
MB 570-335467/1-A	Method Blank	Total Recoverable	Water	200.8	335467
LCS 570-335467/2-A	Lab Control Sample	Total Recoverable	Water	200.8	335467
LCSD 570-335467/3-A	Lab Control Sample Dup	Total Recoverable	Water	200.8	335467
570-140734-1 MS	PAT-1	Total Recoverable	Water	200.8	335467
570-140734-1 MSD	PAT-1	Total Recoverable	Water	200.8	335467
570-140734-10 MS	QCMW	Total Recoverable	Water	200.8	335467
570-140734-10 MSD	QCMW	Total Recoverable	Water	200.8	335467

### Prep Batch: 335728

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-140734-1	PAT-1	Total/NA	Water	245.1	
570-140734-2	OW-7u	Total/NA	Water	245.1	
570-140734-3	OW-7m	Total/NA	Water	245.1	
570-140734-4	OW-8us	Total/NA	Water	245.1	
570-140734-5	OW-9u	Total/NA	Water	245.1	
570-140734-6	OW-10u	Total/NA	Water	245.1	
570-140734-7	OW-10m	Total/NA	Water	245.1	
570-140734-8	P-5	Total/NA	Water	245.1	
570-140734-9	CMW-2	Total/NA	Water	245.1	
570-140734-10	QCMW	Total/NA	Water	245.1	
MB 570-335728/1-A	Method Blank	Total/NA	Water	245.1	
LCS 570-335728/2-A	Lab Control Sample	Total/NA	Water	245.1	
LCSD 570-335728/3-A	Lab Control Sample Dup	Total/NA	Water	245.1	

# QC Association Summary

Client: TEAM Environmental, Inc.  
Project/Site: CG Roxane

Job ID: 570-140734-1

## Metals

### Analysis Batch: 335883

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-140734-4	OW-8us	Total Recoverable	Water	200.7 Rev 4.4	335465
570-140734-5	OW-9u	Total Recoverable	Water	200.7 Rev 4.4	335465
570-140734-6	OW-10u	Total Recoverable	Water	200.7 Rev 4.4	335465
570-140734-7	OW-10m	Total Recoverable	Water	200.7 Rev 4.4	335465
570-140734-8	P-5	Total Recoverable	Water	200.7 Rev 4.4	335465
570-140734-9	CMW-2	Total Recoverable	Water	200.7 Rev 4.4	335465
570-140734-10	QCMW	Total Recoverable	Water	200.7 Rev 4.4	335465
MB 570-335465/1-A	Method Blank	Total Recoverable	Water	200.7 Rev 4.4	335465
LCS 570-335465/2-A	Lab Control Sample	Total Recoverable	Water	200.7 Rev 4.4	335465
LCSD 570-335465/3-A	Lab Control Sample Dup	Total Recoverable	Water	200.7 Rev 4.4	335465
570-140734-4 MS	OW-8us	Total Recoverable	Water	200.7 Rev 4.4	335465
570-140734-4 MSD	OW-8us	Total Recoverable	Water	200.7 Rev 4.4	335465

### Analysis Batch: 335985

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-140734-1	PAT-1	Total Recoverable	Water	200.7 Rev 4.4	335462
570-140734-2	OW-7u	Total Recoverable	Water	200.7 Rev 4.4	335462
570-140734-3	OW-7m	Total Recoverable	Water	200.7 Rev 4.4	335462
MB 570-335462/1-A	Method Blank	Total Recoverable	Water	200.7 Rev 4.4	335462
LCS 570-335462/2-A	Lab Control Sample	Total Recoverable	Water	200.7 Rev 4.4	335462
LCSD 570-335462/3-A	Lab Control Sample Dup	Total Recoverable	Water	200.7 Rev 4.4	335462

### Analysis Batch: 336072

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-140734-1	PAT-1	Total/NA	Water	245.1	335728
570-140734-2	OW-7u	Total/NA	Water	245.1	335728
570-140734-3	OW-7m	Total/NA	Water	245.1	335728
570-140734-4	OW-8us	Total/NA	Water	245.1	335728
570-140734-5	OW-9u	Total/NA	Water	245.1	335728
570-140734-6	OW-10u	Total/NA	Water	245.1	335728
570-140734-7	OW-10m	Total/NA	Water	245.1	335728
570-140734-8	P-5	Total/NA	Water	245.1	335728
570-140734-9	CMW-2	Total/NA	Water	245.1	335728
570-140734-10	QCMW	Total/NA	Water	245.1	335728
MB 570-335728/1-A	Method Blank	Total/NA	Water	245.1	335728
LCS 570-335728/2-A	Lab Control Sample	Total/NA	Water	245.1	335728
LCSD 570-335728/3-A	Lab Control Sample Dup	Total/NA	Water	245.1	335728

## General Chemistry

### Analysis Batch: 335182

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-140734-1	PAT-1	Total/NA	Water	SM 2130B	
570-140734-2	OW-7u	Total/NA	Water	SM 2130B	
570-140734-3	OW-7m	Total/NA	Water	SM 2130B	
570-140734-4	OW-8us	Total/NA	Water	SM 2130B	
570-140734-5	OW-9u	Total/NA	Water	SM 2130B	
570-140734-6	OW-10u	Total/NA	Water	SM 2130B	
570-140734-7	OW-10m	Total/NA	Water	SM 2130B	
570-140734-8	P-5	Total/NA	Water	SM 2130B	
570-140734-9	CMW-2	Total/NA	Water	SM 2130B	

Eurofins Calscience

# QC Association Summary

Client: TEAM Environmental, Inc.  
Project/Site: CG Roxane

Job ID: 570-140734-1

## General Chemistry (Continued)

### Analysis Batch: 335182 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-140734-10	QCMW	Total/NA	Water	SM 2130B	
LCSSRM 570-335182/1	Lab Control Sample	Total/NA	Water	SM 2130B	
LCSSRM 570-335182/2	Lab Control Sample	Total/NA	Water	SM 2130B	
LCSSRM 570-335182/3	Lab Control Sample	Total/NA	Water	SM 2130B	
570-140734-4 DU	OW-8us	Total/NA	Water	SM 2130B	

### Analysis Batch: 335673

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-140734-1	PAT-1	Total/NA	Water	SM 2320B	
570-140734-2	OW-7u	Total/NA	Water	SM 2320B	
570-140734-3	OW-7m	Total/NA	Water	SM 2320B	
570-140734-4	OW-8us	Total/NA	Water	SM 2320B	
570-140734-5	OW-9u	Total/NA	Water	SM 2320B	
570-140734-6	OW-10u	Total/NA	Water	SM 2320B	
570-140734-7	OW-10m	Total/NA	Water	SM 2320B	
570-140734-8	P-5	Total/NA	Water	SM 2320B	
570-140734-9	CMW-2	Total/NA	Water	SM 2320B	
570-140734-10	QCMW	Total/NA	Water	SM 2320B	
MB 570-335673/4	Method Blank	Total/NA	Water	SM 2320B	
LCS 570-335673/2	Lab Control Sample	Total/NA	Water	SM 2320B	
LCSD 570-335673/3	Lab Control Sample Dup	Total/NA	Water	SM 2320B	
570-140734-1 DU	PAT-1	Total/NA	Water	SM 2320B	

### Analysis Batch: 335674

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-140734-1	PAT-1	Total/NA	Water	SM 4500 H+ B	
570-140734-2	OW-7u	Total/NA	Water	SM 4500 H+ B	
570-140734-3	OW-7m	Total/NA	Water	SM 4500 H+ B	
570-140734-4	OW-8us	Total/NA	Water	SM 4500 H+ B	
570-140734-5	OW-9u	Total/NA	Water	SM 4500 H+ B	
570-140734-6	OW-10u	Total/NA	Water	SM 4500 H+ B	
570-140734-7	OW-10m	Total/NA	Water	SM 4500 H+ B	
570-140734-8	P-5	Total/NA	Water	SM 4500 H+ B	
570-140734-9	CMW-2	Total/NA	Water	SM 4500 H+ B	
570-140734-10	QCMW	Total/NA	Water	SM 4500 H+ B	
570-140734-1 DU	PAT-1	Total/NA	Water	SM 4500 H+ B	

### Analysis Batch: 335765

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-140734-1	PAT-1	Total/NA	Water	SM 2540C	
570-140734-2	OW-7u	Total/NA	Water	SM 2540C	
570-140734-3	OW-7m	Total/NA	Water	SM 2540C	
570-140734-4	OW-8us	Total/NA	Water	SM 2540C	
570-140734-5	OW-9u	Total/NA	Water	SM 2540C	
570-140734-6	OW-10u	Total/NA	Water	SM 2540C	
570-140734-7	OW-10m	Total/NA	Water	SM 2540C	
570-140734-8	P-5	Total/NA	Water	SM 2540C	
570-140734-9	CMW-2	Total/NA	Water	SM 2540C	
570-140734-10	QCMW	Total/NA	Water	SM 2540C	
MB 570-335765/1	Method Blank	Total/NA	Water	SM 2540C	
LCS 570-335765/2	Lab Control Sample	Total/NA	Water	SM 2540C	

Eurofins Calscience

# QC Association Summary

Client: TEAM Environmental, Inc.  
Project/Site: CG Roxane

Job ID: 570-140734-1

## General Chemistry (Continued)

### Analysis Batch: 335765 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LCSD 570-335765/3	Lab Control Sample Dup	Total/NA	Water	SM 2540C	

1

2

3

4

5

6

7

8

9

10

11

12

13

14

# Lab Chronicle

Client: TEAM Environmental, Inc.  
Project/Site: CG Roxane

Job ID: 570-140734-1

## Client Sample ID: PAT-1

Date Collected: 06/05/23 09:50

Date Received: 06/07/23 09:40

## Lab Sample ID: 570-140734-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	4 mL	4 mL	335786	06/09/23 13:14	PS	EET CAL 4
		Instrument ID: IC7								
Total Recoverable	Prep	200.7			50 mL	50 mL	335462	06/08/23 07:12	JP8N	EET CAL 4
Total Recoverable	Analysis	200.7 Rev 4.4		1			335985	06/09/23 13:13	P1R	EET CAL 4
		Instrument ID: ICP11								
Total Recoverable	Prep	200.8			50 mL	50 mL	335467	06/08/23 08:12	JP8N	EET CAL 4
Total Recoverable	Analysis	200.8		1			335600	06/08/23 11:27	Y2WS	EET CAL 4
		Instrument ID: ICPMS10								
Total/NA	Prep	245.1			25 mL	50 mL	335728	06/08/23 17:43	CS5Z	EET CAL 4
Total/NA	Analysis	245.1		1			336072	06/09/23 14:33	C0YH	EET CAL 4
		Instrument ID: HG8								
Total/NA	Analysis	SM 2130B		1			335182	06/07/23 10:17	ZVB7	EET CAL 4
		Instrument ID: TUR4								
Total/NA	Analysis	SM 2320B		1	10 mL	10 mL	335673	06/08/23 13:49	UAPD	EET CAL 4
		Instrument ID: ManSciMantech								
Total/NA	Analysis	SM 2540C		1	100 mL	1000 mL	335765	06/08/23 20:35	ZL7L	EET CAL 4
		Instrument ID: BAL100								
Total/NA	Analysis	SM 4500 H+ B		1			335674	06/08/23 13:49	UAPD	EET CAL 4
		Instrument ID: ManSciMantech								

## Client Sample ID: OW-7u

Date Collected: 06/06/23 10:21

Date Received: 06/07/23 09:40

## Lab Sample ID: 570-140734-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	4 mL	4 mL	335786	06/09/23 13:31	PS	EET CAL 4
		Instrument ID: IC7								
Total Recoverable	Prep	200.7			50 mL	50 mL	335462	06/08/23 07:12	JP8N	EET CAL 4
Total Recoverable	Analysis	200.7 Rev 4.4		1			335985	06/09/23 13:11	P1R	EET CAL 4
		Instrument ID: ICP11								
Total Recoverable	Prep	200.8			50 mL	50 mL	335467	06/08/23 08:12	JP8N	EET CAL 4
Total Recoverable	Analysis	200.8		1			335600	06/08/23 11:33	Y2WS	EET CAL 4
		Instrument ID: ICPMS10								
Total/NA	Prep	245.1			25 mL	50 mL	335728	06/08/23 17:43	CS5Z	EET CAL 4
Total/NA	Analysis	245.1		1			336072	06/09/23 14:34	C0YH	EET CAL 4
		Instrument ID: HG8								
Total/NA	Analysis	SM 2130B		1			335182	06/07/23 17:35	ZVB7	EET CAL 4
		Instrument ID: TUR4								
Total/NA	Analysis	SM 2320B		1	10 mL	10 mL	335673	06/08/23 14:01	UAPD	EET CAL 4
		Instrument ID: ManSciMantech								
Total/NA	Analysis	SM 2540C		1	100 mL	1000 mL	335765	06/08/23 20:35	ZL7L	EET CAL 4
		Instrument ID: BAL100								
Total/NA	Analysis	SM 4500 H+ B		1			335674	06/08/23 14:01	UAPD	EET CAL 4
		Instrument ID: ManSciMantech								

Eurofins Calscience

# Lab Chronicle

Client: TEAM Environmental, Inc.  
Project/Site: CG Roxane

Job ID: 570-140734-1

**Client Sample ID: OW-7m**  
**Date Collected: 06/06/23 09:45**  
**Date Received: 06/07/23 09:40**

**Lab Sample ID: 570-140734-3**  
**Matrix: Water**

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	4 mL	4 mL	335786	06/09/23 13:47	PS	EET CAL 4
		Instrument ID: IC7								
Total Recoverable	Prep	200.7			50 mL	50 mL	335462	06/08/23 07:12	JP8N	EET CAL 4
Total Recoverable	Analysis	200.7 Rev 4.4		1			335985	06/09/23 13:08	P1R	EET CAL 4
		Instrument ID: ICP11								
Total Recoverable	Prep	200.8			50 mL	50 mL	335467	06/08/23 08:12	JP8N	EET CAL 4
Total Recoverable	Analysis	200.8		1			335600	06/08/23 11:35	Y2WS	EET CAL 4
		Instrument ID: ICPMS10								
Total/NA	Prep	245.1			25 mL	50 mL	335728	06/08/23 17:43	CS5Z	EET CAL 4
Total/NA	Analysis	245.1		1			336072	06/09/23 14:36	C0YH	EET CAL 4
		Instrument ID: HG8								
Total/NA	Analysis	SM 2130B		1			335182	06/07/23 17:37	ZVB7	EET CAL 4
		Instrument ID: TUR4								
Total/NA	Analysis	SM 2320B		1	10 mL	10 mL	335673	06/08/23 14:08	UAPD	EET CAL 4
		Instrument ID: ManSciMantech								
Total/NA	Analysis	SM 2540C		1	100 mL	1000 mL	335765	06/08/23 20:35	ZL7L	EET CAL 4
		Instrument ID: BAL100								
Total/NA	Analysis	SM 4500 H+ B		1			335674	06/08/23 14:08	UAPD	EET CAL 4
		Instrument ID: ManSciMantech								

**Client Sample ID: OW-8us**  
**Date Collected: 06/05/23 10:50**  
**Date Received: 06/07/23 09:40**

**Lab Sample ID: 570-140734-4**  
**Matrix: Water**

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	4 mL	4 mL	335794	06/09/23 14:04	YO8L	EET CAL 4
		Instrument ID: IC15								
Total Recoverable	Prep	200.7			50 mL	50 mL	335465	06/08/23 08:01	JP8N	EET CAL 4
Total Recoverable	Analysis	200.7 Rev 4.4		1			335883	06/08/23 14:53	P1R	EET CAL 4
		Instrument ID: ICP11								
Total Recoverable	Prep	200.8			50 mL	50 mL	335467	06/08/23 08:12	JP8N	EET CAL 4
Total Recoverable	Analysis	200.8		1			335600	06/08/23 11:57	Y2WS	EET CAL 4
		Instrument ID: ICPMS10								
Total/NA	Prep	245.1			25 mL	50 mL	335728	06/08/23 17:43	CS5Z	EET CAL 4
Total/NA	Analysis	245.1		1			336072	06/09/23 14:42	C0YH	EET CAL 4
		Instrument ID: HG8								
Total/NA	Analysis	SM 2130B		1			335182	06/07/23 10:09	ZVB7	EET CAL 4
		Instrument ID: TUR4								
Total/NA	Analysis	SM 2320B		1	10 mL	10 mL	335673	06/08/23 14:14	UAPD	EET CAL 4
		Instrument ID: ManSciMantech								
Total/NA	Analysis	SM 2540C		1	100 mL	1000 mL	335765	06/08/23 20:35	ZL7L	EET CAL 4
		Instrument ID: BAL100								
Total/NA	Analysis	SM 4500 H+ B		1			335674	06/08/23 14:14	UAPD	EET CAL 4
		Instrument ID: ManSciMantech								

Eurofins Calscience

# Lab Chronicle

Client: TEAM Environmental, Inc.  
Project/Site: CG Roxane

Job ID: 570-140734-1

**Client Sample ID: OW-9u**

**Lab Sample ID: 570-140734-5**

**Matrix: Water**

Date Collected: 06/05/23 11:55

Date Received: 06/07/23 09:40

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	4 mL	4 mL	335794	06/09/23 14:22	YO8L	EET CAL 4
		Instrument ID: IC15								
Total Recoverable	Prep	200.7			50 mL	50 mL	335465	06/08/23 08:01	JP8N	EET CAL 4
Total Recoverable	Analysis	200.7 Rev 4.4		1			335883	06/08/23 15:00	P1R	EET CAL 4
		Instrument ID: ICP11								
Total Recoverable	Prep	200.8			50 mL	50 mL	335467	06/08/23 08:12	JP8N	EET CAL 4
Total Recoverable	Analysis	200.8		1			335600	06/08/23 12:00	Y2WS	EET CAL 4
		Instrument ID: ICPMS10								
Total/NA	Prep	245.1			25 mL	50 mL	335728	06/08/23 17:43	CS5Z	EET CAL 4
Total/NA	Analysis	245.1		1			336072	06/09/23 14:44	C0YH	EET CAL 4
		Instrument ID: HG8								
Total/NA	Analysis	SM 2130B		1			335182	06/07/23 10:14	ZVB7	EET CAL 4
		Instrument ID: TUR4								
Total/NA	Analysis	SM 2320B		1	10 mL	10 mL	335673	06/08/23 14:21	UAPD	EET CAL 4
		Instrument ID: ManSciMantech								
Total/NA	Analysis	SM 2540C		1	100 mL	1000 mL	335765	06/08/23 20:35	ZL7L	EET CAL 4
		Instrument ID: BAL100								
Total/NA	Analysis	SM 4500 H+ B		1			335674	06/08/23 14:21	UAPD	EET CAL 4
		Instrument ID: ManSciMantech								

**Client Sample ID: OW-10u**

**Lab Sample ID: 570-140734-6**

**Matrix: Water**

Date Collected: 06/06/23 11:25

Date Received: 06/07/23 09:40

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	4 mL	4 mL	335794	06/09/23 14:40	YO8L	EET CAL 4
		Instrument ID: IC15								
Total Recoverable	Prep	200.7			50 mL	50 mL	335465	06/08/23 08:01	JP8N	EET CAL 4
Total Recoverable	Analysis	200.7 Rev 4.4		1			335883	06/08/23 15:03	P1R	EET CAL 4
		Instrument ID: ICP11								
Total Recoverable	Prep	200.8			50 mL	50 mL	335467	06/08/23 08:12	JP8N	EET CAL 4
Total Recoverable	Analysis	200.8		1			335600	06/08/23 12:02	Y2WS	EET CAL 4
		Instrument ID: ICPMS10								
Total/NA	Prep	245.1			25 mL	50 mL	335728	06/08/23 17:43	CS5Z	EET CAL 4
Total/NA	Analysis	245.1		1			336072	06/09/23 14:46	C0YH	EET CAL 4
		Instrument ID: HG8								
Total/NA	Analysis	SM 2130B		1			335182	06/07/23 17:42	ZVB7	EET CAL 4
		Instrument ID: TUR4								
Total/NA	Analysis	SM 2320B		1	10 mL	10 mL	335673	06/08/23 14:27	UAPD	EET CAL 4
		Instrument ID: ManSciMantech								
Total/NA	Analysis	SM 2540C		1	100 mL	1000 mL	335765	06/08/23 20:35	ZL7L	EET CAL 4
		Instrument ID: BAL100								
Total/NA	Analysis	SM 4500 H+ B		1			335674	06/08/23 14:27	UAPD	EET CAL 4
		Instrument ID: ManSciMantech								

Eurofins Calscience

# Lab Chronicle

Client: TEAM Environmental, Inc.  
Project/Site: CG Roxane

Job ID: 570-140734-1

**Client Sample ID: OW-10m**  
**Date Collected: 06/06/23 11:00**  
**Date Received: 06/07/23 09:40**

**Lab Sample ID: 570-140734-7**  
**Matrix: Water**

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0 Instrument ID: IC15		1	4 mL	4 mL	335794	06/09/23 14:58	YO8L	EET CAL 4
Total Recoverable	Prep	200.7			50 mL	50 mL	335465	06/08/23 08:01	JP8N	EET CAL 4
Total Recoverable	Analysis	200.7 Rev 4.4 Instrument ID: ICP11		1			335883	06/08/23 15:05	P1R	EET CAL 4
Total Recoverable	Prep	200.8			50 mL	50 mL	335467	06/08/23 08:12	JP8N	EET CAL 4
Total Recoverable	Analysis	200.8 Instrument ID: ICPMS10		1			335600	06/08/23 12:04	Y2WS	EET CAL 4
Total/NA	Prep	245.1			25 mL	50 mL	335728	06/08/23 17:43	CS5Z	EET CAL 4
Total/NA	Analysis	245.1 Instrument ID: HG8		1			336072	06/09/23 14:48	C0YH	EET CAL 4
Total/NA	Analysis	SM 2130B Instrument ID: TUR4		1			335182	06/07/23 17:46	ZVB7	EET CAL 4
Total/NA	Analysis	SM 2320B Instrument ID: ManSciMantech		1	10 mL	10 mL	335673	06/08/23 14:34	UAPD	EET CAL 4
Total/NA	Analysis	SM 2540C Instrument ID: BAL100		1	100 mL	1000 mL	335765	06/08/23 20:35	ZL7L	EET CAL 4
Total/NA	Analysis	SM 4500 H+ B Instrument ID: ManSciMantech		1			335674	06/08/23 14:34	UAPD	EET CAL 4

**Client Sample ID: P-5**  
**Date Collected: 06/06/23 11:55**  
**Date Received: 06/07/23 09:40**

**Lab Sample ID: 570-140734-8**  
**Matrix: Water**

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0 Instrument ID: IC15		1	4 mL	4 mL	335794	06/09/23 15:15	YO8L	EET CAL 4
Total Recoverable	Prep	200.7			50 mL	50 mL	335465	06/08/23 08:01	JP8N	EET CAL 4
Total Recoverable	Analysis	200.7 Rev 4.4 Instrument ID: ICP11		1			335883	06/08/23 15:08	P1R	EET CAL 4
Total Recoverable	Prep	200.8			50 mL	50 mL	335467	06/08/23 08:12	JP8N	EET CAL 4
Total Recoverable	Analysis	200.8 Instrument ID: ICPMS10		1			335600	06/08/23 12:06	Y2WS	EET CAL 4
Total/NA	Prep	245.1			25 mL	50 mL	335728	06/08/23 17:43	CS5Z	EET CAL 4
Total/NA	Analysis	245.1 Instrument ID: HG8		1			336072	06/09/23 14:50	C0YH	EET CAL 4
Total/NA	Analysis	SM 2130B Instrument ID: TUR4		1			335182	06/07/23 17:50	ZVB7	EET CAL 4
Total/NA	Analysis	SM 2320B Instrument ID: ManSciMantech		1	10 mL	10 mL	335673	06/08/23 14:40	UAPD	EET CAL 4
Total/NA	Analysis	SM 2540C Instrument ID: BAL100		1	100 mL	1000 mL	335765	06/08/23 20:35	ZL7L	EET CAL 4
Total/NA	Analysis	SM 4500 H+ B Instrument ID: ManSciMantech		1			335674	06/08/23 14:40	UAPD	EET CAL 4

Eurofins Calscience

# Lab Chronicle

Client: TEAM Environmental, Inc.  
Project/Site: CG Roxane

Job ID: 570-140734-1

**Client Sample ID: CMW-2**  
**Date Collected: 06/05/23 09:32**  
**Date Received: 06/07/23 09:40**

**Lab Sample ID: 570-140734-9**  
**Matrix: Water**

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0 Instrument ID: IC15		1	4 mL	4 mL	335794	06/09/23 15:33	YO8L	EET CAL 4
Total Recoverable	Prep	200.7			50 mL	50 mL	335465	06/08/23 08:01	JP8N	EET CAL 4
Total Recoverable	Analysis	200.7 Rev 4.4 Instrument ID: ICP11		1			335883	06/08/23 15:35	P1R	EET CAL 4
Total Recoverable	Prep	200.8			50 mL	50 mL	335467	06/08/23 08:12	JP8N	EET CAL 4
Total Recoverable	Analysis	200.8 Instrument ID: ICPMS10		1			335600	06/08/23 12:08	Y2WS	EET CAL 4
Total/NA	Prep	245.1			25 mL	50 mL	335728	06/08/23 17:43	CS5Z	EET CAL 4
Total/NA	Analysis	245.1 Instrument ID: HG8		1			336072	06/09/23 14:52	C0YH	EET CAL 4
Total/NA	Analysis	SM 2130B Instrument ID: TUR4		1			335182	06/07/23 10:15	ZVB7	EET CAL 4
Total/NA	Analysis	SM 2320B Instrument ID: ManSciMantech		1	10 mL	10 mL	335673	06/08/23 14:46	UAPD	EET CAL 4
Total/NA	Analysis	SM 2540C Instrument ID: BAL100		1	100 mL	1000 mL	335765	06/08/23 20:35	ZL7L	EET CAL 4
Total/NA	Analysis	SM 4500 H+ B Instrument ID: ManSciMantech		1			335674	06/08/23 14:46	UAPD	EET CAL 4

**Client Sample ID: QCMW**

**Lab Sample ID: 570-140734-10**

**Date Collected: 06/06/23 00:00**

**Matrix: Water**

**Date Received: 06/07/23 09:40**

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0 Instrument ID: IC15		1	4 mL	4 mL	335794	06/09/23 15:51	YO8L	EET CAL 4
Total Recoverable	Prep	200.7			50 mL	50 mL	335465	06/08/23 08:01	JP8N	EET CAL 4
Total Recoverable	Analysis	200.7 Rev 4.4 Instrument ID: ICP11		1			335883	06/08/23 15:37	P1R	EET CAL 4
Total Recoverable	Prep	200.8			50 mL	50 mL	335467	06/08/23 08:12	JP8N	EET CAL 4
Total Recoverable	Analysis	200.8 Instrument ID: ICPMS10		1			335600	06/08/23 11:51	Y2WS	EET CAL 4
Total/NA	Prep	245.1			25 mL	50 mL	335728	06/08/23 17:43	CS5Z	EET CAL 4
Total/NA	Analysis	245.1 Instrument ID: HG8		1			336072	06/09/23 14:54	C0YH	EET CAL 4
Total/NA	Analysis	SM 2130B Instrument ID: TUR4		1			335182	06/07/23 17:52	ZVB7	EET CAL 4
Total/NA	Analysis	SM 2320B Instrument ID: ManSciMantech		1	10 mL	10 mL	335673	06/08/23 14:52	UAPD	EET CAL 4
Total/NA	Analysis	SM 2540C Instrument ID: BAL100		1	100 mL	1000 mL	335765	06/08/23 20:35	ZL7L	EET CAL 4
Total/NA	Analysis	SM 4500 H+ B Instrument ID: ManSciMantech		1			335674	06/08/23 14:52	UAPD	EET CAL 4

Eurofins Calscience

## Lab Chronicle

Client: TEAM Environmental, Inc.  
Project/Site: CG Roxane

Job ID: 570-140734-1

### Laboratory References:

EET CAL 4 = Eurofins Calscience Tustin, 2841 Dow Avenue, Tustin, CA 92780, TEL (714)895-5494

1

2

3

4

5

6

7

8

9

10

11

12

13

14

# Accreditation/Certification Summary

Client: TEAM Environmental, Inc.

Job ID: 570-140734-1

Project/Site: CG Roxane

## Laboratory: Eurofins Calscience

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
California	State	3082	07-31-24

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
SM 4500 H+ B		Water	Temperature

Oregon NELAP 4175 02-02-24

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
SM 2320B		Water	Bicarbonate (as CaCO <sub>3</sub> )

SM 4500 H+ B Water Temperature

# Method Summary

Client: TEAM Environmental, Inc.  
Project/Site: CG Roxane

Job ID: 570-140734-1

Method	Method Description	Protocol	Laboratory
300.0	Anions, Ion Chromatography	EPA	EET CAL 4
200.7 Rev 4.4	Metals (ICP)	EPA	EET CAL 4
200.8	Metals (ICP/MS)	EPA	EET CAL 4
245.1	Mercury (CVAA)	EPA	EET CAL 4
SM 2130B	Turbidity	SM	EET CAL 4
SM 2320B	Alkalinity	SM	EET CAL 4
SM 2540C	Solids, Total Dissolved (TDS)	SM	EET CAL 4
SM 4500 H+ B	pH	SM	EET CAL 4
200.7	Preparation, Total Recoverable Metals	EPA	EET CAL 4
200.8	Preparation, Total Recoverable Metals	EPA	EET CAL 4
245.1	Preparation, Mercury	EPA	EET CAL 4

## Protocol References:

EPA = US Environmental Protection Agency

SM = "Standard Methods For The Examination Of Water And Wastewater"

## Laboratory References:

EET CAL 4 = Eurofins Calscience Tustin, 2841 Dow Avenue, Tustin, CA 92780, TEL (714)895-5494

# Sample Summary

Client: TEAM Environmental, Inc.  
Project/Site: CG Roxane

Job ID: 570-140734-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
570-140734-1	PAT-1	Water	06/05/23 09:50	06/07/23 09:40
570-140734-2	OW-7u	Water	06/06/23 10:21	06/07/23 09:40
570-140734-3	OW-7m	Water	06/06/23 09:45	06/07/23 09:40
570-140734-4	OW-8us	Water	06/05/23 10:50	06/07/23 09:40
570-140734-5	OW-9u	Water	06/05/23 11:55	06/07/23 09:40
570-140734-6	OW-10u	Water	06/06/23 11:25	06/07/23 09:40
570-140734-7	OW-10m	Water	06/06/23 11:00	06/07/23 09:40
570-140734-8	P-5	Water	06/06/23 11:55	06/07/23 09:40
570-140734-9	CMW-2	Water	06/05/23 09:32	06/07/23 09:40
570-140734-10	QCMW	Water	06/06/23 00:00	06/07/23 09:40



Calscience

7440 Lincoln Way, Garden Grove, CA 92841-1427 • (714) 895-5494

For courier service / sample drop off information, contact us 26 [sales@eurofinsus.com](mailto:sales@eurofinsus.com) or call us.



570-140734 Chain of Custody

Loc: 570

**CHAIN OF CUSTODY 140734**

06/06/23

**DATE:**

PAGE: 1 OF 1

LABORATORY CLIENT: TEAM Environmental, Inc.					CLIENT PROJECT NAME / NUMBER: CG Roxane					P.O. NO.:				
ADDRESS: P.O. Box 1265					PROJECT CONTACT: Naomi Jensen - TEAM / Ryan Smith - CG Roxane					SAMPLER(S) (PRINT) Greg Foote/Richard Shore				
CITY: Bishop STATE: CA ZIP: 93514														
TEL: 760-872-1033		E-MAIL: <a href="mailto:naomi@teamenvironmental.com">naomi@teamenvironmental.com</a> , <a href="mailto:richard@teamenvironmental.com">richard@teamenvironmental.com</a>								REQUESTED ANALYSES				
TURNAROUND TIME (Rush surcharges may apply to any TAT not "STANDARD"):										Please check box or fill in blank as needed.				
<input type="checkbox"/> SAME DAY <input type="checkbox"/> 24 HR <input type="checkbox"/> 48 HR <input type="checkbox"/> 72 HR <input type="checkbox"/> 5 DAYS <input type="checkbox"/> STANDARD														
<input type="checkbox"/> COELT EDF		GLOBAL ID:			LOG CODE:									
SPECIAL INSTRUCTIONS:  Please bill CG Roxane directly.														
LAB USE ONLY	SAMPLE ID	SAMPLING		MATRIX	NO. OF CONT.	Unpreserved	Preserved	Field Filtered	T22 Total Metals - 200.8			Sodium, calcium, magnesium - 200.7		
		DATE	TIME						Turbidity	pH	TDS	Chloride/Sulfate - 300.0	Bicarbonate/alkalinity	
1	PAT-1	06/05/23	9:50	GW	4	2	2	0	x	x	x	x	x	x
2	OW-7u	06/06/23	10:21	GW	4	2	2	0	x	x	x	x	x	x
3	OW-7m	06/06/23	9:45	GW	4	2	2	0	x	x	x	x	x	x
4	OW-8us	06/05/23	10:50	GW	4	2	2	0	x	x	x	x	x	x
5	OW-9u	06/05/23	11:55	GW	4	2	2	0	x	x	x	x	x	x
6	OW-10u	06/06/23	11:25	GW	4	2	2	0	x	x	x	x	x	x
7	OW-10m	06/06/23	11:00	GW	4	2	2	0	x	x	x	x	x	x
8	P-5	06/06/23	11:55	GW	4	2	2	0	x	x	x	x	x	x
9	CMW-2	06/05/23	9:32	GW	4	2	2	0	x	x	x	x	x	x
10	QCMW	06/06/23	0:00	GW	4	2	2	0	x	x	x	x	x	x
Relinquished by: (Signature)					Received by: (Signature/Affiliation)					Date: 6/8/23			Time: 1400	
Relinquished by: (Signature)					Received by: (Signature/Affiliation)					Date: 6/7/23			Time: 0940	
Relinquished by: (Signature)					Received by: (Signature/Affiliation)					Date:			Time:	

## Login Sample Receipt Checklist

Client: TEAM Environmental, Inc.

Job Number: 570-140734-1

**Login Number: 140734**

**List Source: Eurofins Calscience**

**List Number: 1**

**Creator: Skinner, Alma D**

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Date of Report: 06/08/2023

Naomi Jensen

TEAM Environmental - Bishop

P O Box 1265  
Bishop, CA 93515

Client Project: [none]  
BCL Project: CG Roxane  
BCL Work Order: 2311132  
Invoice ID: B477413


Enclosed are the results of analyses for samples received by the laboratory on 6/7/2023. If you have any questions concerning this report, please feel free to contact me.

Sincerely,



---

Contact Person: Eli Velazquez  
Client Service Rep



---

Stuart Butram  
Operations Manager

Certifications: CA ELAP #1186; NV #CA00014; OR ELAP #4032-001; AK UST101

---

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*  
All results listed in this report are for the exclusive use of the submitting party. Pace Analytical assumes no responsibility for report alteration, separation, detachment or third party interpretation.

## Table of Contents

### **Sample Information**

Chain of Custody and Cooler Receipt form.....	3
Laboratory / Client Sample Cross Reference.....	5

### **Sample Results**

<b>2311132-01 - CMW-2</b>	
Water Analysis (General Chemistry).....	7
<b>2311132-02 - OW-8us</b>	
Water Analysis (General Chemistry).....	8
<b>2311132-03 - OW-9u</b>	
Water Analysis (General Chemistry).....	9
<b>2311132-04 - PAT-1</b>	
Water Analysis (General Chemistry).....	10
<b>2311132-05 - OW-7m</b>	
Water Analysis (General Chemistry).....	11
<b>2311132-06 - OW-7u</b>	
Water Analysis (General Chemistry).....	12
<b>2311132-07 - OW-10m</b>	
Water Analysis (General Chemistry).....	13
<b>2311132-08 - OW-10u</b>	
Water Analysis (General Chemistry).....	14
<b>2311132-09 - P-5</b>	
Water Analysis (General Chemistry).....	15
<b>2311132-10 - QCMW</b>	
Water Analysis (General Chemistry).....	16

### **Quality Control Reports**

<b>Water Analysis (General Chemistry)</b>	
Method Blank Analysis.....	17

### **Notes**

Notes and Definitions.....	18
----------------------------	----

**Chain of Custody and Cooler Receipt Form for 2311132 Page 1 of 2**

**Chain of Custody Form**

\*Required Fields

Report To:

Client: \* TEAM Environmental, Inc.

Attn: \* Naomi Jensen

Street Address: \* 459 West Line Street

City: \* Bishop

State: \* CA

Zip: \* 93514

Phone#: \*760 1872 - 1033

Fax#: \* |

Email Address: richard@teamenvironmental.com; naomi@team

Submission #: 2311132

Sample #	Sample Description	Analysis Requested			Notes	Billing
		Date	Time	Matrix*		
-1	CMW-2	06/05/23	0932	GW	<input checked="" type="checkbox"/>	
-2	GW-8us	06/05/23	1050	GW	<input checked="" type="checkbox"/>	
-3	GW-9u	06/05/23	1155	GW	<input checked="" type="checkbox"/>	
-4	PAT-1	06/05/23	0950	GW	<input checked="" type="checkbox"/>	
-5	GW-7m	06/05/23	0945	GW	<input checked="" type="checkbox"/>	
-6	GW-7u	06/06/23	1021	GW	<input checked="" type="checkbox"/>	
-7	GW-10m	06/06/23	1100	GW	<input checked="" type="checkbox"/>	
-8	GW-10u	06/06/23	1125	GW	<input checked="" type="checkbox"/>	
-9	P-5	06/06/23	1155	GW	<input checked="" type="checkbox"/>	
-10	QC/MW	06/05/23	0000	GW	<input checked="" type="checkbox"/>	

**Matrix Types:** S = Soil    SL = Sludge    DW = Drinking Water    WW = Wastewater    GW = Groundwater    L = Liquid    M = Miscellaneous    O = Other

**Turnaround # of working days:**  24 Hr Rush     48 Hr Rush     3-5 Day Rush     Normal (10 - Days)

**Lab TAT Approval:** \_\_\_\_\_ \* Additional Charges May Apply

**Comments:**  
Note SHORT HOLD TIME for Odor

1. Relinquished By: <i>[Signature]</i>	Date: 06/06/23	Time: 15:00	1. Received By: <i>[Signature]</i>	Date: 06/06/23	Time: 15:00
2. Relinquished By: <i>[Signature]</i>	Date:	Time:	2. Received By: <i>[Signature]</i>	Date: 06/06/23	Time: 15:00
3. Relinquished By: <i>[Signature]</i>	Date:	Time:	3. Received By: <i>[Signature]</i>	Date: 06/06/23	Time: 15:00

**Cost Center:**

- MBU Site
- CVX RBA
- Geotracker 5 File  
(CA Default)
- Geotracker 2 File
- Other (Specify) \_\_\_\_\_

**Global ID:**

1. Received By: *[Signature]* Date: 06/06/23 Time: 15:00 FedEx

2. Received By: *[Signature]* Date: 06/06/23 Time: 15:00 FedEx

3. Received By: *[Signature]* Date: 06/06/23 Time: 15:00 FedEx

BC Laboratories, Inc. 4100 Atlas Court – Bakersfield CA 93308 (661) 327-4911 Fax: (661) 327-1918 www.bclabs.com

## Chain of Custody and Cooler Receipt Form for 2311132 Page 2 of 2

PACE ANALYTICAL		COOLER RECEIPT FORM								Page <u>1</u> Of <u>1</u>	
Submission #: <u>23-11132</u>											
<b>SHIPPING INFORMATION</b> <input checked="" type="checkbox"/> Fed Ex <input type="checkbox"/> UPS <input type="checkbox"/> GSO / GLS <input type="checkbox"/> Hand Delivery <input type="checkbox"/> <input type="checkbox"/> Pace Lab Field Service <input type="checkbox"/> Other <input type="checkbox"/> (Specify) _____				<b>SHIPPING CONTAINER</b> <input checked="" type="checkbox"/> Ice Chest <input type="checkbox"/> None <input type="checkbox"/> Box <input type="checkbox"/> <input type="checkbox"/> Other <input type="checkbox"/> (Specify) _____				<b>FREE LIQUID</b> <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> W / S			
<b>Refrigerant:</b> <input type="checkbox"/> Ice <input checked="" type="checkbox"/> Blue Ice <input type="checkbox"/> None <input type="checkbox"/> Other <input type="checkbox"/> Comments: _____											
<b>Custody Seals:</b> <input type="checkbox"/> Ice Chest <input type="checkbox"/> Containers <input type="checkbox"/> None <input type="checkbox"/> Comments: Intact? Yes <input type="checkbox"/> No <input type="checkbox"/>		Intact? Yes <input type="checkbox"/> No <input type="checkbox"/>									
All samples received? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		All samples containers intact? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		Description(s) match COC? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>							
<b>COC Received</b> <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO		Emissivity: <u>0.97</u> Container: <u>NA</u> Thermometer ID: <u>337</u> Temperature: (A) <u>56</u> °C / (C) <u>5.3</u> °C		Date/Time <u>6-7-23</u> Analyst Init <u>SMH 1016</u>							
SAMPLE CONTAINERS		SAMPLE NUMBERS									
		1	2	3	4	5	6	7	8	9	10
QT PE UNPRES											
4oz / 8oz / 16oz PE UNPRES											
2oz Cr <sup>2+</sup>											
QT INORGANIC CHEMICAL METALS											
INORGANIC CHEMICAL METALS 4oz / 8oz / 16oz											
PT CYANIDE											
PT NITROGEN FORMS											
PT TOTAL SULFIDE											
2oz NITRATE/NITRITE											
PT TOTAL ORGANIC CARBON											
PT CHEMICAL OXYGEN DEMAND											
PT PHENOLICS											
40ml VOA VIAL TRAVEL BLANK											
40ml VOA VIAL											
QT EPA 1664B											
PT ODOR											
RADIOLOGICAL											
BACTERIOLOGICAL											
40 ml VOA VIAL-504											
QT EPA 508M0130881A											
QT EPA 515.1/8151A											
QT EPA 525.2											
QT EPA 525.2 TRAVEL BLANK											
40ml EPA 547											
40ml EPA 531.1											
8oz EPA 548.1											
QT EPA 549.2											
QT EPA 801SM											
QT EPA 8170C											
8oz / 16oz / 32oz AMBER	A	A	A	A	A	A	A	A	A	A	
8oz / 16oz / 32oz JAR											
SOIL SLEEVE											
PCB VIAL											
PLASTIC BAG											
TEFLON BAG											
FERROUS IRON											
ENCORE											
SMART KIT											
SUMMA CANISTER											

Comments:

 Sample Numbering Completed By: (Signature)  
 A = Actual / C = Corrected

 Date/Time: 6-7-23 2105

Rev 23-06/2022

IRP-PAC/Environmental Document Control System 5.0

TEAM Environmental - Bishop  
 P O Box 1265  
 Bishop, CA 93515

**Reported:** 06/08/2023 14:34  
**Project:** CG Roxane  
**Project Number:** [none]  
**Project Manager:** Naomi Jensen

## Laboratory / Client Sample Cross Reference

Laboratory	Client Sample Information				
2311132-01	<b>COC Number:</b> --- <b>Project Number:</b> --- <b>Sampling Location:</b> --- <b>Sampling Point:</b> CMW-2 <b>Sampled By:</b> G. Foote / R. Shore	<b>Receive Date:</b> 06/07/2023 10:16 <b>Sampling Date:</b> 06/05/2023 09:32 <b>Sample Depth:</b> --- <b>Lab Matrix:</b> Water <b>Sample Type:</b> Groundwater			
2311132-02	<b>COC Number:</b> --- <b>Project Number:</b> --- <b>Sampling Location:</b> --- <b>Sampling Point:</b> OW-8us <b>Sampled By:</b> G. Foote / R. Shore	<b>Receive Date:</b> 06/07/2023 10:16 <b>Sampling Date:</b> 06/05/2023 10:50 <b>Sample Depth:</b> --- <b>Lab Matrix:</b> Water <b>Sample Type:</b> Groundwater			
2311132-03	<b>COC Number:</b> --- <b>Project Number:</b> --- <b>Sampling Location:</b> --- <b>Sampling Point:</b> OW-9u <b>Sampled By:</b> G. Foote / R. Shore	<b>Receive Date:</b> 06/07/2023 10:16 <b>Sampling Date:</b> 06/05/2023 11:55 <b>Sample Depth:</b> --- <b>Lab Matrix:</b> Water <b>Sample Type:</b> Groundwater			
2311132-04	<b>COC Number:</b> --- <b>Project Number:</b> --- <b>Sampling Location:</b> --- <b>Sampling Point:</b> PAT-1 <b>Sampled By:</b> G. Foote / R. Shore	<b>Receive Date:</b> 06/07/2023 10:16 <b>Sampling Date:</b> 06/05/2023 09:50 <b>Sample Depth:</b> --- <b>Lab Matrix:</b> Water <b>Sample Type:</b> Groundwater			
2311132-05	<b>COC Number:</b> --- <b>Project Number:</b> --- <b>Sampling Location:</b> --- <b>Sampling Point:</b> OW-7m <b>Sampled By:</b> G. Foote / R. Shore	<b>Receive Date:</b> 06/07/2023 10:16 <b>Sampling Date:</b> 06/06/2023 09:45 <b>Sample Depth:</b> --- <b>Lab Matrix:</b> Water <b>Sample Type:</b> Groundwater			
2311132-06	<b>COC Number:</b> --- <b>Project Number:</b> --- <b>Sampling Location:</b> --- <b>Sampling Point:</b> OW-7u <b>Sampled By:</b> G. Foote / R. Shore	<b>Receive Date:</b> 06/07/2023 10:16 <b>Sampling Date:</b> 06/06/2023 10:21 <b>Sample Depth:</b> --- <b>Lab Matrix:</b> Water <b>Sample Type:</b> Groundwater			
2311132-07	<b>COC Number:</b> --- <b>Project Number:</b> --- <b>Sampling Location:</b> --- <b>Sampling Point:</b> OW-10m <b>Sampled By:</b> G. Foote / R. Shore	<b>Receive Date:</b> 06/07/2023 10:16 <b>Sampling Date:</b> 06/06/2023 11:00 <b>Sample Depth:</b> --- <b>Lab Matrix:</b> Water <b>Sample Type:</b> Groundwater			

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. Pace Analytical assumes no responsibility for report alteration, separation, detachment or third party interpretation.

TEAM Environmental - Bishop  
 P O Box 1265  
 Bishop, CA 93515

**Reported:** 06/08/2023 14:34  
**Project:** CG Roxane  
**Project Number:** [none]  
**Project Manager:** Naomi Jensen

## Laboratory / Client Sample Cross Reference

Laboratory	Client Sample Information			
2311132-08	<b>COC Number:</b> --- <b>Project Number:</b> --- <b>Sampling Location:</b> --- <b>Sampling Point:</b> OW-10u <b>Sampled By:</b> G. Foote / R. Shore	<b>Receive Date:</b> 06/07/2023 10:16 <b>Sampling Date:</b> 06/06/2023 11:25 <b>Sample Depth:</b> --- <b>Lab Matrix:</b> Water <b>Sample Type:</b> Groundwater		
2311132-09	<b>COC Number:</b> --- <b>Project Number:</b> --- <b>Sampling Location:</b> --- <b>Sampling Point:</b> P-5 <b>Sampled By:</b> G. Foote / R. Shore	<b>Receive Date:</b> 06/07/2023 10:16 <b>Sampling Date:</b> 06/06/2023 11:55 <b>Sample Depth:</b> --- <b>Lab Matrix:</b> Water <b>Sample Type:</b> Groundwater		
2311132-10	<b>COC Number:</b> --- <b>Project Number:</b> --- <b>Sampling Location:</b> --- <b>Sampling Point:</b> QCMW <b>Sampled By:</b> G. Foote / R. Shore	<b>Receive Date:</b> 06/07/2023 10:16 <b>Sampling Date:</b> 06/06/2023 00:00 <b>Sample Depth:</b> --- <b>Lab Matrix:</b> Water <b>Sample Type:</b> Groundwater		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. Pace Analytical assumes no responsibility for report alteration, separation, detachment or third party interpretation.

TEAM Environmental - Bishop  
P O Box 1265  
Bishop, CA 93515

**Reported:** 06/08/2023 14:34  
**Project:** CG Roxane  
**Project Number:** [none]  
**Project Manager:** Naomi Jensen

## Water Analysis (General Chemistry)

BCL Sample ID:	2311132-01	Client Sample Name: CMW-2, 6/5/2023 9:32:00AM, G. Foote / R. Shore						
Constituent	Result	Units	PQL	MDL	Method	MB Bias	Lab Quals	DCN
Odor	ND	Odor Units	1.0	1.0	SM-2150B	ND		1

DCN	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID	Prep Method
1	SM-2150B	06/08/23 07:00	06/08/23 07:00	AKC	MANUAL	1	B167762	No Prep

DCN = Data Continuation Number

TEAM Environmental - Bishop  
 P O Box 1265  
 Bishop, CA 93515

**Reported:** 06/08/2023 14:34  
**Project:** CG Roxane  
**Project Number:** [none]  
**Project Manager:** Naomi Jensen

## Water Analysis (General Chemistry)

BCL Sample ID:	2311132-02	Client Sample Name: OW-8us, 6/5/2023 10:50:00AM, G. Foote / R. Shore						
Constituent	Result	Units	PQL	MDL	Method	MB Bias	Lab Quals	DCN
Odor	>200	Odor Units	1.0	1.0	SM-2150B	ND		1

DCN	Method	Prep Date	Run Date/Time	Analyst	Instrument	Dilution	QC Batch ID	Prep Method
1	SM-2150B	06/08/23 07:00	06/08/23 07:00	AKC	MANUAL	1	B167762	No Prep

DCN = Data Continuation Number

TEAM Environmental - Bishop  
P O Box 1265  
Bishop, CA 93515

**Reported:** 06/08/2023 14:34  
**Project:** CG Roxane  
**Project Number:** [none]  
**Project Manager:** Naomi Jensen

## Water Analysis (General Chemistry)

BCL Sample ID:	2311132-03	Client Sample Name: OW-9u, 6/5/2023 11:55:00AM, G. Foote / R. Shore						
Constituent	Result	Units	PQL	MDL	Method	MB Bias	Lab Quals	DCN
Odor	40	Odor Units	1.0	1.0	SM-2150B	ND		1

DCN = Data Continuation Number

DCN	Method	Prep Date	Run	Analyst	Instrument	Dilution	QC	Batch ID	Prep Method
			Date/Time						
1	SM-2150B	06/08/23 07:00	06/08/23 07:00	AKC	MANUAL	1		B167762	No Prep

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. Pace Analytical assumes no responsibility for report alteration, separation, detachment or third party interpretation.

TEAM Environmental - Bishop  
P O Box 1265  
Bishop, CA 93515

**Reported:** 06/08/2023 14:34  
**Project:** CG Roxane  
**Project Number:** [none]  
**Project Manager:** Naomi Jensen

## Water Analysis (General Chemistry)

BCL Sample ID:	2311132-04	Client Sample Name: PAT-1, 6/5/2023 9:50:00AM, G. Foote / R. Shore						
Constituent	Result	Units	PQL	MDL	Method	MB Bias	Lab Quals	DCN
Odor	ND	Odor Units	1.0	1.0	SM-2150B	ND		1

DCN	Method	Prep Date	Run	Analyst	Instrument	Dilution	QC	Batch ID	Prep Method
			Date/Time						
1	SM-2150B	06/08/23 07:00	06/08/23 07:00	AKC	MANUAL	1		B167762	No Prep

DCN = Data Continuation Number

TEAM Environmental - Bishop  
P O Box 1265  
Bishop, CA 93515

**Reported:** 06/08/2023 14:34  
**Project:** CG Roxane  
**Project Number:** [none]  
**Project Manager:** Naomi Jensen

## Water Analysis (General Chemistry)

BCL Sample ID:	2311132-05	Client Sample Name: OW-7m, 6/6/2023 9:45:00AM, G. Foote / R. Shore						
Constituent	Result	Units	PQL	MDL	Method	MB Bias	Lab Quals	DCN
Odor	ND	Odor Units	1.0	1.0	SM-2150B	ND		1

DCN	Method	Prep Date	Run	Analyst	Instrument	Dilution	QC	Batch ID	Prep Method
			Date/Time						
1	SM-2150B	06/08/23 07:00	06/08/23 07:00	AKC	MANUAL	1		B167762	No Prep

DCN = Data Continuation Number

TEAM Environmental - Bishop  
 P O Box 1265  
 Bishop, CA 93515

**Reported:** 06/08/2023 14:34  
**Project:** CG Roxane  
**Project Number:** [none]  
**Project Manager:** Naomi Jensen

## Water Analysis (General Chemistry)

BCL Sample ID:	2311132-06	Client Sample Name: OW-7u, 6/6/2023 10:21:00AM, G. Foote / R. Shore						
Constituent	Result	Units	PQL	MDL	Method	MB Bias	Lab Quals	DCN
Odor	ND	Odor Units	1.0	1.0	SM-2150B	ND		1

DCN	Method	Prep Date	Run	Analyst	Instrument	Dilution	QC	Batch ID	Prep Method
			Date/Time						
1	SM-2150B	06/08/23 07:00	06/08/23 07:00	AKC	MANUAL	1		B167762	No Prep

DCN = Data Continuation Number

TEAM Environmental - Bishop  
P O Box 1265  
Bishop, CA 93515

**Reported:** 06/08/2023 14:34  
**Project:** CG Roxane  
**Project Number:** [none]  
**Project Manager:** Naomi Jensen

## Water Analysis (General Chemistry)

BCL Sample ID:	2311132-07	Client Sample Name: OW-10m, 6/6/2023 11:00:00AM, G. Foote / R. Shore						
Constituent	Result	Units	PQL	MDL	Method	MB Bias	Lab Quals	DCN
Odor	4.0	Odor Units	1.0	1.0	SM-2150B	ND		1

DCN = Data Continuation Number

DCN	Method	Prep Date	Run		Analyst	Instrument	Dilution	QC	Batch ID	Prep Method
			Date/Time	Time						
1	SM-2150B	06/08/23 07:00	06/08/23	07:00	AKC	MANUAL	1		B167762	No Prep

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. Pace Analytical assumes no responsibility for report alteration, separation, detachment or third party interpretation.

TEAM Environmental - Bishop  
 P O Box 1265  
 Bishop, CA 93515

**Reported:** 06/08/2023 14:34  
**Project:** CG Roxane  
**Project Number:** [none]  
**Project Manager:** Naomi Jensen

## Water Analysis (General Chemistry)

BCL Sample ID:	2311132-08	Client Sample Name: OW-10u, 6/6/2023 11:25:00AM, G. Foote / R. Shore						
Constituent	Result	Units	PQL	MDL	Method	MB Bias	Lab Quals	DCN
Odor	ND	Odor Units	1.0	1.0	SM-2150B	ND		1

DCN	Method	Prep Date	Run	Analyst	Instrument	Dilution	QC	Batch ID	Prep Method
			Date/Time						
1	SM-2150B	06/08/23 07:00	06/08/23 07:00	AKC	MANUAL	1		B167762	No Prep

DCN = Data Continuation Number

TEAM Environmental - Bishop  
P O Box 1265  
Bishop, CA 93515

**Reported:** 06/08/2023 14:34  
**Project:** CG Roxane  
**Project Number:** [none]  
**Project Manager:** Naomi Jensen

## Water Analysis (General Chemistry)

BCL Sample ID:	2311132-09	Client Sample Name: P-5, 6/6/2023 11:55:00AM, G. Foote / R. Shore						
Constituent	Result	Units	PQL	MDL	Method	MB Bias	Lab Quals	DCN
Odor	ND	Odor Units	1.0	1.0	SM-2150B	ND		1

DCN	Method	Prep Date	Run	Analyst	Instrument	Dilution	QC	Batch ID	Prep Method
			Date/Time						
1	SM-2150B	06/08/23 07:00	06/08/23 07:00	AKC	MANUAL	1		B167762	No Prep

DCN = Data Continuation Number

TEAM Environmental - Bishop  
 P O Box 1265  
 Bishop, CA 93515

**Reported:** 06/08/2023 14:34  
**Project:** CG Roxane  
**Project Number:** [none]  
**Project Manager:** Naomi Jensen

## Water Analysis (General Chemistry)

BCL Sample ID:	2311132-10	Client Sample Name: QCMW, 6/6/2023 12:00:00AM, G. Foote / R. Shore						
Constituent	Result	Units	PQL	MDL	Method	MB Bias	Lab Quals	DCN
Odor	ND	Odor Units	1.0	1.0	SM-2150B	ND		1

DCN	Method	Prep Date	Run	Analyst	Instrument	Dilution	QC	Batch ID	Prep Method
			Date/Time						
1	SM-2150B	06/08/23 07:00	06/08/23 07:00	AKC	MANUAL	1		B167762	No Prep

DCN = Data Continuation Number

TEAM Environmental - Bishop  
 P O Box 1265  
 Bishop, CA 93515

**Reported:** 06/08/2023 14:34  
**Project:** CG Roxane  
**Project Number:** [none]  
**Project Manager:** Naomi Jensen

## Water Analysis (General Chemistry)

### Quality Control Report - Method Blank Analysis

Constituent	QC Sample ID	MB Result	Units	PQL	MDL	Lab Quals	Run #
Odor	B167762-BLK1	ND	Odor Units	1.0	1.0		1

Run #	QC Sample ID	QC Type	Method	Run				
				Prep Date	Date Time	Analyst	Instrument	
1	B167762-BLK1	PB	SM-2150B	06/08/23	06/08/23 07:00	AKC	MANUAL	1

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. Pace Analytical assumes no responsibility for report alteration, separation, detachment or third party interpretation.

TEAM Environmental - Bishop  
P O Box 1265  
Bishop, CA 93515

**Reported:** 06/08/2023 14:34  
**Project:** CG Roxane  
**Project Number:** [none]  
**Project Manager:** Naomi Jensen

### Notes And Definitions


MDL Method Detection Limit  
ND Analyte Not Detected  
PQL Practical Quantitation Limit

**APPENDIX C**

**STATISTICAL ANALYSIS GRAPHS**

# SODIUM CONCENTRATION OVER TIME


## Cabin Bar Ranch GMMRP Monitoring Points



PAT-1 was not available for sampling during the December 2022 event.

# CHLORIDE CONCENTRATION OVER TIME


## Cabin Bar Ranch GMMRP Monitoring Points



PAT-1 was not available for sampling during the December 2022 event.

# BICARBONATE CONCENTRATION OVER TIME


## Cabin Bar Ranch GMMRP Monitoring Points



PAT-1 was not available for sampling during the December 2022 event.

# TOTAL DISSOLVED SOLIDS CONCENTRATION OVER TIME


## Cabin Bar Ranch GMMRP Monitoring Points



PAT-1 was not available for sampling during the December 2022 event.

# ARSENIC CONCENTRATION OVER TIME


## Cabin Bar Ranch GMMRP Monitoring Points



PAT-1 was not available for sampling during the December 2022 event.

## BARIUM CONCENTRATION OVER TIME

### Cabin Bar Ranch GMMRP Monitoring Points



PAT-1 was not available for sampling during the December 2022 event.