



TEAMENVIRONMENTAL.COM

760-872-1033

459 W. Line Street, Suite A

Bishop, CA 93514

Dr. Holly Alpert  
Inyo County Water Department  
135 South Jackson Street  
Independence, CA 93526

January 26, 2024

## **BI-MONTHLY GROUNDWATER MONITORING REPORT, NOVEMBER TO DECEMBER 2023**

### **CRYSTAL GEYSER ROXANE, CABIN BAR RANCH, INYO COUNTY, CALIFORNIA**

Dear Dr. Alpert:


This letter summarizes hydrologic monitoring activities conducted in November and December 2023 by TEAM Environmental, Inc. (TEAM), in support of the Crystal Geyser Roxane (CGR) Cabin Bar Ranch Bottling Plant Groundwater Monitoring, Mitigation, and Reporting Plan (GMMRP).

#### **BACKGROUND**

As outlined in the GMMRP for Cabin Bar Ranch, dated June 18, 2014, a network of groundwater monitoring wells has been established for collection of water level and water quality data in support of the proposed Cabin Bar Ranch Bottling Facility (see Figure 1 and 2). The conditions of the GMMRP required a minimum of four months of continuous baseline groundwater data collection to characterize pre-project conditions and to assess the functionality of the monitoring system. In February 2016, TEAM (formerly TEAM Engineering & Management, Inc.) was retained by CGR to collect the required baseline groundwater data and report directly to the Inyo County Water Department (ICWD), as an objective third-party monitor.

Baseline groundwater monitoring was initiated on March 1, 2016. The first four months of baseline groundwater monitoring data, including laboratory results of water quality samples, were summarized in the *Baseline Groundwater Monitoring Report, First and Second Quarter 2016* dated August 4, 2016. Monthly groundwater level monitoring activities continued, with bi-monthly reporting, until project pumping commenced in order to accurately document pre-pumping baseline conditions. Project pumping at the Cabin Bar Ranch Bottling Facility commenced on March 19, 2018.

In a letter to ICWD dated April 6, 2017, CGR provided a summary of the water level and water quality data to document pre-pumping baseline conditions and provided recommendations for the refinement of site-wide groundwater elevation trigger levels and water quality trigger levels in monitoring well OW-10m. The letter also recommended the installation of a deeper



piezometer to replace well P-15, which has been seasonally dry, to better evaluate the range of groundwater fluctuations in the area. In a letter dated July 6, 2017, the ICWD concurred with these recommendations, which formalized the project trigger levels discussed herein.

March 2020 marked the end of the initial 2-year post-pumping groundwater monitoring period as outlined in the GMMRP. In accordance with the GMMRP Section 6.1.1 and Section 6.1.2, following two years of groundwater level and groundwater quality data, TEAM submitted to ICWD a report titled *Recommendations for Reduced Monitoring per GMMRP*, dated October 7, 2020. ICWD conditionally approved the recommendations in a letter dated November 1, 2020, requiring CGR to continue water level monitoring on a bi-monthly basis. The ICWD letter also required CGR to perform two more quarterly groundwater sampling events during the Fourth Quarter 2020 and First Quarter 2021, at which point the data and monitoring program were to be reassessed.

Additional monitoring recommendations were developed and presented by TEAM in the *Bi-Monthly Groundwater Monitoring per GMMRP, January to February 2021* report, dated March 12, 2021. ICWD conditionally approved the recommendations in a letter dated May 20, 2021, requiring CGR to continue water level monitoring on a bi-monthly basis with semi-annual groundwater sampling events to be conducted during the Second and Fourth Quarters of each year.

On June 23, 2022, Geosyntec installed replacement piezometer P-15A approximately 15 feet north of P-15 in accordance with ICWD's July 6, 2017, approval letter. A GWE trigger level for newly installed piezometer P-15A has not yet been established. ICWD has requested that manual water level measurements at P-15 continue to be monitored until a correlation between water levels at P-15 and P-15A can be established.

## WATER LEVEL MONITORING

TEAM completed the December 2023 bi-monthly hydrologic data collection event at the GMMRP groundwater monitoring locations in the area of Cabin Bar Ranch (See Figure 2) on December 12, 2023. Static depth-to-water (DTW) measurements were collected by TEAM, as summarized in Table 2. Manual DTW measurements were referenced to a surveyed mark on the top of the well casing and converted to groundwater elevation (GWE), in feet above mean sea level. Any adjustment to the GWE calculation (e.g. for riser height) is included in the table.

Monitoring well datalogging systems (pressure transducers) have been installed and activated by CGR in all fourteen (14) GMMRP wells: CMW-2, MW-3, P-5, P-10, P-15/P-15A, PAT-1, OW-7u, OW-7m, OW-8us, OW-9u, OW-10u, OW-10m, RP-1 and SS-1A (see Figure 2). During the December 2023 monitoring event, water level or pressure measurements were collected from all of the measuring points defined in the GMMRP.

On December 12, 2023, a round of manual DTWs were collected by TEAM personnel, and the transducer data were downloaded for the period of October 12 to December 12, 2023. Manual DTWs and corresponding GWEs are included in Table 2. Pressure readings were collected from

OW-8us and OW-9u, which both remained artesian in December. The data from each datalogger were correlated to manual DTWs from the beginning of the data period, or to the closest correlated data point when necessary. Hydrographs of each well have been provided in Attachment A.

## WATER QUALITY MONITORING

The GMMRP for Cabin Bar Ranch required pre-pumping water quality monitoring to establish baseline conditions for the project. Baseline water quality sample collection was conducted in March, April, June, and September 2016. Due to delays in project implementation, and as agreed upon between CGR and ICWD, a final round of water quality samples representative of baseline conditions was collected on March 27, 2018.

Subsequent to the initiation of pumping in March 2018, the first round of quarterly water quality samples to be compared to the baseline dataset was collected in June 2018. Water quality samples have been collected quarterly from June 2018 to June 2021, and semi-annually from June 2021 through the current monitoring period. The results of water quality analysis collected from GMMRP monitoring locations are summarized in Table 3.

Groundwater samples were collected from nine (9) of the ten (10) GMMRP monitoring points in December 2023. Due to ongoing highway construction activities, well MW-3 was inaccessible for sampling during the December 2023 event. Wells CMW-2, PAT-1, OW-8us, and OW-9u were sampled on December 12, 2023, and wells OW-7u, OW-7m, OW-10m, OW-10u, and P-5 were sampled on December 13, 2023. The samples were transported to the analytical laboratories via expedited overnight mail with completed chain-of-custody forms. Monitoring Parameters were analyzed by Eurofins Calscience of Tustin, California, and Pace Analytical Laboratories of Bakersfield, California. Eurofins and Pace are both California state-certified laboratories.

Based on the analysis of total Title 22 priority pollutant metals, arsenic, barium, lead, molybdenum, vanadium, and zinc were detected above laboratory detection limits in one or more GMMRP wells in December 2023. Of these detections, only the arsenic concentrations identified in OW-7u and OW-7m (0.019 mg/L and 0.020 mg/L, respectively) exceed the maximum contaminant level (MCL) for arsenic in drinking water in California (0.010 mg/L). These detections are similar to samples collected previously at OW-7u and OW-7m. All other metal concentrations are below applicable primary MCLs. It should be noted that the trigger level for arsenic (0.0075 mg/L) is only applicable to wells CMW-2, OW-8us, OW-9u, OW-10u, OW-10m, and PAT-1 in accordance with the GMMRP. The approved water quality trigger levels for select wells are included in Table 5 for reference.

As indicated in the GMMRP Section 6.1.1, groundwater quality data is also required to be collected on a daily basis using sensors installed with the datalogging systems. Project monitoring wells OW-10m, OW-7u, OW-7m, OW-8us, OW-9u and P-5 were equipped with AquaTroll 200 transducers and were set to record Electrical Conductivity (eC) every 4 hours.

Off-site wells CMW-2 and PAT-1 were also equipped with AquaTroll 200 transducers. The conductivity data is plotted on the hydrographs in Attachment A.

### PRODUCTION WELL TOTALIZER READINGS

Totalizer readings for the three Cabin Bar Ranch production wells (CGR-8, CGR-9, and CGR-10) were first collected on March 13, 2018, prior to the commencement of pumping on March 19, 2018, and during each subsequent monthly or bi-monthly monitoring event. Per the GMMRP and ICWD direction, the combined annual allowable pumping amount for the Cabin Bar Ranch production wells is 360 acre-feet per year. The first annual project pumping total, from March 2018 to March 2019, was approximately 155 acre-feet. The second annual project pumping total, from March 2019 to March 2020, was approximately 263 acre-feet. The third annual project pumping total, from March 2020 to March 2021, was approximately 280 acre-feet. The fourth-annual project pumping total, from March 2021 to March 2022, was approximately 263 acre-feet. The fifth-annual project pumping total, from March 2022 to March 2023, was approximately 253 acre-feet. The current annual project pumping amount, from March 16, 2023, to December 12, 2023, is approximately 178 acre-feet. The totalizer readings and a summary of these project pumping amounts are provided in Table 6.

### TRIGGER LEVELS

A summary of baseline GWEs and water level trigger levels, based on drawdown (from baseline GWEs) or depth-to-water (P-15 only) for wells in which triggers have been established, is provided in Table 4. The reference baseline GWEs were approved by the ICWD in their July 2017 letter. No GWE trigger levels were exceeded based on the water level data collected in December 2023, nor during the project thus far. A GWE trigger level for newly installed piezometer P-15A has not yet been established.

Trigger levels for six water quality parameters, which apply to quarterly sampling data, are included in Table 5. No water quality trigger levels have been exceeded based on the samples collected during the project thus far. Per the GMMRP, an analysis of water quality data is required to be conducted to determine if an upward statistically significant trend in one of the water quality parameters indicates that a trigger level will be reached within a three-year period. Trends are reassessed approximately every six months with the addition of new data.

### STATISTICAL ANALYSIS

A limited statistical analysis was conducted in December 2023 after the collection of semi-annual groundwater sample data. A linear regression analysis was performed on the six designated water quality parameters (sodium, chloride, bicarbonate, total dissolved solids [TDS], arsenic, and barium) at all trigger well locations. Graphs showing the concentrations over time and trendlines are included in Attachment C. Of the six water quality parameters, potentially increasing trends were noted in TDS concentrations at OW-8us and OW-9u. The R-squared values for TDS at OW-8us and OW-9u (0.38 and 0.26, respectively) indicate a weak positive correlation between the trendlines and the data. A projection of these trendlines for three years after the last sample collection (through December 2026) indicates that no



exceedances of the respective trigger levels are predicted. Only trendlines with R-squared values greater than 0.10 are shown on the graphs. Values below 0.10 indicate that there is negligible positive correlation between the trendlines and the data and are considered statistically insignificant. No other potentially increasing trends were noted among the other water quality parameters at any of the trigger well locations.

**OPERATIONAL NOTES**

Totalizer data from November 2023 was collected by CGR and reported to TEAM. Totalizer data from December 2023 was collected directly by TEAM. Well OW-7m was found in artesian condition during the December 2023 monitoring event, and an accurate groundwater elevation could not be measured. The groundwater elevation for OW-7m is therefore listed in the tables as greater than the surveyed top of well casing. During the December 2023 monitoring event, the transducer for well CMW-2 malfunctioned and was removed from the well. A replacement transducer was installed and activated at CMW-2 on December 12, 2023. There were no other significant operational issues during the reporting period.

**ANTICIPATED ACTIVITIES**

Bi-monthly reporting and semi-annual groundwater sampling will continue according to the requirements of the updated GMMRP. Collection of depth to water and download of transducer data is anticipated to be conducted in February 2024. In addition, totalizer reads from all three production wells (CGR-8, CGR-9 and CGR-10) will be collected in January by CGR and in February by TEAM. Collection of semi-annual water quality samples is anticipated to be conducted in June 2024.

\* \* \* \* \*


If you have any questions or require additional information, please contact TEAM at your convenience.

Sincerely,  
TEAM Environmental




Richard Shore  
Project Geologist  
[richard@teamenvironmental.com](mailto:richard@teamenvironmental.com)


- Attached: Appendix A: Transducer Data – Groundwater Hydrographs and Conductivity
- Appendix B: Laboratory Data for Samples Collected December 12 & 13, 2023
- Appendix C: Statistical Analysis Graphs







**LEGEND:**  
 ● - GMMRP Monitoring Well  
 ▲ - Production Well



**FIGURE 2**  
**LOCATION OF GMMRP**  
**MONITORING POINTS**  
**Crystal Geyser Roxane**  
**Inyo County**  
 Updated: 8/9/22  
 Created by: GF  
 File: CGR\_Fig2.mxd



**TABLE 1**  
**SUMMARY OF GROUNDWATER MONITORING PROGRAM**

Monitoring Area	Well #	Monitored Zone	Pressure Transducer Installed (Y/N)	Depth of Well Screen Interval (ft bgs) <sup>3</sup>	Monthly Water Level Monitoring	Quarterly Groundwater Quality Monitoring	Trigger Level (ft of drawdown)	Purpose or Rationale
Northern	P-10	Shallow	Y	33 - 48	X	-	6	Monitor area north of production wells and provide sentinel monitoring to Cartago Area.
	OW-10U	Shallow	Y	65 - 85	X	X	6	
	OW-10M	Deep	Y	115 - 150	X	X	6	
Western	P-5	Shallow	Y	23 - 28	X	X	-	Monitor area hydraulically upgradient of production wells.
	MW-3	Deep	Y	200 - 420	X	X	-	
Southern	OW-7U	Shallow	Y	54 - 74	X	X	10	Monitor area south of production wells.
	OW-7M	Deep	Y	212 - 252	X	X	10	
Eastern	OW-8US	Shallow	Y	55 - 75	X	X	-	Provide sentinel monitoring to potential brine intrusion from the east.
	OW-9U	Shallow	Y	55 - 75	X	X	7	
Off-Site	CMW-2	Deep	Y	115 - 150	X	X	-	Monitor Cartago area.
	PAT-1	Shallow/Deep	Y	50 - 155	X	X	-	
Vegetation Monitoring	P-15	Shallow	N	4-9	X	-	DTW>5.4 <sup>1</sup>	Monitor wetland area east of production wells.
	P-15A	Shallow	Y	4.6 - 14.6	X	-	Not Yet Established	
	SS-1A	Shallow	Y	-5 - 15	X	-	-	
	RP-1	Shallow	Y	-7.5 -8.5	X	-	-	

Explanation:

Y/N: Yes/No

X: Designated for monitoring per table heading.

ft bgs: feet below ground surface

ft btoc: feet below top of casing

- : Not Required by GMMRP

Notes:

1: Trigger level for P-15 is water level below 5.4 ft btoc for any continuous 12-month period

2: Well information as provided by Geosyntec to TEAM in March 2015 and July 2022.

**TABLE 2**  
**BASELINE GROUNDWATER ELEVATION DATA**

**Cabin Bar Ranch GMMRP Monitoring Points**

Well ID	Monitoring Point	Surveyed TOC Elevation (ft amsl)	Date	Time	DTW (ft) (2)	Measuring Point Adjustment	GWE (ft amsl) (3)
CMW-2	Cartago MWC Supply Well #2	3635.52	6/15/2016	11:45	20.29	0.0	3615.23
			7/26/2016	9:16	21.00	0.0	3614.52
			8/24/2016	10:10	20.91	0.0	3614.61
			9/15/2016	9:53	20.93	0.0	3614.59
			11/22/2016	9:42	20.60	0.0	3614.92
			12/14/2016	9:39	20.40	0.0	3615.12
			1/25/2017	10:02	20.31	0.0	3615.21
			2/23/2017	9:37	19.98	0.0	3615.54
			3/22/2017	9:47	19.74	0.0	3615.78
			4/27/2017	9:50	19.25	0.0	3616.27
			5/30/2017	9:00	18.39	0.0	3617.13
			6/21/2017	10:00	18.30	0.0	3617.22
			7/18/2017	9:23	18.15	0.0	3617.37
			8/22/2017	9:31	17.90	0.0	3617.62
			9/26/2017	9:59	17.40	0.0	3618.12
			10/30/2017	9:39	17.22	0.0	3618.30
			11/21/2017	9:15	16.92	0.0	3618.60
			12/19/2017	9:47	16.85	0.0	3618.67
			1/18/2018	9:57	16.75	0.0	3618.77
			2/15/2018	10:10	16.74	0.0	3618.78
			3/13/2018	9:30	16.62	0.0	3618.90
			4/18/2018	9:30	16.90	0.0	3618.62
			5/22/2018	10:09	17.30	0.0	3618.22
			6/12/2018	8:50	17.94	0.0	3617.58
			7/17/2018	9:54	17.97	0.0	3617.55
			8/14/2018	8:40	18.17	0.0	3617.35
			9/19/2018	9:45	18.25	0.0	3617.27
			10/16/2018	10:08	18.26	0.0	3617.26
			11/13/2018	9:08	18.09	0.0	3617.43
			12/11/2018	9:15	18.08	0.0	3617.44
			1/16/2019	9:45	17.83	0.0	3617.69
			2/12/2019	9:13	17.87	0.0	3617.65
			3/14/2019	9:45	17.85	0.0	3617.67
			4/16/2019	10:20	18.11	0.0	3617.41
			5/21/2019	9:45	17.60	0.0	3617.92
			6/18/2019	9:15	16.82	0.0	3618.70
			7/16/2019	9:35	16.45	0.0	3619.07
			8/13/2019	9:21	16.59	0.0	3618.93
			9/17/2019	9:45	16.22	0.0	3619.30
			10/10/2019	9:30	16.10	0.0	3619.42
			11/13/2019	9:15	16.23	0.0	3619.29
			12/10/2019	8:40	15.97	0.0	3619.55
			1/14/2020	9:20	15.98	0.0	3619.54
			2/18/2020	9:15	15.73	0.0	3619.79
			3/18/2020	9:20	15.76	0.0	3619.76
			4/14/2020	9:50	15.54	0.0	3619.98
			5/19/2020	9:30	15.60	0.0	3619.92
			6/18/2020	9:30	15.81	0.0	3619.71
			7/14/2020	9:45	15.84	0.0	3619.68
			8/12/2020	8:50	16.36	0.0	3619.16
9/15/2020	9:50	16.25	0.0	3619.27			
10/13/2020	8:35	16.78	0.0	3618.74			
12/8/2020	9:10	16.33	0.0	3619.19			
2/16/2021	8:40	16.21	0.0	3619.31			
4/13/2021	9:40	16.67	0.0	3618.85			
6/15/2021	8:32	17.25	0.0	3618.27			
8/12/2021	8:55	17.95	0.0	3617.57			
10/12/2021	9:57	18.12	0.0	3617.40			
12/6/2021	9:30	17.95	0.0	3617.57			
2/11/2022	9:20	18.01	0.0	3617.51			
4/5/2022	9:35	18.10	0.0	3617.42			
6/14/2022	10:00	18.88	0.0	3616.64			
8/8/2022	9:20	19.00	0.0	3616.52			
10/6/2022	9:55	19.80	0.0	3615.72			
12/13/2022	9:15	19.56	0.0	3615.96			
2/7/2023	9:30	19.64	0.0	3615.88			
4/11/2023	9:25	19.02	0.0	3616.50			
6/5/2023	9:25	18.20	0.0	3617.32			
8/2/2023	9:30	17.10	0.0	3618.42			
10/12/2023	9:30	15.45	0.0	3620.07			
12/12/2023	9:20	14.80	0.0	3620.72			

**TABLE 2**  
**BASELINE GROUNDWATER ELEVATION DATA**

**Cabin Bar Ranch GMMRP Monitoring Points**

Well ID	Monitoring Point	Surveyed TOC Elevation (ft amsl)	Date	Time	DTW (ft) (2)	Measuring Point Adjustment	GWE (ft amsl) (3)	
MW-3	Cabin Bar Monitoring Well #3	3676.13	3/1/2016	10:15	53.43	0.0	3622.70	
			4/5/2016	12:41	53.65	0.0	3622.48	
			5/9/2016	11:37	54.28	0.0	3621.85	
			6/14/2016	12:00	54.57	0.0	3621.56	
			7/26/2016	11:22	55.04	0.0	3621.09	
			8/24/2016	11:25	55.27	0.0	3620.86	
			9/14/2016	14:00	55.46	0.0	3620.67	
			11/22/2016	12:34	54.81	0.0	3621.32	
			12/14/2016	11:55	54.64	0.0	3621.49	
			1/25/2017	NM	NM	NM	NM	NM
			2/23/2017	11:54	54.09	0.0	3622.04	
			3/22/2017	11:50	53.60	0.0	3622.53	
			4/27/2017	11:22	53.20	0.0	3622.93	
			5/30/2017	9:37	52.29	0.0	3623.84	
			6/21/2017	11:12	51.74	0.0	3624.39	
			7/18/2017	NM	NM	NM	NM	NM
			8/22/2017	10:58	51.40	0.0	3624.73	
			9/26/2017	12:40	50.35	0.0	3625.78	
			10/30/2017	11:01	50.80	0.0	3625.33	
			11/21/2017	12:18	50.73	0.0	3625.40	
			12/19/2017	13:40	50.48	0.0	3625.65	
			1/18/2018	12:26	50.28	0.0	3625.85	
			2/15/2018	12:40	50.24	0.0	3625.89	
			3/13/2018	12:15	50.04	0.0	3626.09	
			4/18/2018	12:44	50.53	0.0	3625.60	
			5/22/2018	11:53	50.93	0.0	3625.20	
			6/12/2018	12:27	51.15	0.0	3624.98	
			7/17/2018	12:48	51.52	0.0	3624.61	
			8/14/2018	11:53	51.81	0.0	3624.32	
			9/19/2018	11:45	52.17	0.0	3623.96	
			10/16/2018	11:50	52.02	0.0	3624.11	
			11/13/2018	12:14	51.91	0.0	3624.22	
			12/11/2018	9:40	51.66	0.0	3624.47	
			1/16/2019	11:25	51.50	0.0	3624.63	
			2/12/2019	11:50	51.43	0.0	3624.70	
			3/14/2019	10:44	51.37	0.0	3624.76	
			4/16/2019	11:35	51.11	0.0	3625.02	
			5/21/2019	11:06	50.45	0.0	3625.68	
			6/18/2019	11:05	49.80	0.0	3626.33	
			7/16/2019	11:25	49.28	0.0	3626.85	
			8/13/2019	10:50	49.63	0.0	3626.50	
			9/17/2019	11:30	49.83	0.0	3626.30	
			10/10/2019	11:30	49.65	0.0	3626.48	
			11/13/2019	11:05	49.21	0.0	3626.92	
			12/10/2019	10:05	49.09	0.0	3627.04	
			1/14/2020	11:25	48.71	0.0	3627.42	
			2/18/2020	11:00	48.56	0.0	3627.57	
			3/18/2020	10:55	48.42	0.0	3627.71	
			4/14/2020	11:35	48.75	0.0	3627.38	
			5/19/2020	11:30	48.75	0.0	3627.38	
6/18/2020	11:40	48.77	0.0	3627.36				
7/14/2020	12:40	49.03	0.0	3627.10				
8/12/2020	11:50	49.40	0.0	3626.73				
9/15/2020	12:10	49.85	0.0	3626.28				
10/13/2020	10:25	50.04	0.0	3626.09				
12/8/2020	12:00	49.55	0.0	3626.58				
2/16/2021	11:45	49.32	0.0	3626.81				
4/13/2021	10:37	49.70	0.0	3626.43				
6/15/2021	11:48	50.63	0.0	3625.50				
8/12/2021	9:50	51.38	0.0	3624.75				
10/12/2021	10:51	51.70	0.0	3624.43				
12/6/2021	11:05	51.32	0.0	3624.81				
2/11/2022	10:25	51.14	0.0	3624.99				
4/5/2022	10:30	51.33	0.0	3624.80				
6/14/2022	12:00	52.48	0.0	3623.65				
8/8/2022	11:10	52.98	0.0	3623.15				
10/6/2022	13:15	53.25	0.0	3622.88				
12/13/2022	10:35	52.78	0.0	3623.35				
2/7/2023	11:05	52.54	0.0	3623.59				
4/11/2023	11:50	51.91	0.0	3624.22				
6/5/2023	12:15	50.71	0.0	3625.42				
8/2/2023	11:50	49.53	0.0	3626.60				
10/12/2023	10:30	49.18	0.0	3626.95				
12/12/2023	12:15	48.16	0.0	3627.97				

**TABLE 2**  
**BASELINE GROUNDWATER ELEVATION DATA**

**Cabin Bar Ranch GMMRP Monitoring Points**

Well ID	Monitoring Point	Surveyed TOC Elevation (ft amsl)	Date	Time	DTW (ft) (2)	Measuring Point Adjustment	GWE (ft amsl) (3)
OW-7U	Observation Well 7U	3626.12	3/1/2016	13:20	13.06	0.5	NC
			4/5/2016	11:24	12.43	0.0	3613.69
			5/9/2016	9:42	12.75	0.0	3613.37
			6/14/2016	9:46	13.18	0.0	3612.94
			7/26/2016	10:29	14.07	0.0	3612.05
			8/24/2016	10:32	14.25	0.0	3611.87
			9/14/2016	10:07	14.16	0.0	3611.96
			11/22/2016	11:16	13.68	0.0	3612.44
			12/14/2016	10:52	13.24	0.0	3612.88
			1/25/2017	NM	NM	NM	NM
			2/23/2017	10:56	12.64	0.0	3613.48
			3/22/2017	10:56	12.53	0.0	3613.59
			4/27/2017	10:25	12.63	0.0	3613.49
			5/30/2017	10:36	12.81	0.0	3613.31
			6/21/2017	10:20	12.25	0.0	3613.87
			7/18/2017	10:31	12.25	0.0	3613.87
			8/22/2017	10:40	12.36	0.0	3613.76
			9/26/2017	12:26	12.22	0.0	3613.90
			10/30/2017	10:40	11.59	0.0	3614.53
			11/21/2017	11:43	11.55	0.0	3614.57
			12/19/2017	13:26	11.42	0.0	3614.70
			1/18/2018	10:47	11.36	0.0	3614.76
			2/15/2018	11:00	11.35	0.0	3614.77
			3/13/2018	10:33	11.64	0.0	3614.48
			4/27/2018	10:54	11.70	0.0	3614.42
			5/22/2018	11:30	11.59	0.0	3614.53
			6/12/2018	10:18	12.13	0.0	3613.99
			7/17/2018	12:34	12.39	0.02	3613.71
			8/14/2018	10:43	12.76	0.02	3613.34
			9/24/2018	11:46	12.75	0.02	3613.35
			10/16/2018	10:40	12.78	0.02	3613.32
			11/13/2018	12:42	12.50	0.02	3613.60
			12/11/2018	10:15	11.81	0.02	3614.29
			1/16/2019	11:10	12.17	0.02	3613.93
			2/12/2019	10:55	11.94	0.02	3614.16
			3/14/2019	10:35	11.92	0.02	3614.18
			4/16/2019	10:50	11.88	0.02	3614.22
			5/21/2019	12:30	12.01	0.02	3614.09
			6/18/2019	10:10	11.67	0.02	3614.43
			7/16/2019	10:25	11.98	0.02	3614.12
			8/13/2019	12:24	12.19	0.02	3613.91
			9/17/2019	10:45	12.13	0.02	3613.97
			10/10/2019	10:25	11.91	0.02	3614.19
			11/13/2019	12:49	11.53	0.02	3614.57
			12/10/2019	9:20	11.26	0.02	3614.84
			1/14/2020	10:20	11.51	0.02	3614.59
			2/18/2020	12:25	11.07	0.02	3615.03
3/18/2020	10:00	11.53	0.02	3614.57			
4/14/2020	10:40	11.43	0.02	3614.67			
5/19/2020	12:30	10.98	0.02	3615.12			
6/18/2020	10:35	11.44	0.02	3614.66			
7/14/2020	10:40	11.51	0.02	3614.59			
8/12/2020	10:32	11.52	0.02	3614.58			
9/15/2020	10:55	11.78	0.02	3614.32			
10/13/2020	9:55	11.44	0.02	3614.66			
12/8/2020	10:10	11.27	0.02	3614.83			
2/16/2021	10:12	11.17	0.02	3614.93			
4/13/2021	12:02	11.33	0.02	3614.77			
6/15/2021	9:53	12.05	0.02	3614.05			
8/12/2021	11:07	12.70	0.02	3613.40			
10/12/2021	12:43	12.75	0.02	3613.35			
12/6/2021	13:30	11.96	0.02	3614.14			
2/11/2022	10:45	11.98	0.02	3614.12			
4/5/2022	10:50	11.78	0.02	3614.32			
6/14/2022	11:20	12.78	0.02	3613.32			
8/8/2022	12:10	12.99	0.02	3613.11			
10/6/2022	12:00	13.41	0.02	3612.69			
12/13/2022	11:40	12.63	0.02	3613.47			
2/7/2023	10:50	12.17	0.02	3613.93			
4/11/2023	10:30	11.52	0.02	3614.58			
6/5/2023	11:10	11.59	0.02	3614.51			
8/2/2023	10:50	11.99	0.02	3614.11			
10/12/2023	11:10	11.26	0.02	3614.84			
12/12/2023	13:20	10.81	0.02	3615.29			



**TABLE 2**  
**BASELINE GROUNDWATER ELEVATION DATA**

**Cabin Bar Ranch GMMRP Monitoring Points**

Well ID	Monitoring Point	Surveyed TOC Elevation (ft amsl)	Date	Time	DTW (ft) (2)	Measuring Point Adjustment	GWE (ft amsl) (3)	
OW-7M	Observation Well 7M	3626.30	3/1/2016	13:25	3.05	0.0	3623.25	
			4/5/2016	11:26	3.68	0.0	3622.62	
			5/9/2016	9:47	4.38	0.0	3621.92	
			6/14/2016	9:52	4.76	0.0	3621.54	
			7/26/2016	10:34	5.19	0.0	3621.11	
			8/24/2016	10:37	5.39	0.0	3620.91	
			9/14/2016	10:09	5.60	0.0	3620.70	
			11/22/2016	11:21	4.32	0.0	3621.98	
			12/14/2016	10:57	4.18	0.0	3622.12	
			1/25/2017	NM	NM	NM	NM	NM
			2/23/2017	11:03	3.51	0.0	3622.79	
			3/22/2017	11:01	3.13	0.0	3623.17	
			4/27/2017	10:30	3.20	0.0	3623.10	
			5/30/2017	10:39	2.28	0.0	3624.02	
			6/21/2017	10:26	1.92	0.0	3624.38	
			7/18/2017	10:36	1.80	0.0	3624.50	
			8/22/2017	10:46	1.91	0.0	3624.39	
			9/26/2017	12:32	1.95	0.0	3624.35	
			10/30/2017	10:48	0.90	0.0	3625.40	
			11/21/2017	11:50	0.75	0.0	3625.55	
			12/19/2017	13:30	0.55	0.0	3625.75	
			1/18/2018	11:12	0.41	0.0	3625.89	
			2/15/2018	10:56	0.32	0.0	3625.98	
			3/13/2018	10:20	0.15	0.0	3626.15	
			4/18/2018	10:50	1.09	0.0	3625.21	
			5/22/2018	11:33	1.51	0.0	3624.79	
			6/12/2018	10:27	1.66	0.0	3624.64	
			7/17/2018	12:30	2.02	0.0	3624.28	
			8/14/2018	10:39	2.42	0.0	3623.88	
			9/24/2018	11:41	2.81	0.0	3623.49	
			10/16/2018	10:45	2.14	0.0	3624.16	
			11/13/2018	12:50	1.94	0.0	3624.36	
			12/11/2018	10:10	1.68	0.0	3624.62	
			1/16/2019	11:15	1.51	0.0	3624.79	
			2/12/2019	10:58	1.43	0.0	3624.87	
			3/14/2019	10:32	1.29	0.0	3625.01	
			4/16/2019	10:55	1.46	0.0	3624.84	
			5/21/2019	12:35	0.63	0.0	3625.67	
			6/18/2019	10:15	Artesian (5)	0.0	>3626.30 (5)	
			7/16/2019	10:30	Artesian (5)	0.0	>3626.30 (5)	
			8/13/2019	12:28	0.46	0.0	3625.84	
			9/17/2019	10:50	0.71	0.0	3625.59	
			10/10/2019	10:20	0.07	0.0	3626.23	
			11/13/2019	12:53	Artesian (5)	0.0	>3626.30 (5)	
			12/10/2019	9:25	Artesian (5)	0.0	>3626.30 (5)	
			1/14/2020	10:25	Artesian (5)	0.0	>3626.30 (5)	
			2/18/2020	12:29	Artesian (5)	0.0	>3626.30 (5)	
			3/18/2020	10:05	Artesian (5)	0.0	>3626.30 (5)	
			4/14/2020	10:45	Artesian (5)	0.0	>3626.30 (5)	
			5/19/2020	12:34	Artesian (5)	0.0	>3626.30 (5)	
			6/18/2020	12:34	Artesian (5)	0.0	>3626.30 (5)	
			7/14/2020	10:45	0.16	0.0	3626.14	
			8/12/2020	10:36	0.57	0.0	3625.73	
			9/15/2020	11:00	0.95	0.0	3625.35	
			10/13/2020	10:00	0.93	0.0	3625.37	
			12/8/2020	10:20	0.09	0.0	3626.21	
			2/16/2021	10:20	Artesian (5)	0.0	>3626.30 (5)	
			4/13/2021	12:07	0.68	0.0	3625.62	
			6/15/2021	10:05	1.62	0.0	3624.68	
			8/12/2021	11:13	2.35	0.0	3623.95	
10/12/2021	12:38	2.11	0.0	3624.19				
12/6/2021	13:20	1.68	0.0	3624.62				
2/11/2022	10:50	1.53	0.0	3624.77				
4/5/2022	10:55	2.07	0.0	3624.23				
6/14/2022	11:30	3.18	0.0	3623.12				
8/8/2022	12:15	3.73	0.0	3622.57				
10/6/2022	12:05	3.48	0.0	3622.82				
12/13/2022	11:45	2.81	0.0	3623.49				
2/7/2023	10:55	2.57	0.0	3623.73				
4/11/2023	10:35	2.17	0.0	3624.13				
6/5/2023	11:15	0.97	0.0	3625.33				
8/2/2023	10:55	Artesian (5)	0.0	>3626.30 (5)				
10/12/2023	11:05	0.24	0.0	3626.06				
12/12/2023	13:25	Artesian (5)	0.0	>3626.30 (5)				

**TABLE 2**  
**BASELINE GROUNDWATER ELEVATION DATA**

**Cabin Bar Ranch GMMRP Monitoring Points**

Well ID	Monitoring Point	Surveyed TOC Elevation (ft amsl)	Date	Time	DTW (ft) (2)	Measuring Point Adjustment	GWE (ft amsl) (3)
OW-8US	Observation Well 8US	3598.80	3/1/2016	13:33	Artesian	0.0	NC
			4/5/2016	13:18	0 psi	0.0	NC
			5/9/2016	10:09	-1 psi	0.0	NC
			6/14/2016	10:45	0 psi	0.0	NC
			7/26/2016	10:57	0 psi	0.0	NC
			8/24/2016	10:59	0 psi	0.0	NC
			9/14/2016	11:16	2.2 psi	0.0	3604.0
			11/22/2016	10:47	2.5 psi	0.0	3604.7
			12/14/2016	12:58	2.5 psi	0.0	3604.7
			1/25/2017	12:12	2.75 psi	0.0	3605.3
			2/23/2017	10:43	2.75 psi	0.0	3605.3
			3/22/2017	10:44	3.0 psi	0.0	3605.8
			4/27/2017	10:42	2.75 psi	0.0	3605.3
			5/30/2017	10:19	2.8 psi	0.0	3605.4
			6/21/2017	10:40	2.8 psi	0.0	3605.4
			7/18/2017	11:10	2.6 psi	0.0	3604.9
			8/22/2017	11:20	2.4 psi	0.0	3604.4
			9/26/2017	10:35	2.4 psi	0.0	3604.4
			10/30/2017	12:28	2.5 psi	0.0	3604.7
			11/21/2017	11:03	2.8 psi	0.0	3605.4
			12/19/2017	11:39	2.8 psi	0.0	3605.4
			1/18/2018	10:33	NM	0.0	NC
			2/15/2018	12:15	NM	0.0	NC
			3/13/2018	11:30	NM	0.0	NC
			4/18/2018	11:53	NM	0.0	NC
			5/22/2018	11:07	0.5 psi	0.0	NC
			6/12/2018	9:50	1.8 psi	0.0	3603.0
			7/17/2018	10:24	NM	0.0	NC
			8/14/2018	9:42	0.8 psi	0.0	3600.7
			9/19/2018	10:50	0.7 psi	0.0	3600.4
			10/16/2018	10:30	0.8 psi	0.0	3600.7
			11/13/2018	9:54	0.9 psi	0.0	3600.9
			12/11/2018	10:00	1.1 psi	0.0	3601.4
			1/16/2019	11:40	1.2 psi	0.0	3601.6
			2/12/2019	9:57	1.4 psi	0.0	3602.1
			3/14/2019	12:16	1.4 psi	0.0	3602.1
			4/16/2019	10:40	1.7 psi	0.0	3602.8
			5/21/2019	10:10	1.8 psi	0.0	3603.0
			6/18/2019	10:00	1.8 psi	0.0	3603.0
			7/16/2019	10:15	1.8 psi	0.0	3603.0
			8/13/2019	10:02	1.7 psi	0.0	3602.8
			9/17/2019	10:40	1.6 psi	0.0	3602.6
			10/10/2019	10:10	1.6 psi	0.0	3602.6
			11/13/2019	10:02	1.8 psi	0.0	3603.0
			12/10/2019	9:10	1.7 psi	0.0	3602.8
			1/14/2020	10:10	2.7 psi	0.0	3605.1
			2/18/2020	10:08	2.3 psi	0.0	3604.2
			3/18/2020	9:50	2.6 psi	0.0	3604.9
			4/14/2020	10:30	1.8 psi	0.0	3603.0
			5/19/2020	9:55	1.5 psi	0.0	3602.3
6/18/2020	10:20	0.8 psi	0.0	3600.7			
7/14/2020	10:20	1.8 psi	0.0	3603.0			
8/12/2020	10:06	1.7 psi	0.0	3602.8			
9/15/2020	10:45	1.6 psi	0.0	3602.6			
10/13/2020	9:50	1.6 psi	0.0	3602.6			
12/8/2020	9:50	1.6 psi	0.0	3602.6			
2/16/2021	9:27	1.8 psi	0.0	3603.0			
4/13/2021	10:23	1.6 psi	0.0	3602.6			
6/15/2021	9:18	1.6 psi	0.0	3602.6			
8/12/2021	9:35	1.2 psi	0.0	3601.6			
10/12/2021	10:35	1.2 psi	0.0	3601.6			
12/6/2021	10:35	1.4 psi	0.0	3602.1			
2/11/2022	9:55	1.5 psi	0.0	3602.3			
4/5/2022	10:15	1.8 psi	0.0	3603.0			
6/14/2022	11:00	1.6 psi	0.0	3602.6			
8/8/2022	10:45	1.4 psi	0.0	3602.1			
10/6/2022	11:40	1.2 psi	0.0	3601.6			
12/13/2022	10:10	1.3 psi	0.0	3601.9			
2/7/2023	10:30	1.2 psi	0.0	3601.6			
4/11/2023	10:20	1.5 psi	0.0	3602.3			
6/5/2023	10:45	1.4 psi	0.0	3602.1			
8/2/2023	10:30	1.4 psi	0.0	3602.1			
10/12/2023	11:00	3.1 psi	0.0	3606.1			
12/12/2023	11:25	2.5 psi	0.0	3604.7			

**TABLE 2**  
**BASELINE GROUNDWATER ELEVATION DATA**

**Cabin Bar Ranch GMMRP Monitoring Points**

Well ID	Monitoring Point	Surveyed TOC Elevation (ft amsl)	Date	Time	DTW (ft) (2)	Measuring Point Adjustment	GWE (ft amsl) (3)
OW-9U	Observation Well 9U	3601.26	3/1/2016	12:45	Artesian	0.0	NC
			4/5/2016	11:56	3-5 psi	0.0	NC
			5/9/2016	11:15	3.8 psi	0.0	3610.0
			6/14/2016	13:40	3.9 psi	0.0	3610.3
			7/26/2016	12:02	3.9 psi	0.0	3610.3
			8/24/2016	11:43	3.9 psi	0.0	3610.3
			9/14/2016	12:19	4.2 psi	0.0	3611.0
			11/22/2016	11:53	2.8 psi	0.0	3607.7
			12/14/2016	11:28	2.5 psi	0.0	3607.0
			1/25/2017	13:02	NM	0.0	NM
			2/23/2017	11:32	NM	0.0	NM
			3/22/2017	11:29	4.6 psi	0.0	3611.9
			4/27/2017	11:11	2.8 psi	0.0	3607.7
			5/30/2017	11:25	3.4 psi	0.0	3609.1
			6/21/2017	11:44	4.4 psi	0.0	3611.4
			7/18/2017	11:49	5.2 psi	0.0	3613.3
			8/22/2017	12:06	5.3 psi	0.0	3613.5
			9/26/2017	11:17	5.75 psi	0.0	3614.5
			10/30/2017	11:51	5.9 psi	0.0	3614.9
			11/21/2017	12:39	6.2 psi	0.0	3615.6
			12/19/2017	11:28	6.4 psi	0.0	3616.0
			1/18/2018	12:01	6.6 psi	0.0	3616.5
			2/15/2018	11:59	NM	0.0	NC
			3/13/2018	11:20	NM	0.0	NC
			4/18/2018	11:42	NM	0.0	NC
			4/27/2018	12:30	4.5 psi	0.0	3611.7
			5/22/2018	12:35	6.4 psi	0.0	3616.0
			6/12/2018	11:40	5.8 psi	0.0	3614.7
			7/17/2018	11:20	4.8 psi	0.0	3612.3
			8/14/2018	10:20	5.0 psi	0.0	3612.8
			9/19/2018	11:30	5.3 psi	0.0	3613.5
			10/16/2018	11:10	5.7 psi	0.0	3614.4
			11/13/2018	10:35	6.3 psi	0.0	3615.8
			12/11/2018	10:40	7.2 psi	0.0	3617.9
			1/16/2019	11:00	13.4 psi	0.0	3632.2
			2/12/2019	10:30	5.6 psi	0.0	3614.2
			3/14/2019	12:00	3.9 psi	0.0	3610.3
			4/16/2019	11:20	4.3 psi	0.0	3611.2
			5/21/2019	10:42	5.1 psi	0.0	3613.1
			6/18/2019	10:40	4.9 psi	0.0	3612.6
			7/16/2019	11:05	4.9 psi	0.0	3612.6
			8/13/2019	10:36	5.0 psi	0.0	3612.8
			9/17/2019	11:15	5.0 psi	0.0	3612.8
			10/10/2019	11:05	5.1 psi	0.0	3613.1
			11/13/2019	10:40	4.8 psi	0.0	3612.3
			12/10/2019	9:55	5.5 psi	0.0	3614.0
			1/14/2020	11:00	4.8 psi	0.0	3612.3
			2/18/2020	10:43	5.1 psi	0.0	3613.1
			3/18/2020	10:30	5.6 psi	0.0	3614.2
			4/14/2020	11:15	5.2 psi	0.0	3613.3
5/19/2020	10:38	5.8 psi	0.0	3614.7			
6/18/2020	11:15	5.4 psi	0.0	3613.7			
7/14/2020	12:00	5.0 psi	0.0	3612.8			
8/12/2020	12:25	4.3 psi	0.0	3611.2			
9/15/2020	11:50	5.0 psi	0.0	3612.8			
10/13/2020	9:25	5.3 psi	0.0	3613.5			
12/8/2020	11:10	4.7 psi	0.0	3612.1			
2/16/2021	11:04	4.6 psi	0.0	3611.9			
4/13/2021	11:25	3.3 psi	0.0	3608.9			
6/15/2021	11:00	2.7 psi	0.0	3607.5			
8/12/2021	10:50	2.4 psi	0.0	3606.8			
10/12/2021	11:50	3.6 psi	0.0	3609.6			
12/6/2021	11:55	3.3 psi	0.0	3608.9			
2/11/2022	11:20	4.0 psi	0.0	3610.5			
4/5/2022	11:30	4.2 psi	0.0	3611.0			
6/14/2022	11:30	4.2 psi	0.0	3611.0			
8/8/2022	11:30	3.7 psi	0.0	3609.8			
10/6/2022	12:50	3.4 psi	0.0	3609.1			
12/13/2022	11:00	4.8 psi	0.0	3612.3			
2/7/2023	11:40	5.2 psi	0.0	3613.3			
4/11/2023	11:10	5.2 psi	0.0	3613.3			
6/5/2023	11:50	4.5 psi	0.0	3611.7			
8/2/2023	11:35	5.4 psi	0.0	3613.7			
10/12/2023	11:50	5.5 psi	0.0	3614.0			
12/12/2023	12:45	5.8psi	0.0	3614.7			

**TABLE 2**  
**BASELINE GROUNDWATER ELEVATION DATA**

**Cabin Bar Ranch GMMRP Monitoring Points**

Well ID	Monitoring Point	Surveyed TOC Elevation (ft amsl)	Date	Time	DTW (ft) (2)	Measuring Point Adjustment	GWE (ft amsl) (3)
OW-10U	Observation Well 10U	3639.10	3/1/2016	10:45	21.07	0.0	3618.03
			4/5/2016	12:18	21.10	0.0	3618.00
			5/9/2016	10:42	21.33	0.0	3617.77
			6/14/2016	12:47	21.60	0.0	3617.50
			7/26/2016	12:24	21.94	0.0	3617.16
			8/24/2016	12:07	22.12	0.0	3616.98
			9/14/2016	13:25	22.24	0.0	3616.86
			11/22/2016	13:07	22.18	0.0	3616.92
			12/14/2016	12:25	22.05	0.0	3617.05
			1/25/2017	13:21	21.58	0.0	3617.52
			2/23/2017	12:07	21.31	0.0	3617.79
			3/22/2017	12:18	21.30	0.0	3617.80
			4/27/2017	11:42	21.04	0.0	3618.06
			5/30/2017	11:37	20.18	0.0	3618.92
			6/21/2017	12:08	19.36	0.0	3619.74
			7/18/2017	12:07	19.24	0.0	3619.86
			8/22/2017	12:34	19.31	0.0	3619.79
			9/26/2017	11:51	19.36	0.0	3619.74
			10/30/2017	12:41	19.23	0.0	3619.87
			11/21/2017	12:56	19.15	0.0	3619.95
			12/19/2017	13:02	19.01	0.0	3620.09
			1/18/2018	12:52	18.85	0.0	3620.25
			2/15/2018	13:00	18.81	0.0	3620.29
			3/13/2018	12:00	18.75	0.0	3620.35
			4/18/2018	12:26	18.86	0.0	3620.24
			5/22/2018	12:58	19.11	0.0	3619.99
			6/12/2018	12:53	19.32	0.0	3619.78
			7/17/2018	11:42	19.64	0.0	3619.46
			8/14/2018	12:22	19.94	0.0	3619.16
			9/19/2018	12:15	20.23	0.0	3618.87
			10/16/2018	11:35	20.42	0.0	3618.68
			11/13/2018	11:10	20.40	0.0	3618.70
			12/11/2018	11:10	20.26	0.0	3618.84
			1/16/2019	12:25	20.23	0.0	3618.87
			2/12/2019	12:43	20.13	0.0	3618.97
			3/14/2019	11:14	19.98	0.0	3619.12
			4/16/2019	11:45	19.84	0.0	3619.26
			5/21/2019	12:00	18.95	0.0	3620.15
			6/18/2019	11:25	18.25	0.0	3620.85
			7/16/2019	11:40	18.34	0.0	3620.76
			8/13/2019	11:59	18.62	0.0	3620.48
			9/17/2019	11:50	18.82	0.0	3620.28
			10/10/2019	11:45	18.86	0.0	3620.24
			11/13/2019	12:14	18.68	0.0	3620.42
			12/10/2019	8:25	18.58	0.0	3620.52
			1/14/2020	11:40	18.42	0.0	3620.68
			2/18/2020	11:58	18.11	0.0	3620.99
			3/18/2020	11:10	18.24	0.0	3620.86
			4/14/2020	11:55	18.19	0.0	3620.91
			5/19/2020	11:57	17.31	0.0	3621.79
6/18/2020	11:50	17.48	0.0	3621.62			
7/14/2020	12:20	17.77	0.0	3621.33			
8/12/2020	12:55	18.26	0.0	3620.84			
9/15/2020	12:25	18.55	0.0	3620.55			
10/13/2020	9:10	18.73	0.0	3620.37			
12/8/2020	11:30	18.82	0.0	3620.28			
2/16/2021	12:17	18.69	0.0	3620.41			
4/13/2021	11:01	18.85	0.0	3620.25			
6/15/2021	12:35	19.42	0.0	3619.68			
8/12/2021	10:23	20.04	0.0	3619.06			
10/12/2021	11:24	20.44	0.0	3618.66			
12/6/2021	11:25	20.21	0.0	3618.89			
2/11/2022	11:45	20.20	0.0	3618.90			
4/5/2022	12:00	20.22	0.0	3618.88			
6/14/2022	13:10	20.73	0.0	3618.37			
8/8/2022	12:35	21.13	0.0	3617.97			
10/6/2022	13:30	21.66	0.0	3617.44			
12/13/2022	12:20	21.43	0.0	3617.67			
2/7/2023	12:20	21.02	0.0	3618.08			
4/11/2023	11:35	20.25	0.0	3618.85			
6/5/2023	12:45	19.15	0.0	3619.95			
8/2/2023	12:15	18.60	0.0	3620.50			
10/12/2023	12:00	16.97	0.0	3622.13			
12/12/2023	12:00	16.79	0.0	3622.31			

**TABLE 2**  
**BASELINE GROUNDWATER ELEVATION DATA**

**Cabin Bar Ranch GMMRP Monitoring Points**

Well ID	Monitoring Point	Surveyed TOC Elevation (ft amsl)	Date	Time	DTW (ft) (2)	Measuring Point Adjustment	GWE (ft amsl) (3)
OW-10M	Observation Well 10M	3639.50	3/1/2016	12:08	20.73	0.05	3618.82
			4/5/2016	12:22	20.71	0.0	3618.79
			5/9/2016	10:53	20.94	0.0	3618.56
			6/14/2016	12:44	21.21	0.0	3618.29
			7/26/2016	12:28	21.55	0.0	3617.95
			8/24/2016	12:11	21.71	0.0	3617.79
			9/14/2016	13:06	21.84	0.0	3617.66
			11/22/2016	13:03	21.74	0.0	3617.76
			12/14/2016	12:22	21.61	0.0	3617.89
			1/25/2017	13:16	21.30	0.0	3618.20
			2/23/2017	12:11	21.07	0.0	3618.43
			3/22/2017	12:11	20.91	0.0	3618.59
			4/27/2017	11:45	20.57	0.0	3618.93
			5/30/2017	11:41	19.77	0.0	3619.73
			6/21/2017	12:13	18.88	0.0	3620.62
			7/18/2017	12:11	18.48	0.0	3621.02
			8/22/2017	12:39	18.57	0.0	3620.93
			9/26/2017	11:57	18.55	0.0	3620.95
			10/30/2017	12:45	18.42	0.0	3621.08
			11/21/2017	13:02	18.36	0.0	3621.14
			12/19/2017	12:57	18.23	0.0	3621.27
			1/18/2018	13:00	18.07	0.0	3621.43
			2/15/2018	13:07	18.04	0.0	3621.46
			3/13/2018	12:05	18.03	0.0	3621.47
			4/18/2018	12:30	18.12	0.0	3621.38
			5/22/2018	13:01	18.32	0.0	3621.18
			6/12/2018	12:50	18.52	0.0	3620.98
			7/17/2018	11:47	18.82	0.0	3620.68
			8/14/2018	12:20	19.09	0.0	3620.41
			9/19/2018	12:05	19.37	0.0	3620.13
			10/16/2018	11:30	19.50	0.0	3620.00
			11/13/2018	10:59	19.55	0.0	3619.95
			12/11/2018	11:05	19.38	0.0	3620.12
			1/16/2019	12:20	19.28	0.0	3620.22
			2/12/2019	12:38	19.24	0.0	3620.26
			3/14/2019	11:17	19.17	0.0	3620.33
			4/16/2019	11:50	19.03	0.0	3620.47
			5/21/2019	11:53	18.30	0.0	3621.20
			6/18/2019	11:20	17.58	0.0	3621.92
			7/16/2019	11:45	17.32	0.0	3622.18
			8/13/2019	11:46	17.52	0.0	3621.98
			9/17/2019	11:45	17.68	0.0	3621.82
			10/10/2019	11:40	17.74	0.0	3621.76
			11/13/2019	12:05	17.54	0.0	3621.96
			12/10/2019	8:35	17.41	0.0	3622.09
			1/14/2020	11:35	17.15	0.0	3622.35
			2/18/2020	11:54	16.95	0.0	3622.55
			3/18/2020	11:05	16.91	0.0	3622.59
			4/14/2020	11:50	16.91	0.0	3622.59
			5/19/2020	11:52	16.41	0.0	3623.09
6/18/2020	11:55	16.31	0.0	3623.19			
7/14/2020	12:15	16.59	0.0	3622.91			
8/12/2020	13:00	17.09	0.0	3622.41			
9/15/2020	12:20	17.41	0.0	3622.09			
10/13/2020	9:05	17.68	0.0	3621.82			
12/8/2020	11:35	17.71	0.0	3621.79			
2/16/2021	12:14	17.63	0.0	3621.87			
4/13/2021	10:57	17.75	0.0	3621.75			
6/15/2021	12:15	18.34	0.0	3621.16			
8/12/2021	10:15	18.97	0.0	3620.53			
10/12/2021	11:20	19.42	0.0	3620.08			
12/6/2021	11:30	19.28	0.0	3620.22			
2/11/2022	11:40	19.22	0.0	3620.28			
4/5/2022	11:55	19.26	0.0	3620.24			
6/14/2022	13:05	19.82	0.0	3619.68			
8/8/2022	12:30	20.22	0.0	3619.28			
10/6/2022	13:25	20.85	0.0	3618.65			
12/13/2022	12:15	20.63	0.0	3618.87			
2/7/2023	12:15	20.43	0.0	3619.07			
4/11/2023	11:30	19.94	0.0	3619.56			
6/5/2023	12:50	18.68	0.0	3620.82			
8/2/2023	12:10	17.73	0.0	3621.77			
10/12/2023	12:05	16.13	0.0	3623.37			
12/12/2023	12:05	15.87	0.0	3623.63			

**TABLE 2**  
**BASELINE GROUNDWATER ELEVATION DATA**

**Cabin Bar Ranch GMMRP Monitoring Points**

Well ID	Monitoring Point	Surveyed TOC Elevation (ft amsl)	Date	Time	DTW (ft) (2)	Measuring Point Adjustment	GWE (ft amsl) (3)
P-5	Piezometer P-5	3629.90	3/1/2016	13:05	15.14	0.0	3614.76
			4/5/2016	12:54	15.11	0.0	3614.79
			5/9/2016	10:25	15.46	0.0	3614.44
			6/14/2016	11:23	15.85	0.0	3614.05
			7/26/2016	11:33	16.35	0.0	3613.55
			8/24/2016	11:57	16.56	0.0	3613.34
			9/14/2016	14:34	16.67	0.0	3613.23
			11/22/2016	12:19	16.30	0.0	3613.60
			12/14/2016	12:11	16.05	0.0	3613.85
			1/25/2017	12:43	15.53	0.0	3614.37
			2/23/2017	11:43	15.24	0.0	3614.66
			3/22/2017	11:59	15.19	0.0	3614.71
			4/27/2017	11:32	15.12	0.0	3614.78
			5/30/2017	9:51	14.64	0.0	3615.26
			6/21/2017	11:22	14.08	0.0	3615.82
			7/18/2017	11:28	14.07	0.0	3615.83
			8/22/2017	12:22	14.26	0.0	3615.64
			9/26/2017	11:40	14.33	0.0	3615.57
			10/30/2017	12:59	14.01	0.0	3615.89
			11/21/2017	13:15	13.84	0.0	3616.06
			12/19/2017	12:46	13.63	0.0	3616.27
			1/18/2018	12:37	13.49	0.0	3616.41
			2/15/2018	12:48	13.46	0.0	3616.44
			3/13/2018	11:46	13.38	0.0	3616.52
			4/18/2018	12:10	14.03	0.0	3615.87
			5/22/2018	12:49	13.94	0.0	3615.96
			6/12/2018	12:08	14.64	0.0	3615.26
			7/17/2018	11:32	14.97	0.0	3614.93
			8/14/2018	11:31	15.40	0.0	3614.50
			9/19/2018	11:50	15.46	0.0	3614.44
			10/16/2018	11:25	15.75	0.0	3614.15
			11/13/2018	11:43	15.61	0.0	3614.29
			12/11/2018	10:55	15.07	0.0	3614.83
			1/16/2019	10:35	15.66	0.0	3614.24
			2/12/2019	12:13	15.47	0.0	3614.43
			3/14/2019	10:54	15.07	0.0	3614.83
			4/16/2019	11:30	15.12	0.0	3614.78
			5/21/2019	11:33	14.62	0.0	3615.28
			6/18/2019	10:55	14.36	0.0	3615.54
			7/16/2019	11:30	14.52	0.0	3615.38
			8/13/2019	11:21	14.89	0.0	3615.01
			9/17/2019	11:35	14.96	0.0	3614.94
			10/10/2019	11:25	14.67	0.0	3615.23
			11/13/2019	11:37	14.66	0.0	3615.24
			12/10/2019	8:15	14.47	0.0	3615.43
			1/14/2020	11:20	14.40	0.0	3615.50
			2/18/2020	11:37	13.92	0.0	3615.98
			3/18/2020	10:45	14.51	0.0	3615.39
			4/14/2020	11:30	14.39	0.0	3615.51
			5/19/2020	11:00	13.18	0.0	3616.72
6/18/2020	11:30	14.22	0.0	3615.68			
7/14/2020	12:30	14.47	0.0	3615.43			
8/12/2020	12:10	14.44	0.0	3615.46			
9/15/2020	12:00	14.67	0.0	3615.23			
10/13/2020	8:55	14.57	0.0	3615.33			
12/8/2020	11:50	15.02	0.0	3614.88			
2/16/2021	11:21	14.37	0.0	3615.53			
4/13/2021	10:44	15.01	0.0	3614.89			
6/15/2021	11:25	15.70	0.0	3614.20			
8/12/2021	10:05	15.98	0.0	3613.92			
10/12/2021	11:04	16.55	0.0	3613.35			
12/6/2021	11:15	15.97	0.0	3613.93			
2/11/2022	10:35	15.93	0.0	3613.97			
4/5/2022	10:40	15.57	0.0	3614.33			
6/14/2022	12:55	16.73	0.0	3613.17			
8/8/2022	10:55	17.16	0.0	3612.74			
10/6/2022	13:05	17.73	0.0	3612.17			
12/13/2022	12:05	16.98	0.0	3612.92			
2/7/2023	11:20	16.47	0.0	3613.43			
4/11/2023	11:20	15.53	0.0	3614.37			
6/5/2023	12:25	15.14	0.0	3614.76			
8/2/2023	12:00	15.02	0.0	3614.88			
10/12/2023	10:40	13.90	0.0	3616.00			
12/12/2023	12:25	13.46	0.0	3616.44			

**TABLE 2**  
**BASELINE GROUNDWATER ELEVATION DATA**

**Cabin Bar Ranch GMMRP Monitoring Points**

Well ID	Monitoring Point	Surveyed TOC Elevation (ft amsl)	Date	Time	DTW (ft) (2)	Measuring Point Adjustment	GWE (ft amsl) (3)
P-10	Piezometer P-10	3637.66	3/1/2016	12:15	22.48	0.0	3615.18
			4/5/2016	12:29	22.50	0.0	3615.16
			5/9/2016	10:57	22.72	0.0	3614.94
			6/14/2016	12:51	22.99	0.0	3614.67
			7/26/2016	12:33	23.32	0.0	3614.34
			8/24/2016	12:16	23.51	0.0	3614.15
			9/14/2016	13:03	23.63	0.0	3614.03
			11/22/2016	13:13	23.58	0.0	3614.08
			12/14/2016	12:31	23.45	0.0	3614.21
			1/25/2017	13:28	23.00	0.0	3614.66
			2/23/2017	12:18	22.72	0.0	3614.94
			3/22/2107	12:22	22.71	0.0	3614.95
			4/27/2017	11:48	22.45	0.0	3615.21
			5/30/2017	11:43	21.62	0.0	3616.04
			6/21/2017	12:20	20.80	0.0	3616.86
			7/18/2017	12:16	20.65	0.0	3617.01
			8/22/2017	12:44	20.72	0.0	3616.94
			9/26/2017	12:01	20.76	0.0	3616.90
			10/30/2017	12:50	20.62	0.0	3617.04
			11/21/2017	13:08	20.55	0.0	3617.11
			12/19/2017	13:06	20.40	0.0	3617.26
			1/18/2018	13:07	20.26	0.0	3617.40
			2/15/2018	13:11	20.22	0.0	3617.44
			3/13/2018	12:10	20.16	0.0	3617.50
			4/18/2018	12:33	20.24	0.0	3617.42
			5/22/2018	13:04	20.49	0.0	3617.17
			6/12/2018	12:56	20.70	0.0	3616.96
			7/17/2018	11:50	21.02	0.0	3616.64
			8/14/2018	12:25	21.30	0.0	3616.36
			9/19/2018	12:20	21.62	0.0	3616.04
			10/16/2018	11:40	21.78	0.0	3615.88
			11/13/2018	10:56	21.78	0.0	3615.88
			12/11/2018	11:15	21.64	0.0	3616.02
			1/16/2019	12:30	21.61	0.0	3616.05
			2/12/2019	12:56	21.53	0.0	3616.13
			3/14/2019	11:20	21.37	0.0	3616.29
			4/16/2019	11:55	21.23	0.0	3616.43
			5/21/2019	12:05	20.39	0.0	3617.27
			6/18/2019	11:30	19.66	0.0	3618.00
			7/16/2019	11:50	19.71	0.0	3617.95
			8/13/2019	11:54	19.98	0.0	3617.68
			9/17/2019	11:55	20.17	0.0	3617.49
			10/10/2019	11:50	20.21	0.0	3617.45
			11/13/2019	12:18	20.05	0.0	3617.61
			12/10/2019	8:30	19.95	0.0	3617.71
			1/14/2020	11:45	19.78	0.0	3617.88
			2/18/2020	12:01	19.49	0.0	3618.17
			3/18/2020	11:15	19.59	0.0	3618.07
			4/14/2020	11:45	19.55	0.0	3618.11
			5/19/2020	12:02	18.70	0.0	3618.96
6/18/2020	12:00	18.84	0.0	3618.82			
7/14/2020	12:10	19.12	0.0	3618.54			
8/12/2020	13:05	19.60	0.0	3618.06			
9/15/2020	12:30	19.90	0.0	3617.76			
10/13/2020	9:15	20.09	0.0	3617.57			
12/8/2020	11:33	20.19	0.0	3617.47			
2/16/2021	12:22	20.05	0.0	3617.61			
4/13/2021	11:07	20.20	0.0	3617.46			
6/15/2021	12:55	20.78	0.0	3616.88			
8/12/2021	10:27	21.38	0.0	3616.28			
10/12/2021	11:15	21.80	0.0	3615.86			
12/6/2021	11:35	21.58	0.0	3616.08			
2/11/2022	11:35	21.57	0.0	3616.09			
4/5/2022	12:05	21.59	0.0	3616.07			
6/14/2022	13:15	22.08	0.0	3615.58			
8/8/2022	12:40	22.49	0.0	3615.17			
10/6/2022	13:35	23.02	0.0	3614.64			
12/13/2022	12:25	22.79	0.0	3614.87			
2/7/2023	12:25	22.39	0.0	3615.27			
4/11/2023	11:40	21.63	0.0	3616.03			
6/5/2023	12:55	20.56	0.0	3617.10			
8/2/2023	12:20	19.97	0.0	3617.69			
10/12/2023	12:10	18.36	0.0	3619.30			
12/12/2023	11:55	18.17	0.0	3619.49			



**TABLE 2**  
**BASELINE GROUNDWATER ELEVATION DATA**

**Cabin Bar Ranch GMMRP Monitoring Points**

Well ID	Monitoring Point	Surveyed TOC Elevation (ft amsl)	Date	Time	DTW (ft) (2)	Measuring Point Adjustment	GWE (ft amsl) (3)
P-15	Piezometer P-15	3605.99	3/1/2016	12:35	2.73	0.13	3603.39
			4/5/2016	11:50	3.05	0.13	3603.07
			5/9/2016	11:10	3.58	0.13	3602.54
			6/14/2016	14:00	4.87	0.13	3601.25
			7/26/2016	11:56	> 7 (4)	0.13	NC
			8/24/2016	11:38	> 7 (4)	0.13	NC
			9/14/2016	12:14	> 7 (4)	0.13	NC
			11/22/2016	11:48	6.15	0.13	3599.71
			12/14/2016	11:18	4.90	0.13	3600.96
			1/25/2017	12:55	2.31	0.13	3603.55
			2/23/2017	11:25	2.14	0.13	3603.72
			3/22/2017	11:21	2.44	0.13	3603.42
			4/27/2017	10:57	2.82	0.13	3603.04
			5/30/2017	11:20	3.65	0.13	3602.21
			6/21/2017	11:37	4.27	0.13	3601.59
			7/18/2017	11:42	5.04	0.13	3600.82
			8/22/2017	11:58	5.21	0.13	3600.65
			9/26/2017	10:59	3.92	0.13	3601.94
			10/30/2017	11:44	2.66	0.13	3603.20
			11/21/2017	12:33	2.28	0.13	3603.58
			12/19/2017	12:23	2.01	0.13	3603.85
			1/18/2018	11:53	1.95	0.13	3603.91
			2/15/2018	11:51	1.94	0.13	3603.92
			3/13/2018	11:14	1.85	0.13	3604.01
			4/18/2018	11:38	2.21	0.13	3603.65
			5/22/2018	12:28	2.50	0.13	3603.36
			6/12/2018	11:35	3.16	0.13	3602.70
			7/17/2018	11:15	4.08	0.13	3601.78
			8/14/2018	10:15	4.89	0.13	3600.97
			9/19/2018	11:25	5.92	0.13	3599.94
			10/16/2018	11:05	5.27	0.13	3600.59
			11/13/2018	10:29	3.98	0.13	3601.88
			12/11/2018	10:35	2.79	0.13	3603.07
			1/16/2019	10:50	2.48	0.13	3603.38
			2/12/2019	10:27	2.41	0.13	3603.45
			3/14/2019	11:30	2.24	0.13	3603.62
			4/16/2019	11:15	2.48	0.13	3603.38
			5/21/2019	10:46	2.95	0.13	3602.91
			6/18/2019	10:35	3.39	0.13	3602.47
			7/16/2019	11:00	4.21	0.13	3601.65
			8/13/2019	10:31	5.03	0.13	3600.83
			9/17/2019	11:10	5.44	0.13	3600.42
			10/10/2019	11:00	4.44	0.13	3601.42
			11/13/2019	10:33	2.75	0.13	3603.11
			12/10/2019	9:50	2.06	0.13	3603.80
			1/14/2020	10:55	1.78	0.13	3604.08
			2/18/2020	10:48	1.59	0.13	3604.27
			3/18/2020	10:25	1.99	0.13	3603.87
			4/14/2020	11:10	2.06	0.13	3603.80
			5/19/2020	10:29	2.55	0.13	3603.31
6/18/2020	11:10	3.07	0.13	3602.79			
7/14/2020	11:55	3.68	0.13	3602.18			
8/12/2020	12:20	4.29	0.13	3601.57			
9/15/2020	11:45	4.30	0.13	3601.56			
10/13/2020	9:20	3.68	0.13	3602.18			
12/8/2020	11:00	2.39	0.13	3603.47			
2/16/2021	10:59	2.21	0.13	3603.65			
4/13/2021	11:18	2.38	0.13	3603.48			
6/15/2021	11:10	4.04	0.13	3601.82			
8/12/2021	10:41	6.21	0.13	3599.65			
10/12/2021	11:41	>7 (4)	0.13	NC			
12/6/2021	11:50	3.86	0.13	3602.00			
2/11/2022	11:15	2.92	0.13	3602.94			
4/5/2022	11:25	2.99	0.13	3602.87			
6/14/2022	12:45	4.96	0.13	3600.90			
8/8/2022	11:20	>7 (4)	0.13	NC			
10/6/2022	12:30	>7 (4)	0.13	NC			
12/13/2022	10:50	4.48	0.13	3601.38			
2/7/2023	11:30	3.23	0.13	3602.63			
4/11/2023	11:00	2.58	0.13	3603.28			
6/5/2023	11:40	3.75	0.13	3602.11			
8/2/2023	11:30	5.60	0.13	3600.26			
10/12/2023	11:40	2.83	0.13	3603.03			
12/12/2023	12:35	2.08	0.13	3603.78			

**TABLE 2**  
**BASELINE GROUNDWATER ELEVATION DATA**

**Cabin Bar Ranch GMMRP Monitoring Points**

Well ID	Monitoring Point	Surveyed TOC Elevation (ft amsl)	Date	Time	DTW (ft) (2)	Measuring Point Adjustment	GWE (ft amsl) (3)
P-15A	Piezometer P-15A	3608.06	7/27/2022	11:00	8.73	0.00	3599.33
			8/8/2022	11:25	8.94	0.00	3599.12
			10/6/2022	12:32	9.72	0.00	3598.34
			12/13/2022	10:55	6.10	0.00	3601.96
			2/7/2023	11:35	4.78	0.00	3603.28
			4/11/2023	11:05	4.17	0.00	3603.89
			6/5/2023	11:45	5.32	0.00	3602.74
			8/2/2023	11:25	7.28	0.00	3600.78
			10/12/2023	11:45	4.40	0.00	3603.66
			12/12/2023	12:40	3.65	0.00	3604.41

**TABLE 2**  
**BASELINE GROUNDWATER ELEVATION DATA**

**Cabin Bar Ranch GMMRP Monitoring Points**

Well ID	Monitoring Point	Surveyed TOC Elevation (ft amsl)	Date	Time	DTW (ft) (2)	Measuring Point Adjustment	GWE (ft amsl) (3)
PAT-1	PAT-1	3657.49	3/1/2016	11:10	40.29	0.0	3617.20
			4/5/2016	10:05	40.30	0.0	3617.19
			5/9/2016	12:15	40.59	0.0	3616.90
			6/15/2016	11:06	40.82	0.0	3616.67
			7/26/2016	9:30	41.28	0.0	3616.21
			8/24/2016	NM	NM	0.0	NM
			9/15/2016	10:49	41.59	0.0	3615.90
			11/22/2016	10:13	41.27	0.0	3616.22
			12/14/2016	10:00	41.09	0.0	3616.40
			1/25/2017	10:53	40.89	0.0	3616.60
			2/23/2017	10:00	40.67	0.0	3616.82
			3/22/2017	10:06	40.41	0.0	3617.08
			4/27/2017	NA	NM	0.0	NM
			5/30/2017	NA	NM	0.0	NM
			6/15/2017	9:05	39.81	0.0	3617.68
			7/18/2017	9:39	38.25	0.0	3619.24
			8/22/2017	9:59	38.19	0.0	3619.30
			9/26/2017	10:16	37.97	0.0	3619.52
			10/30/2017	9:52	37.81	0.0	3619.68
			11/21/2017	10:30	37.65	0.0	3619.84
			12/19/2017	10:00	37.56	0.0	3619.93
			1/30/2018	9:44	37.43	0.0	3620.06
			2/15/2018	10:25	37.44	0.0	3620.05
			3/13/2018	9:45	37.37	0.0	3620.12
			4/18/2018	10:08	37.49	0.0	3620.00
			5/22/2018	9:53	37.75	0.0	3619.74
			6/12/2018	9:10	38.05	0.0	3619.44
			7/17/2018	9:40	38.56	0.0	3618.93
			8/14/2018	9:10	38.54	0.0	3618.95
			9/19/2018	10:05	38.75	0.0	3618.74
			10/16/2018	9:55	38.78	0.0	3618.71
			11/13/2018	9:25	38.73	0.0	3618.76
			12/11/2018	9:30	38.60	0.0	3618.89
			1/16/2019	9:55	38.58	0.0	3618.91
			2/12/2019	9:28	38.55	0.0	3618.94
			3/14/2019	9:52	38.58	0.0	3618.91
			4/16/2019	10:05	38.41	0.0	3619.08
			5/21/2019	9:30	37.92	0.0	3619.57
			6/18/2019	9:25	37.32	0.0	3620.17
			7/16/2019	9:50	36.85	0.0	3620.64
			8/13/2019	9:38	37.02	0.0	3620.47
			9/17/2019	10:05	36.77	0.0	3620.72
			10/10/2019	9:35	36.82	0.0	3620.67
			11/13/2019	9:30	36.70	0.0	3620.79
			12/10/2019	8:50	36.54	0.0	3620.95
			1/14/2020	12:00	36.30	0.0	3621.19
			2/18/2020	NA	NM	0.0	NM
			3/18/2020	9:30	36.07	0.0	3621.42
			4/14/2020	10:00	36.04	0.0	3621.45
			5/19/2020	13:10	36.05	0.0	3621.44
			6/18/2020	9:45	36.95	0.0	3620.54
			7/14/2020	9:30	36.20	0.0	3621.29
			8/12/2020	9:25	36.62	0.0	3620.87
			9/15/2020	10:00	36.73	0.0	3620.76
			10/13/2020	8:45	37.06	0.0	3620.43
			12/8/2020	9:20	36.91	0.0	3620.58
2/16/2021	8:57	36.81	0.0	3620.68			
4/13/2021	9:53	37.32	0.0	3620.17			
6/15/2021	8:52	37.17	0.0	3620.32			
8/12/2021	9:08	38.37	0.0	3619.12			
10/12/2021	10:06	38.64	0.0	3618.85			
12/6/2021	9:55	38.58	0.0	3618.91			
2/11/2022	9:30	38.55	0.0	3618.94			
4/5/2022	9:50	38.68	0.0	3618.81			
6/14/2022	10:15	39.27	0.0	3618.22			
8/8/2022	9:32	39.54	0.0	3617.95			
10/6/2022	10:05	40.29	0.0	3617.20			
12/13/2022	9:35	40.08	0.0	3617.41			
2/7/2023	9:45	40.60	0.0	3616.89			
4/11/2023	9:35	40.01	0.0	3617.48			
6/5/2023	9:45	39.03	0.0	3618.46			
8/2/2023	9:45	37.89	0.0	3619.60			
10/12/2023	9:40	35.90	0.0	3621.59			
12/12/2023	9:50	35.46	0.0	3622.03			

**TABLE 2**  
**BASELINE GROUNDWATER ELEVATION DATA**

**Cabin Bar Ranch GMMRP Monitoring Points**

Well ID	Monitoring Point	Surveyed TOC Elevation (ft amsl)	Date	Time	DTW (ft) (2)	Measuring Point Adjustment	GWE (ft amsl) (3)
RP-1	Riparian Well #1	3615.33	3/1/2016	13:50	NM	0.0	NC
			4/5/2016	11:35	2.06	0.0	3613.27
			5/11/2016	9:41	2.43	0.0	3612.90
			6/14/2016	14:13	2.79	0.0	3612.54
			7/26/2016	11:42	3.39	0.0	3611.94
			8/24/2016	10:47	3.31	0.0	3612.02
			9/14/2016	11:57	3.32	0.0	3612.01
			11/22/2016	11:33	2.75	0.0	3612.58
			12/14/2016	11:06	2.56	0.0	3612.77
			1/25/2017	13:32	2.16	0.0	3613.17
			2/23/2017	11:06	2.08	0.0	3613.25
			3/22/2017	11:11	2.17	0.0	3613.16
			4/27/2017	10:48	2.37	0.0	3612.96
			5/30/2017	11:02	2.97	0.0	3612.36
			6/21/2017	11:00	2.38	0.0	3612.95
			7/18/2017	10:48	2.38	0.0	3612.95
			8/22/2017	11:44	2.38	0.0	3612.95
			9/26/2017	10:49	2.26	0.0	3613.07
			10/30/2017	11:17	1.90	0.0	3613.43
			11/21/2017	12:04	1.75	0.0	3613.58
			12/19/2017	12:04	1.65	0.0	3613.68
			1/18/2018	11:34	1.62	0.0	3613.71
			2/15/2018	11:23	1.62	0.0	3613.71
			3/13/2018	10:54	1.58	0.0	3613.75
			4/18/2018	11:25	1.73	0.0	3613.60
			5/22/2018	12:15	1.92	0.0	3613.41
			6/12/2018	11:20	2.28	0.0	3613.05
			7/17/2018	10:47	2.45	0.0	3612.88
			8/14/2018	10:03	2.65	0.0	3612.68
			9/19/2018	11:15	2.63	0.0	3612.70
			10/16/2018	10:55	2.60	0.0	3612.73
			11/13/2018	10:12	2.23	0.0	3613.10
			12/11/2018	10:25	2.03	0.0	3613.30
			1/16/2019	12:10	2.02	0.0	3613.31
			2/12/2019	10:13	2.00	0.0	3613.33
			3/14/2019	12:08	1.95	0.0	3613.38
			4/16/2019	11:05	2.10	0.0	3613.23
			5/21/2019	10:28	2.18	0.0	3613.15
			6/18/2019	10:25	2.29	0.0	3613.04
			7/16/2019	10:40	2.41	0.0	3612.92
			8/13/2019	10:18	2.41	0.0	3612.92
			9/17/2019	11:00	2.38	0.0	3612.95
			10/10/2019	10:45	2.23	0.0	3613.10
			11/13/2019	10:18	1.91	0.0	3613.42
			12/10/2019	9:40	1.75	0.0	3613.58
			1/14/2020	10:40	1.84	0.0	3613.49
			2/18/2020	10:26	1.61	0.0	3613.72
			3/18/2020	10:15	1.90	0.0	3613.43
			4/14/2020	10:55	1.56	0.0	3613.77
			5/19/2020	10:17	1.66	0.0	3613.67
6/18/2020	10:50	1.82	0.0	3613.51			
7/14/2020	11:00	1.98	0.0	3613.35			
8/12/2020	10:25	1.97	0.0	3613.36			
9/15/2020	11:20	2.00	0.0	3613.33			
10/13/2020	10:10	1.85	0.0	3613.48			
12/8/2020	10:45	1.68	0.0	3613.65			
2/16/2021	10:01	1.63	0.0	3613.70			
4/13/2021	11:55	1.87	0.0	3613.46			
6/15/2021	9:42	2.26	0.0	3613.07			
8/12/2021	11:32	2.46	0.0	3612.87			
10/12/2021	12:56	2.29	0.0	3613.04			
12/6/2021	12:45	1.91	0.0	3613.42			
2/11/2022	11:00	1.94	0.0	3613.39			
4/5/2022	11:05	1.98	0.0	3613.35			
6/14/2022	11:40	2.45	0.0	3612.88			
8/8/2022	12:05	2.57	0.0	3612.76			
10/6/2022	12:15	2.75	0.0	3612.58			
12/13/2022	11:55	2.18	0.0	3613.15			
2/7/2023	12:05	2.03	0.0	3613.30			
4/11/2023	10:45	1.83	0.0	3613.50			
6/5/2023	11:25	2.03	0.0	3613.30			
8/2/2023	11:10	2.25	0.0	3613.08			
10/12/2023	11:20	1.75	0.0	3613.58			
12/12/2023	13:15	1.44	0.0	3613.89			

**TABLE 2**  
**BASELINE GROUNDWATER ELEVATION DATA**

**Cabin Bar Ranch GMMRP Monitoring Points**

Well ID	Monitoring Point	Surveyed TOC Elevation (ft amsl)	Date	Time	DTW (ft) (2)	Measuring Point Adjustment	GWE (ft amsl) (3)
SS-1A	Monitoring Well SS-1A	3627.21	3/1/2016	13:42	8.65	0.0	3618.56
			4/5/2016	13:31	8.54	0.0	3618.67
			5/9/2016	11:47	8.88	0.0	3618.33
			6/14/2016	14:35	9.36	0.0	3617.85
			7/26/2016	11:12	10.09	0.0	3617.12
			8/24/2016	11:15	10.43	0.0	3616.78
			9/14/2016	11:48	10.51	0.0	3616.70
			11/22/2016	12:51	10.09	0.0	3617.12
			12/14/2016	12:45	9.75	0.0	3617.46
			1/25/2017	11:58	9.15	0.0	3618.06
			2/23/2017	12:28	8.87	0.0	3618.34
			3/22/2017	10:31	8.51	0.0	3618.70
			4/27/2017	10:11	8.02	0.0	3619.19
			5/30/2017	10:04	7.21	0.0	3620.00
			6/21/2017	12:32	7.33	0.0	3619.88
			7/18/2017	12:31	7.51	0.0	3619.70
			8/22/2017	11:08	7.70	0.0	3619.51
			9/26/2017	12:11	7.78	0.0	3619.43
			10/30/2017	10:32	7.23	0.0	3619.98
			11/21/2017	10:50	6.92	0.0	3620.29
			12/19/2017	11:26	6.78	0.0	3620.43
			1/18/2018	10:16	6.50	0.0	3620.71
			2/15/2018	12:25	6.54	0.0	3620.67
			3/13/2018	11:40	6.24	0.0	3620.97
			4/18/2018	12:03	6.27	0.0	3620.94
			5/22/2018	10:37	6.58	0.0	3620.63
			6/12/2018	9:40	6.90	0.0	3620.31
			7/17/2018	10:12	7.29	0.0	3619.92
			8/14/2018	9:34	7.97	0.0	3619.24
			9/19/2018	10:30	9.04	0.0	3618.17
			10/16/2018	10:20	9.10	0.0	3618.11
			11/13/2018	9:38	7.87	0.0	3619.34
			12/11/2018	9:50	7.35	0.0	3619.86
			1/16/2019	11:50	7.18	0.0	3620.03
			2/12/2019	9:46	6.90	0.0	3620.31
			3/14/2019	12:37	6.63	0.0	3620.58
			4/16/2019	10:30	6.48	0.0	3620.73
			5/21/2019	9:58	6.19	0.0	3621.02
			6/18/2019	9:45	5.98	0.0	3621.23
			7/16/2019	10:05	6.15	0.0	3621.06
			8/13/2019	9:53	6.32	0.0	3620.89
			9/17/2019	10:30	6.58	0.0	3620.63
			10/10/2019	9:50	6.49	0.0	3620.72
			11/13/2019	9:49	6.11	0.0	3621.10
			12/10/2019	9:05	5.70	0.0	3621.51
			1/14/2020	10:00	5.57	0.0	3621.64
			2/18/2020	9:54	5.31	0.0	3621.90
			3/18/2020	9:40	5.40	0.0	3621.81
			4/14/2020	10:20	5.35	0.0	3621.86
			5/19/2020	9:40	5.21	0.0	3622.00
6/18/2020	10:05	5.72	0.0	3621.49			
7/14/2020	10:10	6.16	0.0	3621.05			
8/12/2020	9:49	6.49	0.0	3620.72			
9/15/2020	10:30	6.74	0.0	3620.47			
10/13/2020	9:40	6.49	0.0	3620.72			
12/8/2020	9:36	6.17	0.0	3621.04			
2/16/2021	9:16	5.78	0.0	3621.43			
4/13/2021	10:11	5.88	0.0	3621.33			
6/15/2021	9:04	6.76	0.0	3620.45			
8/12/2021	9:25	7.57	0.0	3619.64			
10/12/2021	10:23	7.82	0.0	3619.39			
12/6/2021	10:25	7.24	0.0	3619.97			
2/11/2022	9:45	7.00	0.0	3620.21			
4/5/2022	10:00	6.93	0.0	3620.28			
6/14/2022	10:45	7.79	0.0	3619.42			
8/8/2022	10:30	8.28	0.0	3618.93			
10/6/2022	11:25	8.78	0.0	3618.43			
12/13/2022	9:50	7.90	0.0	3619.31			
2/7/2023	10:20	7.27	0.0	3619.94			
4/11/2023	10:10	6.42	0.0	3620.79			
6/5/2023	10:35	6.33	0.0	3620.88			
8/2/2023	10:15	6.69	0.0	3620.52			
10/12/2023	10:50	5.78	0.0	3621.43			
12/12/2023	11:00	5.20	0.0	3622.01			

1) NM - not measured; NC = not calculated; UA - Data currently unavailable

2) DTW - Depth to water in feet (ft) below top of casing or other reference point. Pressure reading recorded in lieu of DTW when artesian

3) GWE- Groundwater elevation in feet above mean sea level (ft amsl). GWE for artesian wells OW-9u and OW-8us, calculated based on manual pressure readings and are shown in italics.

4) Well P-15 was dry to approximately 7 feet below top of casing during monitoring event.

5) Well OW-7m was artesian during the monitoring event with a water level above the top of casing. The GWE listed is the surveyed top of casing.













**TABLE 4**  
**SUMMARY OF GROUNDWATER ELEVATION AND TRIGGER LEVELS**  
**Cabin Bar Ranch GMMRP Monitoring Points**  
**December 2023**

Monitoring Area	Monitoring Point	Baseline GWE <sup>1</sup> (feet amsl)	Recent Date of Measurement	Recent GWE (feet amsl)	Change from Baseline <sup>2</sup> (feet)	Drawdown Trigger Level <sup>3</sup> (feet)	Trigger Level Exceeded? YES/NO
Northern	P-10	3614.03	12/12/23	3619.49	5.46	-6.0	NO
	OW-10u	3616.86	12/12/23	3622.31	5.45	-6.0	NO
Southern	OW-10m	3617.66	12/12/23	3623.63	5.97	-6.0	NO
	OW-7u	3611.87	12/12/23	3615.29	3.42	-10.0	NO
Eastern	OW-7m	3620.70	12/12/23	> 3626.30 <sup>5</sup>	> 5.60 <sup>5</sup>	-10.0	NO
	OW-9u	3607.03	12/12/23	3614.70	7.67	-7.0	NO
Vegetation	P-15	N/A	12/12/23	3603.78	DTW = 2.08 <sup>4</sup>	DTW > 5.4 <sup>4</sup>	NO
	P-15A	N/A	12/12/23	3604.41	DTW = 3.65	Not Yet Established	--

- 1) GWE: Groundwater elevation measured in feet above mean sea level. Baseline GWEs set July 6, 2017 and approved by Inyo County Water Department (ICWD)
- 2) Recent GWE measurement compared to Baseline GWE. Positive numbers indicate an increase in GWE from baseline, and negative numbers indicate drawdown.
- 3) "Trigger Level" from Table 1 of Geosyntec GMMRP and updated in April 6, 2017 letter. Negative values indicate drawdown from baseline GWEs.
- 4) Trigger for P-15 is Depth-to-Water (DTW) greater than 5.4 feet below top of casing in any continuous 12-month period.  
 If exceeded, duration of exceedance is indicated in parentheses.



**TABLE 6**  
**PRODUCTION WELL TOTALIZER READINGS AND PROJECT PUMPING TOTALS**  
**Cabin Bar Ranch GMMRP Monitoring Points**

Date	CGR-8 Totalizer Value	CGR-9 Totalizer Value	CGR-10 Totalizer Value	Total Pumped in Period (gallons)	Total Pumped in Period (acre-feet)
3/13/2018	523,472	477,554	484,541	0	0.00
4/18/2018	1,140,345	1,413,780	1,074,325	2,142,883	6.58
5/22/2018	2,061,409	2,806,639	1,988,179	3,227,777	9.91
6/12/2018	2,466,815	3,421,720	2,383,008	1,415,316	4.34
7/17/2018	3,527,725	5,027,030	3,433,470	3,716,682	11.41
8/14/2018	4,453,727	6,430,638	4,360,637	3,256,777	9.99
9/24/2018	6,131,242	8,956,504	6,026,207	5,868,951	18.01
10/16/2018	7,184,746	10,684,484	7,214,499	3,969,776	12.18
11/13/2018	8,236,009	12,738,215	8,751,254	4,641,749	14.25
12/11/2018	9,242,438	14,727,848	10,265,388	4,510,196	13.84
1/16/2019	10,618,269	17,440,069	12,338,478	6,161,142	18.91
2/12/2019	11,868,799	19,869,156	14,147,894	5,489,033	16.85
3/14/2019	13,313,452	22,553,382	16,108,130	6,089,115	18.69
4/16/2019	14,909,440	25,570,945	18,396,092	6,901,513	21.18
5/21/2019	16,669,772	29,181,570	21,198,548	8,173,413	25.08
6/18/2019	18,044,860	31,914,282	23,302,450	6,211,702	19.06
7/16/2019	19,607,588	34,999,621	25,736,440	8,334,463	25.58
8/13/2019	21,295,258	38,278,786	28,387,933	7,618,328	23.38
9/17/2019	23,213,402	41,849,344	31,474,533	8,575,302	26.32
10/10/2019	24,402,886	44,078,559	33,375,760	5,319,926	16.33
11/13/2019	25,895,652	46,907,487	35,921,208	6,867,142	21.07
12/10/2019	27,118,333	49,326,544	38,016,920	5,737,450	17.61
1/14/2020	28,675,620	52,375,905	40,674,708	7,264,436	22.29
2/18/2020	30,232,240	55,306,671	43,445,912	7,258,590	22.28
3/18/2020	32,114,055	58,773,658	46,562,248	8,465,138	25.98
4/14/2020	33,417,538	62,861,789	50,642,628	9,471,994	29.07
5/19/2020	34,794,997	66,571,456	54,349,591	8,794,089	26.99
6/18/2020	35,176,055	69,636,454	57,420,175	6,516,640	20.00
7/14/2020	35,936,207	72,073,600	59,815,394	5,592,517	17.16
8/12/2020	36,776,060	75,378,349	63,096,969	7,426,177	22.79
9/15/2020	37,836,602	79,327,770	67,070,040	8,983,034	27.57
10/13/2020	38,857,236	82,170,369	69,953,872	6,747,065	20.71
11/16/2020	39,898,668	84,912,304	72,864,889	6,694,384	20.54
12/8/2020	40,944,721	87,877,026	75,757,142	6,903,028	21.18
1/22/2021	42,573,486	92,207,047	80,145,026	10,346,670	31.75
2/16/2021	43,461,148	94,722,503	82,722,988	5,981,080	18.36
3/18/2021	44,538,655	97,933,500	86,032,504	7,598,020	23.32
4/13/2021	45,350,411	100,630,072	88,771,312	6,247,136	19.17
5/21/2021	45,765,783	104,795,520	92,986,676	8,796,184	26.99
6/15/2021	45,968,760	107,240,610	95,472,942	5,134,333	15.76
7/14/2021	46,369,238	110,748,758	99,024,142	7,459,826	22.89
8/12/2021	47,039,467	114,273,150	102,589,210	7,759,689	23.81
9/23/2021	47,971,848	118,832,668	107,203,284	10,105,973	31.01
10/12/2021	48,436,498	121,054,940	109,451,978	4,935,616	15.15
12/6/2021	49,825,996	126,267,698	114,696,750	11,847,028	36.36
1/13/2022	50,806,313	129,867,780	118,339,832	8,223,481	25.24
2/11/2022	51,510,218	133,403,692	121,947,356	7,847,341	24.08
3/15/2022	52,151,393	136,629,568	125,197,700	7,117,395	21.84
4/5/2022	52,343,621	138,981,796	127,595,056	4,941,812	15.17
5/17/2022	53,145,871	143,471,587	132,125,729	9,822,714	30.14
6/14/2022	53,767,857	146,497,795	135,231,455	6,753,920	20.73
7/13/2022	54,382,966	149,812,166	138,604,778	7,302,803	22.41
8/8/2022	54,798,908	153,053,667	141,889,432	6,942,097	21.30
9/12/2022	55,343,688	157,196,612	146,888,968	9,687,261	29.73
10/6/2022	55,710,266	160,396,640	149,342,860	6,020,498	18.48
11/15/2022	56,333,268	163,876,557	152,877,772	7,637,831	23.44
12/13/2022	56,795,793	166,197,562	155,238,069	5,143,827	15.79
1/11/2023	57,290,089	168,651,286	157,719,896	5,429,847	16.66
2/7/2023	57,747,018	171,224,990	160,321,109	5,631,846	17.28
3/16/2023	58,379,458	174,397,412	163,534,113	7,017,866	21.54
4/11/2023	58,848,106	176,602,255	165,781,945	4,921,323	15.10
5/8/2023	59,308,006	179,300,432	168,534,542	5,910,674	18.14
6/5/2023	59,807,716	182,045,235	171,321,270	6,031,241	18.51
7/5/2023	60,341,118	184,964,522	174,281,010	6,412,429	19.68
8/2/2023	60,841,082	188,061,103	177,448,274	6,763,809	20.76
9/11/2023	61,870,780	192,004,306	181,466,465	8,991,092	27.59
10/12/2023	62,893,405	194,959,410	184,480,333	6,991,597	21.46
11/13/2023	63,965,978	197,642,539	187,221,819	6,497,188	19.94
12/12/2023	64,875,684	199,887,550	189,505,520	5,438,418	16.69
<b>Annual Period</b>	<b>CGR-8 Total</b>	<b>CGR-9 Total</b>	<b>CGR-10 Total</b>	<b>Total (gallons)</b>	<b>Total (acre-feet)</b>
<b>March 2018 – March 2019</b>	12,789,980	22,075,828	15,623,589	50,489,397	154.95
<b>March 2019 – March 2020</b>	18,800,603	36,220,276	30,454,118	85,474,997	262.31
<b>March 2020 – March 2021</b>	12,424,600	39,159,842	39,470,256	91,054,698	279.44
<b>March 2021 – March 2022</b>	7,612,738	38,696,068	39,165,196	85,474,002	262.31
<b>March 2022 – March 2023</b>	6,228,065	37,767,844	38,336,413	82,332,322	252.67
<b>March 2023 – March 2024 (as of 12/12/23)</b>	6,496,226	25,490,138	25,971,407	57,957,771	177.87

1) All units in Gallons unless otherwise specified. Final column in Acre-Feet.

2) Totals given reflect volumes pumped since project commencement on March 19, 2018 for individual production wells (CGR-8, 9, and 10) and combined project totals.


**APPENDIX A**

**TRANSDUCER DATA**

**GROUNDWATER HYDROGRAPHS AND CONDUCTIVITY**




## GROUNDWATER ELEVATION DATA - Transducer CMW-2 - Cabin Bar Ranch GMMRP




Note: Transducer data from AquaTroll 200 correlated to Manual DTW.  
Data gap from 04/2018 to 05/2018 and 11/2023 to 12/2023 due to transducer malfunction.

## GROUNDWATER ELEVATION DATA - Transducer MW-3 - Cabin Bar Ranch GMMRP




Note: Transducer data from LevelTroll 500 correlated to Manual DTW.  
Transducer was found to be faulty on March 13, 2018 and was replaced on May 22, 2018.  
Data gap from 10/2021 to 02/2022 due to transducer failure.

# GROUNDWATER ELEVATION DATA - Transducer OW-7u - Cabin Bar Ranch GMMRP



Note: Transducer data from AquaTroll 200 correlated to Manual DTW.  
Data gap from 12/2017 to 02/2018 and 08/2021 to 12/2021 due to transducer malfunction.

## GROUNDWATER ELEVATION DATA - Transducer OW-7m - Cabin Bar Ranch GMMRP




Note: Transducer data from AquaTroll 200 correlated to Manual DTW.

Data gaps in 2018 and 2021 due to transducer malfunction.


No manual GWE collected from 07 to 08/19, 11/19 to 06/20, 02/21 or 08/23 due to artesian conditions.

## GROUNDWATER ELEVATION DATA - Transducer OW-10u - Cabin Bar Ranch GMMRP




Note: Transducer data from LevelTroll 500 correlated to Manual DTW.  
Original transducer was found to be faulty and was replaced on May 9, 2016.  
Data gap from 08/2020 to 12/2020 due to transducer malfunction.

## GROUNDWATER ELEVATION DATA - Transducer OW-10m - Cabin Bar Ranch GMMRP




Note: Transducer data from AquaTroll 200 correlated to Manual DTW.  
Data gap from 08/2023 to 12/2023 due to transducer malfunction.

# GROUNDWATER ELEVATION DATA - Transducer PAT-1 - Cabin Bar Ranch GMMRP



Note: Transducer data from AquaTroll 200 correlated to Manual DTW.  
Data gap from 06/2020 to 08/2020 due to transducer failure.


# GROUNDWATER ELEVATION DATA - Transducer P-5 - Cabin Bar Ranch GMMRP



Note: Transducer data from AquaTroll 200 correlated to Manual DTW.  
Data gap from 02/2023 to 06/2023 due to transducer malfunction.




# GROUNDWATER ELEVATION DATA - Transducer P-10 - Cabin Bar Ranch GMMRP




Note: Transducer data from LevelTroll 500 correlated to Manual DTW.

## GROUNDWATER ELEVATION DATA - Transducer P-15 & P-15A - Cabin Bar Ranch GMMRP




Note: Transducer data from LevelTroll 500 correlated to Manual DTW.  
P-15 was dry from 07/2016 to 09/2016, on 10/2021, and from 08/2022 to 10/2022.  
Trigger level indicated may not be exceeded for any continuous 12 month period.

# GROUNDWATER ELEVATION DATA - Transducer RP-1 - Cabin Bar Ranch GMMRP




Note: Transducer data from LevelTroll 500 correlated to Manual DTW.

## GROUNDWATER ELEVATION DATA - Transducer SS-1A - Cabin Bar Ranch GMMRP




Note: Transducer data from LevelTroll 500 correlated to Manual DTW.

## WELL PRESSURE - Transducer Data OW-9u - Cabin Bar Ranch GMMRP



Note: Artesian Well. Transducer data from AquaTroll 200 correlated to reference pressure and converted to GWE. Transducer was pulled from the well for evaluation in January 2018 and February 2019.

## WELL PRESSURE - Transducer Data OW-8u - Cabin Bar Ranch GMMRP



Note: Artesian Well. Transducer data from AquaTroll 200 correlated to reference pressure and converted to GWE.  
Data gaps from 01/2018 to 05/2018 and 08/2023 to 09/2023 due to transducer malfunction.



**APPENDIX B**

**LABORATORY DATA FOR SAMPLES**

**COLLECTED DECEMBER 12 & 13, 2023**



# ANALYTICAL REPORT

## PREPARED FOR

Attn: Naomi Jensen  
TEAM Environmental, Inc.  
459 W. Line Street  
Suite A,  
Bishop, California 93514

Generated 12/22/2023 12:57:57 PM

## JOB DESCRIPTION

CG Roxane

## JOB NUMBER

570-164573-1

# Eurofins Calscience

## Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Calscience Project Manager.

## Authorization



Generated  
12/22/2023 12:57:57 PM

---

Authorized for release by  
Sandy Tat, Project Manager I  
[Sandy.Tat@et.eurofinsus.com](mailto:Sandy.Tat@et.eurofinsus.com)  
(714)895-5494



# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	3
Definitions/Glossary . . . . .	4
Case Narrative . . . . .	5
Detection Summary . . . . .	6
Client Sample Results . . . . .	11
QC Sample Results . . . . .	24
QC Association Summary . . . . .	33
Lab Chronicle . . . . .	38
Certification Summary . . . . .	44
Method Summary . . . . .	45
Sample Summary . . . . .	46
Chain of Custody . . . . .	47
Receipt Checklists . . . . .	51

# Definitions/Glossary

Client: TEAM Environmental, Inc.  
Project/Site: CG Roxane

Job ID: 570-164573-1

## Qualifiers

### Metals

Qualifier	Qualifier Description
4	MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable.

### General Chemistry

Qualifier	Qualifier Description
H	Sample was prepped or analyzed beyond the specified holding time. This does not meet regulatory requirements.
H3	Sample was received and analyzed past holding time. This does not meet regulatory requirements.
HF	Parameter with a holding time of 15 minutes. Test performed by laboratory at client's request. Sample was analyzed outside of hold time.

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

# Case Narrative

Client: TEAM Environmental, Inc.  
Project: CG Roxane

Job ID: 570-164573-1

**Job ID: 570-164573-1**

**Eurofins Calscience**

## Job Narrative 570-164573-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers are applied to indicate exceptions. Noncompliant quality control (QC) is further explained in narrative comments.

- Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

### Receipt

The samples were received on 12/14/2023 9:45 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 2.7°C

### Receipt Exceptions

The following samples were received on 12/15/23 at 09:45 AM. The temperature of the cooler at receipt time was 2.4°C: PAT-1 (570-164573-1), OW-7m (570-164573-3), OW-8us (570-164573-4), OW-9u (570-164573-5) and CMW-2 (570-164573-9).

### HPLC/IC

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

### Metals

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

### General Chemistry

Method SM2130B: The following sample(s) was received with less than 2 days remaining on the holding time or less than one shift (8 hours) remaining on a test with a holding time of 48 hours or less. As such, the laboratory had insufficient time remaining to perform the analysis within holding time: PAT-1 (570-164573-1), OW-7m (570-164573-3), OW-8us (570-164573-4) and OW-9u (570-164573-5).

Method SM2130B: The following sample was received outside of holding time: CMW-2 (570-164573-9).

Method SM4500\_H+: This analysis is normally performed in the field and has a method-defined holding time of 15 minutes. The following samples has been qualified with the "HF" flag to indicate analysis was performed in the laboratory outside the 15 minute timeframe: PAT-1 (570-164573-1), OW-7u (570-164573-2), OW-7m (570-164573-3), OW-8us (570-164573-4), OW-9u (570-164573-5), OW-10u (570-164573-6), OW-10m (570-164573-7), P-5 (570-164573-8), CMW-2 (570-164573-9) and QCMW (570-164573-10).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Calscience



# Detection Summary

Client: TEAM Environmental, Inc.  
Project/Site: CG Roxane

Job ID: 570-164573-1

## Client Sample ID: PAT-1

## Lab Sample ID: 570-164573-1

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Sulfate	3.9		1.0	mg/L	1		300.0	Total/NA
Calcium	20.6		2.00	mg/L	1		200.7 Rev 4.4	Total Recoverable
Magnesium	1.65		0.500	mg/L	1		200.7 Rev 4.4	Total Recoverable
Sodium	9.50		2.00	mg/L	1		200.7 Rev 4.4	Total Recoverable
Barium	0.00748		0.00100	mg/L	1		200.8	Total Recoverable
Turbidity	0.35	H	0.05	NTU	1		SM 2130B	Total/NA
Alkalinity, Total (As CaCO3)	70.5		5.00	mg/L	1		SM 2320B	Total/NA
Bicarbonate (as CaCO3)	70.5		5.00	mg/L	1		SM 2320B	Total/NA
Specific Conductance	153		1.00	umhos/cm	1		SM 2510B	Total/NA
Total Dissolved Solids	119		10.0	mg/L	1		SM 2540C	Total/NA
pH	8.0	HF	0.01	S.U.	1		SM 4500 H+ B	Total/NA
Temperature	22.1	HF	1.0	Deg. C	1		SM 4500 H+ B	Total/NA

## Client Sample ID: OW-7u

## Lab Sample ID: 570-164573-2

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Chloride	1.5		1.0	mg/L	1		300.0	Total/NA
Sulfate	14		1.0	mg/L	1		300.0	Total/NA
Calcium	18.4		2.00	mg/L	1		200.7 Rev 4.4	Total Recoverable
Magnesium	1.73		0.500	mg/L	1		200.7 Rev 4.4	Total Recoverable
Sodium	18.3		2.00	mg/L	1		200.7 Rev 4.4	Total Recoverable
Arsenic	0.0191		0.00100	mg/L	1		200.8	Total Recoverable
Barium	0.00711		0.00100	mg/L	1		200.8	Total Recoverable
Molybdenum	0.00653		0.00200	mg/L	1		200.8	Total Recoverable
Vanadium	0.00443		0.00200	mg/L	1		200.8	Total Recoverable
Turbidity	0.10		0.05	NTU	1		SM 2130B	Total/NA
Alkalinity, Total (As CaCO3)	69.2		5.00	mg/L	1		SM 2320B	Total/NA
Bicarbonate (as CaCO3)	69.2		5.00	mg/L	1		SM 2320B	Total/NA
Specific Conductance	181		1.00	umhos/cm	1		SM 2510B	Total/NA
Total Dissolved Solids	131		10.0	mg/L	1		SM 2540C	Total/NA
pH	8.1	HF	0.01	S.U.	1		SM 4500 H+ B	Total/NA
Temperature	22.0	HF	1.0	Deg. C	1		SM 4500 H+ B	Total/NA

## Client Sample ID: OW-7m

## Lab Sample ID: 570-164573-3

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Chloride	2.5		1.0	mg/L	1		300.0	Total/NA
Sulfate	25		1.0	mg/L	1		300.0	Total/NA
Calcium	19.7		2.00	mg/L	1		200.7 Rev 4.4	Total Recoverable
Magnesium	1.54		0.500	mg/L	1		200.7 Rev 4.4	Total Recoverable
Sodium	20.3		2.00	mg/L	1		200.7 Rev 4.4	Total Recoverable

This Detection Summary does not include radiochemical test results.

Eurofins Calscience

# Detection Summary

Client: TEAM Environmental, Inc.  
Project/Site: CG Roxane

Job ID: 570-164573-1

## Client Sample ID: OW-7m (Continued)

## Lab Sample ID: 570-164573-3

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Arsenic	0.0199		0.00100	mg/L	1		200.8	Total Recoverable
Barium	0.0169		0.00100	mg/L	1		200.8	Total Recoverable
Molybdenum	0.00338		0.00200	mg/L	1		200.8	Total Recoverable
Vanadium	0.00537		0.00200	mg/L	1		200.8	Total Recoverable
Turbidity	0.50	H	0.05	NTU	1		SM 2130B	Total/NA
Alkalinity, Total (As CaCO3)	67.5		5.00	mg/L	1		SM 2320B	Total/NA
Bicarbonate (as CaCO3)	67.5		5.00	mg/L	1		SM 2320B	Total/NA
Specific Conductance	204		1.00	umhos/cm	1		SM 2510B	Total/NA
Total Dissolved Solids	160		10.0	mg/L	1		SM 2540C	Total/NA
pH	8.1	HF	0.01	S.U.	1		SM 4500 H+ B	Total/NA
Temperature	22.0	HF	1.0	Deg. C	1		SM 4500 H+ B	Total/NA

## Client Sample ID: OW-8us

## Lab Sample ID: 570-164573-4

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Chloride	3.7		1.0	mg/L	1		300.0	Total/NA
Sulfate	11		1.0	mg/L	1		300.0	Total/NA
Calcium	11.9		2.00	mg/L	1		200.7 Rev 4.4	Total Recoverable
Magnesium	2.14		0.500	mg/L	1		200.7 Rev 4.4	Total Recoverable
Sodium	16.8		2.00	mg/L	1		200.7 Rev 4.4	Total Recoverable
Arsenic	0.00390		0.00100	mg/L	1		200.8	Total Recoverable
Barium	0.00174		0.00100	mg/L	1		200.8	Total Recoverable
Turbidity	0.40	H	0.05	NTU	1		SM 2130B	Total/NA
Alkalinity, Total (As CaCO3)	74.3		5.00	mg/L	1		SM 2320B	Total/NA
Bicarbonate (as CaCO3)	74.3		5.00	mg/L	1		SM 2320B	Total/NA
Specific Conductance	189		1.00	umhos/cm	1		SM 2510B	Total/NA
Total Dissolved Solids	150		10.0	mg/L	1		SM 2540C	Total/NA
pH	8.3	HF	0.01	S.U.	1		SM 4500 H+ B	Total/NA
Temperature	22.1	HF	1.0	Deg. C	1		SM 4500 H+ B	Total/NA

## Client Sample ID: OW-9u

## Lab Sample ID: 570-164573-5

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Chloride	3.3		1.0	mg/L	1		300.0	Total/NA
Sulfate	10		1.0	mg/L	1		300.0	Total/NA
Calcium	11.0		2.00	mg/L	1		200.7 Rev 4.4	Total Recoverable
Magnesium	1.09		0.500	mg/L	1		200.7 Rev 4.4	Total Recoverable
Sodium	17.4		2.00	mg/L	1		200.7 Rev 4.4	Total Recoverable
Barium	0.00163		0.00100	mg/L	1		200.8	Total Recoverable
Molybdenum	0.00476		0.00200	mg/L	1		200.8	Total Recoverable
Turbidity	0.20	H	0.05	NTU	1		SM 2130B	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Calscience

# Detection Summary

Client: TEAM Environmental, Inc.  
Project/Site: CG Roxane

Job ID: 570-164573-1

## Client Sample ID: OW-9u (Continued)

## Lab Sample ID: 570-164573-5

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Alkalinity, Total (As CaCO3)	72.8		5.00	mg/L	1		SM 2320B	Total/NA
Bicarbonate (as CaCO3)	71.7		5.00	mg/L	1		SM 2320B	Total/NA
Specific Conductance	195		1.00	umhos/cm	1		SM 2510B	Total/NA
Total Dissolved Solids	157		10.0	mg/L	1		SM 2540C	Total/NA
pH	8.3	HF	0.01	S.U.	1		SM 4500 H+ B	Total/NA
Temperature	22.3	HF	1.0	Deg. C	1		SM 4500 H+ B	Total/NA

## Client Sample ID: OW-10u

## Lab Sample ID: 570-164573-6

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Chloride	1.1		1.0	mg/L	1		300.0	Total/NA
Sulfate	5.2		1.0	mg/L	1		300.0	Total/NA
Calcium	15.7		2.00	mg/L	1		200.7 Rev 4.4	Total Recoverable
Magnesium	1.99		0.500	mg/L	1		200.7 Rev 4.4	Total Recoverable
Sodium	13.8		2.00	mg/L	1		200.7 Rev 4.4	Total Recoverable
Arsenic	0.00299		0.00100	mg/L	1		200.8	Total Recoverable
Barium	0.0227		0.00100	mg/L	1		200.8	Total Recoverable
Molybdenum	0.00253		0.00200	mg/L	1		200.8	Total Recoverable
Turbidity	0.30		0.05	NTU	1		SM 2130B	Total/NA
Alkalinity, Total (As CaCO3)	66.7		5.00	mg/L	1		SM 2320B	Total/NA
Bicarbonate (as CaCO3)	66.7		5.00	mg/L	1		SM 2320B	Total/NA
Specific Conductance	152		1.00	umhos/cm	1		SM 2510B	Total/NA
Total Dissolved Solids	104		10.0	mg/L	1		SM 2540C	Total/NA
pH	7.6	HF	0.01	S.U.	1		SM 4500 H+ B	Total/NA
Temperature	22.4	HF	1.0	Deg. C	1		SM 4500 H+ B	Total/NA

## Client Sample ID: OW-10m

## Lab Sample ID: 570-164573-7

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Chloride	1.5		1.0	mg/L	1		300.0	Total/NA
Sulfate	3.6		1.0	mg/L	1		300.0	Total/NA
Calcium	9.44		2.00	mg/L	1		200.7 Rev 4.4	Total Recoverable
Magnesium	1.08		0.500	mg/L	1		200.7 Rev 4.4	Total Recoverable
Sodium	29.1		2.00	mg/L	1		200.7 Rev 4.4	Total Recoverable
Barium	0.00490		0.00100	mg/L	1		200.8	Total Recoverable
Turbidity	0.75		0.05	NTU	1		SM 2130B	Total/NA
Alkalinity, Total (As CaCO3)	102		5.00	mg/L	1		SM 2320B	Total/NA
Bicarbonate (as CaCO3)	97.9		5.00	mg/L	1		SM 2320B	Total/NA
Specific Conductance	219		1.00	umhos/cm	1		SM 2510B	Total/NA
Total Dissolved Solids	150		10.0	mg/L	1		SM 2540C	Total/NA
pH	8.4	HF	0.01	S.U.	1		SM 4500 H+ B	Total/NA
Temperature	22.1	HF	1.0	Deg. C	1		SM 4500 H+ B	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Calscience

# Detection Summary

Client: TEAM Environmental, Inc.  
Project/Site: CG Roxane

Job ID: 570-164573-1

## Client Sample ID: P-5

## Lab Sample ID: 570-164573-8

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Sulfate	3.1		1.0	mg/L	1		300.0	Total/NA
Calcium	10.2		2.00	mg/L	1		200.7 Rev 4.4	Total Recoverable
Magnesium	1.34		0.500	mg/L	1		200.7 Rev 4.4	Total Recoverable
Sodium	13.8		2.00	mg/L	1		200.7 Rev 4.4	Total Recoverable
Barium	0.0229		0.00100	mg/L	1		200.8	Total Recoverable
Lead	0.00724		0.00100	mg/L	1		200.8	Total Recoverable
Molybdenum	0.00404		0.00200	mg/L	1		200.8	Total Recoverable
Zinc	0.432		0.0200	mg/L	1		200.8	Total Recoverable
Turbidity	1.2		0.05	NTU	1		SM 2130B	Total/NA
Alkalinity, Total (As CaCO3)	54.2		5.00	mg/L	1		SM 2320B	Total/NA
Bicarbonate (as CaCO3)	54.2		5.00	mg/L	1		SM 2320B	Total/NA
Specific Conductance	121		1.00	umhos/cm	1		SM 2510B	Total/NA
Total Dissolved Solids	77.0		10.0	mg/L	1		SM 2540C	Total/NA
pH	7.4	HF	0.01	S.U.	1		SM 4500 H+ B	Total/NA
Temperature	22.1	HF	1.0	Deg. C	1		SM 4500 H+ B	Total/NA

## Client Sample ID: CMW-2

## Lab Sample ID: 570-164573-9

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Chloride	1.1		1.0	mg/L	1		300.0	Total/NA
Sulfate	7.7		1.0	mg/L	1		300.0	Total/NA
Calcium	24.3		2.00	mg/L	1		200.7 Rev 4.4	Total Recoverable
Magnesium	2.09		0.500	mg/L	1		200.7 Rev 4.4	Total Recoverable
Sodium	11.9		2.00	mg/L	1		200.7 Rev 4.4	Total Recoverable
Arsenic	0.00220		0.00100	mg/L	1		200.8	Total Recoverable
Barium	0.00668		0.00100	mg/L	1		200.8	Total Recoverable
Turbidity	0.40	H H3	0.05	NTU	1		SM 2130B	Total/NA
Alkalinity, Total (As CaCO3)	83.4		5.00	mg/L	1		SM 2320B	Total/NA
Bicarbonate (as CaCO3)	83.4		5.00	mg/L	1		SM 2320B	Total/NA
Specific Conductance	191		1.00	umhos/cm	1		SM 2510B	Total/NA
Total Dissolved Solids	118		10.0	mg/L	1		SM 2540C	Total/NA
pH	8.0	HF	0.01	S.U.	1		SM 4500 H+ B	Total/NA
Temperature	22.1	HF	1.0	Deg. C	1		SM 4500 H+ B	Total/NA

## Client Sample ID: QCMW

## Lab Sample ID: 570-164573-10

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Sulfate	3.1		1.0	mg/L	1		300.0	Total/NA
Calcium	10.1		2.00	mg/L	1		200.7 Rev 4.4	Total Recoverable
Magnesium	1.32		0.500	mg/L	1		200.7 Rev 4.4	Total Recoverable
Sodium	13.8		2.00	mg/L	1		200.7 Rev 4.4	Total Recoverable

This Detection Summary does not include radiochemical test results.

Eurofins Calscience

# Detection Summary

Client: TEAM Environmental, Inc.  
 Project/Site: CG Roxane

Job ID: 570-164573-1

**Client Sample ID: QCMW (Continued)**

**Lab Sample ID: 570-164573-10**

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Barium	0.0233		0.00100	mg/L	1		200.8	Total
Lead	0.00677		0.00100	mg/L	1		200.8	Total Recoverable
Molybdenum	0.00386		0.00200	mg/L	1		200.8	Total Recoverable
Zinc	0.409		0.0200	mg/L	1		200.8	Total Recoverable
Turbidity	1.0		0.05	NTU	1		SM 2130B	Total/NA
Alkalinity, Total (As CaCO3)	71.0		5.00	mg/L	1		SM 2320B	Total/NA
Bicarbonate (as CaCO3)	71.0		5.00	mg/L	1		SM 2320B	Total/NA
Specific Conductance	121		1.00	umhos/cm	1		SM 2510B	Total/NA
Total Dissolved Solids	93.0		10.0	mg/L	1		SM 2540C	Total/NA
pH	7.4	HF	0.01	S.U.	1		SM 4500 H+ B	Total/NA
Temperature	22.1	HF	1.0	Deg. C	1		SM 4500 H+ B	Total/NA

This Detection Summary does not include radiochemical test results.



# Client Sample Results

Client: TEAM Environmental, Inc.  
Project/Site: CG Roxane

Job ID: 570-164573-1

## Method: EPA 300.0 - Anions, Ion Chromatography

**Client Sample ID: PAT-1**  
**Date Collected: 12/12/23 10:00**  
**Date Received: 12/14/23 09:45**

**Lab Sample ID: 570-164573-1**  
**Matrix: Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		1.0	mg/L			12/19/23 06:24	1
Sulfate	3.9		1.0	mg/L			12/19/23 06:24	1

**Client Sample ID: OW-7u**  
**Date Collected: 12/13/23 09:50**  
**Date Received: 12/14/23 09:45**

**Lab Sample ID: 570-164573-2**  
**Matrix: Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	1.5		1.0	mg/L			12/19/23 06:41	1
Sulfate	14		1.0	mg/L			12/19/23 06:41	1

**Client Sample ID: OW-7m**  
**Date Collected: 12/13/23 09:25**  
**Date Received: 12/14/23 09:45**

**Lab Sample ID: 570-164573-3**  
**Matrix: Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	2.5		1.0	mg/L			12/19/23 07:32	1
Sulfate	25		1.0	mg/L			12/19/23 07:32	1

**Client Sample ID: OW-8us**  
**Date Collected: 12/12/23 11:35**  
**Date Received: 12/14/23 09:45**

**Lab Sample ID: 570-164573-4**  
**Matrix: Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	3.7		1.0	mg/L			12/19/23 07:49	1
Sulfate	11		1.0	mg/L			12/19/23 07:49	1

**Client Sample ID: OW-9u**  
**Date Collected: 12/12/23 12:50**  
**Date Received: 12/14/23 09:45**

**Lab Sample ID: 570-164573-5**  
**Matrix: Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	3.3		1.0	mg/L			12/19/23 00:52	1
Sulfate	10		1.0	mg/L			12/19/23 00:52	1

**Client Sample ID: OW-10u**  
**Date Collected: 12/13/23 11:14**  
**Date Received: 12/14/23 09:45**

**Lab Sample ID: 570-164573-6**  
**Matrix: Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	1.1		1.0	mg/L			12/19/23 01:09	1
Sulfate	5.2		1.0	mg/L			12/19/23 01:09	1

**Client Sample ID: OW-10m**  
**Date Collected: 12/13/23 10:50**  
**Date Received: 12/14/23 09:45**

**Lab Sample ID: 570-164573-7**  
**Matrix: Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	1.5		1.0	mg/L			12/19/23 01:26	1
Sulfate	3.6		1.0	mg/L			12/19/23 01:26	1

**Client Sample ID: P-5**  
**Date Collected: 12/13/23 10:18**  
**Date Received: 12/14/23 09:45**

**Lab Sample ID: 570-164573-8**  
**Matrix: Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		1.0	mg/L			12/19/23 01:42	1
Sulfate	3.1		1.0	mg/L			12/19/23 01:42	1

Eurofins Calscience



# Client Sample Results

Client: TEAM Environmental, Inc.  
Project/Site: CG Roxane

Job ID: 570-164573-1

## Method: EPA 300.0 - Anions, Ion Chromatography

**Client Sample ID: CMW-2**  
**Date Collected: 12/12/23 09:40**  
**Date Received: 12/14/23 09:45**

**Lab Sample ID: 570-164573-9**  
**Matrix: Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	1.1		1.0	mg/L			12/19/23 02:33	1
Sulfate	7.7		1.0	mg/L			12/19/23 02:33	1

**Client Sample ID: QCMW**  
**Date Collected: 12/13/23 00:00**  
**Date Received: 12/14/23 09:45**

**Lab Sample ID: 570-164573-10**  
**Matrix: Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		1.0	mg/L			12/19/23 02:50	1
Sulfate	3.1		1.0	mg/L			12/19/23 02:50	1

# Client Sample Results

Client: TEAM Environmental, Inc.  
Project/Site: CG Roxane

Job ID: 570-164573-1

## Method: EPA 200.7 Rev 4.4 - Metals (ICP) - Total Recoverable

**Client Sample ID: PAT-1**  
**Date Collected: 12/12/23 10:00**  
**Date Received: 12/14/23 09:45**

**Lab Sample ID: 570-164573-1**  
**Matrix: Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Calcium	20.6		2.00	mg/L		12/18/23 07:06	12/20/23 19:00	1
Magnesium	1.65		0.500	mg/L		12/18/23 07:06	12/20/23 19:00	1
Sodium	9.50		2.00	mg/L		12/18/23 07:06	12/20/23 19:00	1

**Client Sample ID: OW-7u**  
**Date Collected: 12/13/23 09:50**  
**Date Received: 12/14/23 09:45**

**Lab Sample ID: 570-164573-2**  
**Matrix: Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Calcium	18.4		2.00	mg/L		12/15/23 06:37	12/19/23 19:08	1
Magnesium	1.73		0.500	mg/L		12/15/23 06:37	12/19/23 19:08	1
Sodium	18.3		2.00	mg/L		12/15/23 06:37	12/19/23 19:08	1

**Client Sample ID: OW-7m**  
**Date Collected: 12/13/23 09:25**  
**Date Received: 12/14/23 09:45**

**Lab Sample ID: 570-164573-3**  
**Matrix: Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Calcium	19.7		2.00	mg/L		12/18/23 07:06	12/20/23 19:02	1
Magnesium	1.54		0.500	mg/L		12/18/23 07:06	12/20/23 19:02	1
Sodium	20.3		2.00	mg/L		12/18/23 07:06	12/20/23 19:02	1

**Client Sample ID: OW-8us**  
**Date Collected: 12/12/23 11:35**  
**Date Received: 12/14/23 09:45**

**Lab Sample ID: 570-164573-4**  
**Matrix: Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Calcium	11.9		2.00	mg/L		12/18/23 07:06	12/20/23 19:11	1
Magnesium	2.14		0.500	mg/L		12/18/23 07:06	12/20/23 19:11	1
Sodium	16.8		2.00	mg/L		12/18/23 07:06	12/20/23 19:11	1

**Client Sample ID: OW-9u**  
**Date Collected: 12/12/23 12:50**  
**Date Received: 12/14/23 09:45**

**Lab Sample ID: 570-164573-5**  
**Matrix: Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Calcium	11.0		2.00	mg/L		12/18/23 07:06	12/20/23 19:14	1
Magnesium	1.09		0.500	mg/L		12/18/23 07:06	12/20/23 19:14	1
Sodium	17.4		2.00	mg/L		12/18/23 07:06	12/20/23 19:14	1

**Client Sample ID: OW-10u**  
**Date Collected: 12/13/23 11:14**  
**Date Received: 12/14/23 09:45**

**Lab Sample ID: 570-164573-6**  
**Matrix: Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Calcium	15.7		2.00	mg/L		12/15/23 06:37	12/19/23 19:10	1
Magnesium	1.99		0.500	mg/L		12/15/23 06:37	12/19/23 19:10	1
Sodium	13.8		2.00	mg/L		12/15/23 06:37	12/19/23 19:10	1

**Client Sample ID: OW-10m**  
**Date Collected: 12/13/23 10:50**  
**Date Received: 12/14/23 09:45**

**Lab Sample ID: 570-164573-7**  
**Matrix: Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Calcium	9.44		2.00	mg/L		12/15/23 06:37	12/19/23 19:13	1
Magnesium	1.08		0.500	mg/L		12/15/23 06:37	12/19/23 19:13	1
Sodium	29.1		2.00	mg/L		12/15/23 06:37	12/19/23 19:13	1

Eurofins Calscience

# Client Sample Results

Client: TEAM Environmental, Inc.  
Project/Site: CG Roxane

Job ID: 570-164573-1

## Method: EPA 200.7 Rev 4.4 - Metals (ICP) - Total Recoverable

**Client Sample ID: P-5**  
**Date Collected: 12/13/23 10:18**  
**Date Received: 12/14/23 09:45**

**Lab Sample ID: 570-164573-8**  
**Matrix: Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Calcium	10.2		2.00	mg/L		12/15/23 06:37	12/19/23 19:42	1
Magnesium	1.34		0.500	mg/L		12/15/23 06:37	12/19/23 19:42	1
Sodium	13.8		2.00	mg/L		12/15/23 06:37	12/19/23 19:42	1

**Client Sample ID: CMW-2**  
**Date Collected: 12/12/23 09:40**  
**Date Received: 12/14/23 09:45**

**Lab Sample ID: 570-164573-9**  
**Matrix: Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Calcium	24.3		2.00	mg/L		12/18/23 07:06	12/20/23 19:22	1
Magnesium	2.09		0.500	mg/L		12/18/23 07:06	12/20/23 19:22	1
Sodium	11.9		2.00	mg/L		12/18/23 07:06	12/20/23 19:22	1

**Client Sample ID: QCMW**  
**Date Collected: 12/13/23 00:00**  
**Date Received: 12/14/23 09:45**

**Lab Sample ID: 570-164573-10**  
**Matrix: Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Calcium	10.1		2.00	mg/L		12/15/23 06:37	12/19/23 19:44	1
Magnesium	1.32		0.500	mg/L		12/15/23 06:37	12/19/23 19:44	1
Sodium	13.8		2.00	mg/L		12/15/23 06:37	12/19/23 19:44	1

# Client Sample Results

Client: TEAM Environmental, Inc.  
Project/Site: CG Roxane

Job ID: 570-164573-1

## Method: EPA 200.8 - Metals (ICP/MS) - Total Recoverable

**Client Sample ID: PAT-1**  
**Date Collected: 12/12/23 10:00**  
**Date Received: 12/14/23 09:45**

**Lab Sample ID: 570-164573-1**  
**Matrix: Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	ND		0.00200	mg/L		12/18/23 06:37	12/18/23 21:27	1
Arsenic	ND		0.00100	mg/L		12/18/23 06:37	12/18/23 21:27	1
<b>Barium</b>	<b>0.00748</b>		0.00100	mg/L		12/18/23 06:37	12/18/23 21:27	1
Beryllium	ND		0.000500	mg/L		12/18/23 06:37	12/18/23 21:27	1
Cadmium	ND		0.00100	mg/L		12/18/23 06:37	12/18/23 21:27	1
Chromium	ND		0.00200	mg/L		12/18/23 06:37	12/18/23 21:27	1
Cobalt	ND		0.00100	mg/L		12/18/23 06:37	12/18/23 21:27	1
Copper	ND		0.00200	mg/L		12/18/23 06:37	12/18/23 21:27	1
Lead	ND		0.00100	mg/L		12/18/23 06:37	12/18/23 21:27	1
Molybdenum	ND		0.00200	mg/L		12/18/23 06:37	12/18/23 21:27	1
Nickel	ND		0.00200	mg/L		12/18/23 06:37	12/18/23 21:27	1
Selenium	ND		0.00200	mg/L		12/18/23 06:37	12/18/23 21:27	1
Silver	ND		0.00100	mg/L		12/18/23 06:37	12/18/23 21:27	1
Thallium	ND		0.00100	mg/L		12/18/23 06:37	12/18/23 21:27	1
Vanadium	ND		0.00200	mg/L		12/18/23 06:37	12/18/23 21:27	1
Zinc	ND		0.0200	mg/L		12/18/23 06:37	12/18/23 21:27	1

**Client Sample ID: OW-7u**  
**Date Collected: 12/13/23 09:50**  
**Date Received: 12/14/23 09:45**

**Lab Sample ID: 570-164573-2**  
**Matrix: Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	ND		0.00200	mg/L		12/15/23 07:09	12/18/23 21:02	1
<b>Arsenic</b>	<b>0.0191</b>		0.00100	mg/L		12/15/23 07:09	12/18/23 21:02	1
<b>Barium</b>	<b>0.00711</b>		0.00100	mg/L		12/15/23 07:09	12/18/23 21:02	1
Beryllium	ND		0.000500	mg/L		12/15/23 07:09	12/18/23 21:02	1
Cadmium	ND		0.00100	mg/L		12/15/23 07:09	12/18/23 21:02	1
Chromium	ND		0.00200	mg/L		12/15/23 07:09	12/18/23 21:02	1
Cobalt	ND		0.00100	mg/L		12/15/23 07:09	12/18/23 21:02	1
Copper	ND		0.00200	mg/L		12/15/23 07:09	12/18/23 21:02	1
Lead	ND		0.00100	mg/L		12/15/23 07:09	12/18/23 21:02	1
<b>Molybdenum</b>	<b>0.00653</b>		0.00200	mg/L		12/15/23 07:09	12/18/23 21:02	1
Nickel	ND		0.00200	mg/L		12/15/23 07:09	12/18/23 21:02	1
Selenium	ND		0.00200	mg/L		12/15/23 07:09	12/18/23 21:02	1
Silver	ND		0.00100	mg/L		12/15/23 07:09	12/18/23 21:02	1
Thallium	ND		0.00100	mg/L		12/15/23 07:09	12/18/23 21:02	1
<b>Vanadium</b>	<b>0.00443</b>		0.00200	mg/L		12/15/23 07:09	12/18/23 21:02	1
Zinc	ND		0.0200	mg/L		12/15/23 07:09	12/18/23 21:02	1

**Client Sample ID: OW-7m**  
**Date Collected: 12/13/23 09:25**  
**Date Received: 12/14/23 09:45**

**Lab Sample ID: 570-164573-3**  
**Matrix: Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	ND		0.00200	mg/L		12/18/23 06:37	12/18/23 21:29	1
<b>Arsenic</b>	<b>0.0199</b>		0.00100	mg/L		12/18/23 06:37	12/18/23 21:29	1
<b>Barium</b>	<b>0.0169</b>		0.00100	mg/L		12/18/23 06:37	12/18/23 21:29	1
Beryllium	ND		0.000500	mg/L		12/18/23 06:37	12/18/23 21:29	1
Cadmium	ND		0.00100	mg/L		12/18/23 06:37	12/18/23 21:29	1
Chromium	ND		0.00200	mg/L		12/18/23 06:37	12/18/23 21:29	1
Cobalt	ND		0.00100	mg/L		12/18/23 06:37	12/18/23 21:29	1
Copper	ND		0.00200	mg/L		12/18/23 06:37	12/18/23 21:29	1

Eurolins Calscience

# Client Sample Results

Client: TEAM Environmental, Inc.  
Project/Site: CG Roxane

Job ID: 570-164573-1

## Method: EPA 200.8 - Metals (ICP/MS) - Total Recoverable (Continued)

**Client Sample ID: OW-7m**  
**Date Collected: 12/13/23 09:25**  
**Date Received: 12/14/23 09:45**

**Lab Sample ID: 570-164573-3**  
**Matrix: Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	ND		0.00100	mg/L		12/18/23 06:37	12/18/23 21:29	1
<b>Molybdenum</b>	<b>0.00338</b>		0.00200	mg/L		12/18/23 06:37	12/18/23 21:29	1
Nickel	ND		0.00200	mg/L		12/18/23 06:37	12/18/23 21:29	1
Selenium	ND		0.00200	mg/L		12/18/23 06:37	12/18/23 21:29	1
Silver	ND		0.00100	mg/L		12/18/23 06:37	12/18/23 21:29	1
Thallium	ND		0.00100	mg/L		12/18/23 06:37	12/18/23 21:29	1
<b>Vanadium</b>	<b>0.00537</b>		0.00200	mg/L		12/18/23 06:37	12/18/23 21:29	1
Zinc	ND		0.0200	mg/L		12/18/23 06:37	12/18/23 21:29	1

**Client Sample ID: OW-8us**  
**Date Collected: 12/12/23 11:35**  
**Date Received: 12/14/23 09:45**

**Lab Sample ID: 570-164573-4**  
**Matrix: Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	ND		0.00200	mg/L		12/18/23 06:37	12/18/23 21:45	1
<b>Arsenic</b>	<b>0.00390</b>		0.00100	mg/L		12/18/23 06:37	12/18/23 21:45	1
<b>Barium</b>	<b>0.00174</b>		0.00100	mg/L		12/18/23 06:37	12/18/23 21:45	1
Beryllium	ND		0.000500	mg/L		12/18/23 06:37	12/18/23 21:45	1
Cadmium	ND		0.00100	mg/L		12/18/23 06:37	12/18/23 21:45	1
Chromium	ND		0.00200	mg/L		12/18/23 06:37	12/18/23 21:45	1
Cobalt	ND		0.00100	mg/L		12/18/23 06:37	12/18/23 21:45	1
Copper	ND		0.00200	mg/L		12/18/23 06:37	12/18/23 21:45	1
Lead	ND		0.00100	mg/L		12/18/23 06:37	12/18/23 21:45	1
Molybdenum	ND		0.00200	mg/L		12/18/23 06:37	12/18/23 21:45	1
Nickel	ND		0.00200	mg/L		12/18/23 06:37	12/18/23 21:45	1
Selenium	ND		0.00200	mg/L		12/18/23 06:37	12/18/23 21:45	1
Silver	ND		0.00100	mg/L		12/18/23 06:37	12/18/23 21:45	1
Thallium	ND		0.00100	mg/L		12/18/23 06:37	12/18/23 21:45	1
Vanadium	ND		0.00200	mg/L		12/18/23 06:37	12/18/23 21:45	1
Zinc	ND		0.0200	mg/L		12/18/23 06:37	12/18/23 21:45	1

**Client Sample ID: OW-9u**  
**Date Collected: 12/12/23 12:50**  
**Date Received: 12/14/23 09:45**

**Lab Sample ID: 570-164573-5**  
**Matrix: Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	ND		0.00200	mg/L		12/18/23 06:37	12/18/23 21:47	1
Arsenic	ND		0.00100	mg/L		12/18/23 06:37	12/18/23 21:47	1
<b>Barium</b>	<b>0.00163</b>		0.00100	mg/L		12/18/23 06:37	12/18/23 21:47	1
Beryllium	ND		0.000500	mg/L		12/18/23 06:37	12/18/23 21:47	1
Cadmium	ND		0.00100	mg/L		12/18/23 06:37	12/18/23 21:47	1
Chromium	ND		0.00200	mg/L		12/18/23 06:37	12/18/23 21:47	1
Cobalt	ND		0.00100	mg/L		12/18/23 06:37	12/18/23 21:47	1
Copper	ND		0.00200	mg/L		12/18/23 06:37	12/18/23 21:47	1
Lead	ND		0.00100	mg/L		12/18/23 06:37	12/18/23 21:47	1
<b>Molybdenum</b>	<b>0.00476</b>		0.00200	mg/L		12/18/23 06:37	12/18/23 21:47	1
Nickel	ND		0.00200	mg/L		12/18/23 06:37	12/18/23 21:47	1
Selenium	ND		0.00200	mg/L		12/18/23 06:37	12/18/23 21:47	1
Silver	ND		0.00100	mg/L		12/18/23 06:37	12/18/23 21:47	1
Thallium	ND		0.00100	mg/L		12/18/23 06:37	12/18/23 21:47	1
Vanadium	ND		0.00200	mg/L		12/18/23 06:37	12/18/23 21:47	1
Zinc	ND		0.0200	mg/L		12/18/23 06:37	12/18/23 21:47	1

Eurofins Calscience

# Client Sample Results

Client: TEAM Environmental, Inc.  
Project/Site: CG Roxane

Job ID: 570-164573-1

## Method: EPA 200.8 - Metals (ICP/MS) - Total Recoverable

**Client Sample ID: OW-10u**  
**Date Collected: 12/13/23 11:14**  
**Date Received: 12/14/23 09:45**

**Lab Sample ID: 570-164573-6**  
**Matrix: Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	ND		0.00200	mg/L		12/15/23 07:09	12/18/23 21:04	1
<b>Arsenic</b>	<b>0.00299</b>		0.00100	mg/L		12/15/23 07:09	12/18/23 21:04	1
<b>Barium</b>	<b>0.0227</b>		0.00100	mg/L		12/15/23 07:09	12/18/23 21:04	1
Beryllium	ND		0.000500	mg/L		12/15/23 07:09	12/18/23 21:04	1
Cadmium	ND		0.00100	mg/L		12/15/23 07:09	12/18/23 21:04	1
Chromium	ND		0.00200	mg/L		12/15/23 07:09	12/18/23 21:04	1
Cobalt	ND		0.00100	mg/L		12/15/23 07:09	12/18/23 21:04	1
Copper	ND		0.00200	mg/L		12/15/23 07:09	12/18/23 21:04	1
Lead	ND		0.00100	mg/L		12/15/23 07:09	12/18/23 21:04	1
<b>Molybdenum</b>	<b>0.00253</b>		0.00200	mg/L		12/15/23 07:09	12/18/23 21:04	1
Nickel	ND		0.00200	mg/L		12/15/23 07:09	12/18/23 21:04	1
Selenium	ND		0.00200	mg/L		12/15/23 07:09	12/18/23 21:04	1
Silver	ND		0.00100	mg/L		12/15/23 07:09	12/18/23 21:04	1
Thallium	ND		0.00100	mg/L		12/15/23 07:09	12/18/23 21:04	1
Vanadium	ND		0.00200	mg/L		12/15/23 07:09	12/18/23 21:04	1
Zinc	ND		0.0200	mg/L		12/15/23 07:09	12/18/23 21:04	1

**Client Sample ID: OW-10m**  
**Date Collected: 12/13/23 10:50**  
**Date Received: 12/14/23 09:45**

**Lab Sample ID: 570-164573-7**  
**Matrix: Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	ND		0.00200	mg/L		12/15/23 07:09	12/18/23 21:06	1
Arsenic	ND		0.00100	mg/L		12/15/23 07:09	12/18/23 21:06	1
<b>Barium</b>	<b>0.00490</b>		0.00100	mg/L		12/15/23 07:09	12/18/23 21:06	1
Beryllium	ND		0.000500	mg/L		12/15/23 07:09	12/18/23 21:06	1
Cadmium	ND		0.00100	mg/L		12/15/23 07:09	12/18/23 21:06	1
Chromium	ND		0.00200	mg/L		12/15/23 07:09	12/18/23 21:06	1
Cobalt	ND		0.00100	mg/L		12/15/23 07:09	12/18/23 21:06	1
Copper	ND		0.00200	mg/L		12/15/23 07:09	12/18/23 21:06	1
Lead	ND		0.00100	mg/L		12/15/23 07:09	12/18/23 21:06	1
Molybdenum	ND		0.00200	mg/L		12/15/23 07:09	12/18/23 21:06	1
Nickel	ND		0.00200	mg/L		12/15/23 07:09	12/18/23 21:06	1
Selenium	ND		0.00200	mg/L		12/15/23 07:09	12/18/23 21:06	1
Silver	ND		0.00100	mg/L		12/15/23 07:09	12/18/23 21:06	1
Thallium	ND		0.00100	mg/L		12/15/23 07:09	12/18/23 21:06	1
Vanadium	ND		0.00200	mg/L		12/15/23 07:09	12/18/23 21:06	1
Zinc	ND		0.0200	mg/L		12/15/23 07:09	12/18/23 21:06	1

**Client Sample ID: P-5**  
**Date Collected: 12/13/23 10:18**  
**Date Received: 12/14/23 09:45**

**Lab Sample ID: 570-164573-8**  
**Matrix: Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	ND		0.00200	mg/L		12/15/23 07:09	12/18/23 21:08	1
Arsenic	ND		0.00100	mg/L		12/15/23 07:09	12/18/23 21:08	1
<b>Barium</b>	<b>0.0229</b>		0.00100	mg/L		12/15/23 07:09	12/18/23 21:08	1
Beryllium	ND		0.000500	mg/L		12/15/23 07:09	12/18/23 21:08	1
Cadmium	ND		0.00100	mg/L		12/15/23 07:09	12/18/23 21:08	1
Chromium	ND		0.00200	mg/L		12/15/23 07:09	12/18/23 21:08	1
Cobalt	ND		0.00100	mg/L		12/15/23 07:09	12/18/23 21:08	1
Copper	ND		0.00200	mg/L		12/15/23 07:09	12/18/23 21:08	1

Eurofins Calscience

# Client Sample Results

Client: TEAM Environmental, Inc.  
Project/Site: CG Roxane

Job ID: 570-164573-1

## Method: EPA 200.8 - Metals (ICP/MS) - Total Recoverable (Continued)

**Client Sample ID: P-5**  
**Date Collected: 12/13/23 10:18**  
**Date Received: 12/14/23 09:45**

**Lab Sample ID: 570-164573-8**  
**Matrix: Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	0.00724		0.00100	mg/L		12/15/23 07:09	12/18/23 21:08	1
Molybdenum	0.00404		0.00200	mg/L		12/15/23 07:09	12/18/23 21:08	1
Nickel	ND		0.00200	mg/L		12/15/23 07:09	12/18/23 21:08	1
Selenium	ND		0.00200	mg/L		12/15/23 07:09	12/18/23 21:08	1
Silver	ND		0.00100	mg/L		12/15/23 07:09	12/18/23 21:08	1
Thallium	ND		0.00100	mg/L		12/15/23 07:09	12/18/23 21:08	1
Vanadium	ND		0.00200	mg/L		12/15/23 07:09	12/18/23 21:08	1
Zinc	0.432		0.0200	mg/L		12/15/23 07:09	12/18/23 21:08	1

**Client Sample ID: CMW-2**  
**Date Collected: 12/12/23 09:40**  
**Date Received: 12/14/23 09:45**

**Lab Sample ID: 570-164573-9**  
**Matrix: Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	ND		0.00200	mg/L		12/18/23 06:37	12/18/23 21:50	1
Arsenic	0.00220		0.00100	mg/L		12/18/23 06:37	12/18/23 21:50	1
Barium	0.00668		0.00100	mg/L		12/18/23 06:37	12/18/23 21:50	1
Beryllium	ND		0.000500	mg/L		12/18/23 06:37	12/18/23 21:50	1
Cadmium	ND		0.00100	mg/L		12/18/23 06:37	12/18/23 21:50	1
Chromium	ND		0.00200	mg/L		12/18/23 06:37	12/18/23 21:50	1
Cobalt	ND		0.00100	mg/L		12/18/23 06:37	12/18/23 21:50	1
Copper	ND		0.00200	mg/L		12/18/23 06:37	12/18/23 21:50	1
Lead	ND		0.00100	mg/L		12/18/23 06:37	12/18/23 21:50	1
Molybdenum	ND		0.00200	mg/L		12/18/23 06:37	12/18/23 21:50	1
Nickel	ND		0.00200	mg/L		12/18/23 06:37	12/18/23 21:50	1
Selenium	ND		0.00200	mg/L		12/18/23 06:37	12/18/23 21:50	1
Silver	ND		0.00100	mg/L		12/18/23 06:37	12/18/23 21:50	1
Thallium	ND		0.00100	mg/L		12/18/23 06:37	12/18/23 21:50	1
Vanadium	ND		0.00200	mg/L		12/18/23 06:37	12/18/23 21:50	1
Zinc	ND		0.0200	mg/L		12/18/23 06:37	12/18/23 21:50	1

**Client Sample ID: QCMW**  
**Date Collected: 12/13/23 00:00**  
**Date Received: 12/14/23 09:45**

**Lab Sample ID: 570-164573-10**  
**Matrix: Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	ND		0.00200	mg/L		12/15/23 07:09	12/18/23 21:11	1
Arsenic	ND		0.00100	mg/L		12/15/23 07:09	12/18/23 21:11	1
Barium	0.0233		0.00100	mg/L		12/15/23 07:09	12/18/23 21:11	1
Beryllium	ND		0.000500	mg/L		12/15/23 07:09	12/18/23 21:11	1
Cadmium	ND		0.00100	mg/L		12/15/23 07:09	12/18/23 21:11	1
Chromium	ND		0.00200	mg/L		12/15/23 07:09	12/18/23 21:11	1
Cobalt	ND		0.00100	mg/L		12/15/23 07:09	12/18/23 21:11	1
Copper	ND		0.00200	mg/L		12/15/23 07:09	12/18/23 21:11	1
Lead	0.00677		0.00100	mg/L		12/15/23 07:09	12/18/23 21:11	1
Molybdenum	0.00386		0.00200	mg/L		12/15/23 07:09	12/18/23 21:11	1
Nickel	ND		0.00200	mg/L		12/15/23 07:09	12/18/23 21:11	1
Selenium	ND		0.00200	mg/L		12/15/23 07:09	12/18/23 21:11	1
Silver	ND		0.00100	mg/L		12/15/23 07:09	12/18/23 21:11	1
Thallium	ND		0.00100	mg/L		12/15/23 07:09	12/18/23 21:11	1
Vanadium	ND		0.00200	mg/L		12/15/23 07:09	12/18/23 21:11	1
Zinc	0.409		0.0200	mg/L		12/15/23 07:09	12/18/23 21:11	1

Eurofins Calscience

# Client Sample Results

Client: TEAM Environmental, Inc.  
Project/Site: CG Roxane

Job ID: 570-164573-1

## Method: EPA 245.1 - Mercury (CVAA)

**Client Sample ID: PAT-1**  
**Date Collected: 12/12/23 10:00**  
**Date Received: 12/14/23 09:45**

**Lab Sample ID: 570-164573-1**  
**Matrix: Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.000200	mg/L		12/18/23 19:47	12/20/23 22:38	1

**Client Sample ID: OW-7u**  
**Date Collected: 12/13/23 09:50**  
**Date Received: 12/14/23 09:45**

**Lab Sample ID: 570-164573-2**  
**Matrix: Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.000200	mg/L		12/18/23 19:47	12/20/23 22:40	1

**Client Sample ID: OW-7m**  
**Date Collected: 12/13/23 09:25**  
**Date Received: 12/14/23 09:45**

**Lab Sample ID: 570-164573-3**  
**Matrix: Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.000200	mg/L		12/18/23 19:47	12/20/23 22:42	1

**Client Sample ID: OW-8us**  
**Date Collected: 12/12/23 11:35**  
**Date Received: 12/14/23 09:45**

**Lab Sample ID: 570-164573-4**  
**Matrix: Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.000200	mg/L		12/18/23 19:47	12/20/23 22:44	1

**Client Sample ID: OW-9u**  
**Date Collected: 12/12/23 12:50**  
**Date Received: 12/14/23 09:45**

**Lab Sample ID: 570-164573-5**  
**Matrix: Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.000200	mg/L		12/18/23 19:47	12/20/23 22:46	1

**Client Sample ID: OW-10u**  
**Date Collected: 12/13/23 11:14**  
**Date Received: 12/14/23 09:45**

**Lab Sample ID: 570-164573-6**  
**Matrix: Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.000200	mg/L		12/18/23 19:47	12/20/23 22:48	1

**Client Sample ID: OW-10m**  
**Date Collected: 12/13/23 10:50**  
**Date Received: 12/14/23 09:45**

**Lab Sample ID: 570-164573-7**  
**Matrix: Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.000200	mg/L		12/18/23 19:47	12/20/23 22:50	1

**Client Sample ID: P-5**  
**Date Collected: 12/13/23 10:18**  
**Date Received: 12/14/23 09:45**

**Lab Sample ID: 570-164573-8**  
**Matrix: Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.000200	mg/L		12/18/23 19:47	12/20/23 22:52	1

**Client Sample ID: CMW-2**  
**Date Collected: 12/12/23 09:40**  
**Date Received: 12/14/23 09:45**

**Lab Sample ID: 570-164573-9**  
**Matrix: Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.000200	mg/L		12/18/23 19:47	12/20/23 22:58	1



# Client Sample Results

Client: TEAM Environmental, Inc.  
Project/Site: CG Roxane

Job ID: 570-164573-1

## Method: EPA 245.1 - Mercury (CVAA)

Client Sample ID: QCMW  
Date Collected: 12/13/23 00:00  
Date Received: 12/14/23 09:45

Lab Sample ID: 570-164573-10  
Matrix: Water

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.000200	mg/L		12/18/23 19:47	12/20/23 22:36	1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# Client Sample Results

Client: TEAM Environmental, Inc.  
Project/Site: CG Roxane

Job ID: 570-164573-1

## General Chemistry

**Client Sample ID: PAT-1**  
**Date Collected: 12/12/23 10:00**  
**Date Received: 12/14/23 09:45**

**Lab Sample ID: 570-164573-1**  
**Matrix: Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Turbidity (SM 2130B)	0.35	H	0.05	NTU			12/15/23 15:49	1
Alkalinity, Total (As CaCO3) (SM 2320B)	70.5		5.00	mg/L			12/15/23 18:04	1
Bicarbonate (as CaCO3) (SM 2320B)	70.5		5.00	mg/L			12/15/23 18:04	1
Specific Conductance (SM 2510B)	153		1.00	umhos/cm			12/15/23 18:04	1
Total Dissolved Solids (SM 2540C)	119		10.0	mg/L			12/19/23 14:56	1
pH (SM 4500 H+ B)	8.0	HF	0.01	S.U.			12/15/23 18:04	1
Temperature (SM 4500 H+ B)	22.1	HF	1.0	Deg. C			12/15/23 18:04	1

**Client Sample ID: OW-7u**  
**Date Collected: 12/13/23 09:50**  
**Date Received: 12/14/23 09:45**

**Lab Sample ID: 570-164573-2**  
**Matrix: Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Turbidity (SM 2130B)	0.10		0.05	NTU			12/14/23 17:17	1
Alkalinity, Total (As CaCO3) (SM 2320B)	69.2		5.00	mg/L			12/15/23 18:18	1
Bicarbonate (as CaCO3) (SM 2320B)	69.2		5.00	mg/L			12/15/23 18:18	1
Specific Conductance (SM 2510B)	181		1.00	umhos/cm			12/15/23 18:18	1
Total Dissolved Solids (SM 2540C)	131		10.0	mg/L			12/19/23 15:43	1
pH (SM 4500 H+ B)	8.1	HF	0.01	S.U.			12/15/23 18:18	1
Temperature (SM 4500 H+ B)	22.0	HF	1.0	Deg. C			12/15/23 18:18	1

**Client Sample ID: OW-7m**  
**Date Collected: 12/13/23 09:25**  
**Date Received: 12/14/23 09:45**

**Lab Sample ID: 570-164573-3**  
**Matrix: Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Turbidity (SM 2130B)	0.50	H	0.05	NTU			12/15/23 15:48	1
Alkalinity, Total (As CaCO3) (SM 2320B)	67.5		5.00	mg/L			12/15/23 18:26	1
Bicarbonate (as CaCO3) (SM 2320B)	67.5		5.00	mg/L			12/15/23 18:26	1
Specific Conductance (SM 2510B)	204		1.00	umhos/cm			12/15/23 18:26	1
Total Dissolved Solids (SM 2540C)	160		10.0	mg/L			12/19/23 15:43	1
pH (SM 4500 H+ B)	8.1	HF	0.01	S.U.			12/15/23 18:26	1
Temperature (SM 4500 H+ B)	22.0	HF	1.0	Deg. C			12/15/23 18:26	1

**Client Sample ID: OW-8us**  
**Date Collected: 12/12/23 11:35**  
**Date Received: 12/14/23 09:45**

**Lab Sample ID: 570-164573-4**  
**Matrix: Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Turbidity (SM 2130B)	0.40	H	0.05	NTU			12/15/23 15:51	1
Alkalinity, Total (As CaCO3) (SM 2320B)	74.3		5.00	mg/L			12/15/23 18:34	1
Bicarbonate (as CaCO3) (SM 2320B)	74.3		5.00	mg/L			12/15/23 18:34	1
Specific Conductance (SM 2510B)	189		1.00	umhos/cm			12/15/23 18:34	1
Total Dissolved Solids (SM 2540C)	150		10.0	mg/L			12/19/23 14:56	1
pH (SM 4500 H+ B)	8.3	HF	0.01	S.U.			12/15/23 18:34	1
Temperature (SM 4500 H+ B)	22.1	HF	1.0	Deg. C			12/15/23 18:34	1

Eurofins Calscience

# Client Sample Results

Client: TEAM Environmental, Inc.  
Project/Site: CG Roxane

Job ID: 570-164573-1

## General Chemistry

**Client Sample ID: OW-9u**  
**Date Collected: 12/12/23 12:50**  
**Date Received: 12/14/23 09:45**

**Lab Sample ID: 570-164573-5**  
**Matrix: Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Turbidity (SM 2130B)	0.20	H	0.05	NTU			12/15/23 15:52	1
Alkalinity, Total (As CaCO3) (SM 2320B)	72.8		5.00	mg/L			12/15/23 18:41	1
Bicarbonate (as CaCO3) (SM 2320B)	71.7		5.00	mg/L			12/15/23 18:41	1
Specific Conductance (SM 2510B)	195		1.00	umhos/cm			12/15/23 18:41	1
Total Dissolved Solids (SM 2540C)	157		10.0	mg/L			12/19/23 14:56	1
pH (SM 4500 H+ B)	8.3	HF	0.01	S.U.			12/15/23 18:41	1
Temperature (SM 4500 H+ B)	22.3	HF	1.0	Deg. C			12/15/23 18:41	1

**Client Sample ID: OW-10u**  
**Date Collected: 12/13/23 11:14**  
**Date Received: 12/14/23 09:45**

**Lab Sample ID: 570-164573-6**  
**Matrix: Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Turbidity (SM 2130B)	0.30		0.05	NTU			12/14/23 17:18	1
Alkalinity, Total (As CaCO3) (SM 2320B)	66.7		5.00	mg/L			12/15/23 18:48	1
Bicarbonate (as CaCO3) (SM 2320B)	66.7		5.00	mg/L			12/15/23 18:48	1
Specific Conductance (SM 2510B)	152		1.00	umhos/cm			12/15/23 18:48	1
Total Dissolved Solids (SM 2540C)	104		10.0	mg/L			12/19/23 15:43	1
pH (SM 4500 H+ B)	7.6	HF	0.01	S.U.			12/15/23 18:48	1
Temperature (SM 4500 H+ B)	22.4	HF	1.0	Deg. C			12/15/23 18:48	1

**Client Sample ID: OW-10m**  
**Date Collected: 12/13/23 10:50**  
**Date Received: 12/14/23 09:45**

**Lab Sample ID: 570-164573-7**  
**Matrix: Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Turbidity (SM 2130B)	0.75		0.05	NTU			12/14/23 17:19	1
Alkalinity, Total (As CaCO3) (SM 2320B)	102		5.00	mg/L			12/15/23 18:56	1
Bicarbonate (as CaCO3) (SM 2320B)	97.9		5.00	mg/L			12/15/23 18:56	1
Specific Conductance (SM 2510B)	219		1.00	umhos/cm			12/15/23 18:56	1
Total Dissolved Solids (SM 2540C)	150		10.0	mg/L			12/19/23 15:43	1
pH (SM 4500 H+ B)	8.4	HF	0.01	S.U.			12/15/23 18:56	1
Temperature (SM 4500 H+ B)	22.1	HF	1.0	Deg. C			12/15/23 18:56	1

**Client Sample ID: P-5**  
**Date Collected: 12/13/23 10:18**  
**Date Received: 12/14/23 09:45**

**Lab Sample ID: 570-164573-8**  
**Matrix: Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Turbidity (SM 2130B)	1.2		0.05	NTU			12/14/23 17:23	1
Alkalinity, Total (As CaCO3) (SM 2320B)	54.2		5.00	mg/L			12/15/23 19:03	1
Bicarbonate (as CaCO3) (SM 2320B)	54.2		5.00	mg/L			12/15/23 19:03	1
Specific Conductance (SM 2510B)	121		1.00	umhos/cm			12/15/23 19:03	1
Total Dissolved Solids (SM 2540C)	77.0		10.0	mg/L			12/19/23 15:43	1
pH (SM 4500 H+ B)	7.4	HF	0.01	S.U.			12/15/23 19:03	1
Temperature (SM 4500 H+ B)	22.1	HF	1.0	Deg. C			12/15/23 19:03	1

Eurofins Calscience

# Client Sample Results

Client: TEAM Environmental, Inc.  
Project/Site: CG Roxane

Job ID: 570-164573-1

## General Chemistry

**Client Sample ID: CMW-2**  
**Date Collected: 12/12/23 09:40**  
**Date Received: 12/14/23 09:45**

**Lab Sample ID: 570-164573-9**  
**Matrix: Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Turbidity (SM 2130B)	0.40	H H3	0.05	NTU			12/15/23 15:54	1
Alkalinity, Total (As CaCO3) (SM 2320B)	83.4		5.00	mg/L			12/15/23 19:10	1
Bicarbonate (as CaCO3) (SM 2320B)	83.4		5.00	mg/L			12/15/23 19:10	1
Specific Conductance (SM 2510B)	191		1.00	umhos/cm			12/15/23 19:10	1
Total Dissolved Solids (SM 2540C)	118		10.0	mg/L			12/19/23 14:56	1
pH (SM 4500 H+ B)	8.0	HF	0.01	S.U.			12/15/23 19:10	1
Temperature (SM 4500 H+ B)	22.1	HF	1.0	Deg. C			12/15/23 19:10	1

**Client Sample ID: QCMW**  
**Date Collected: 12/13/23 00:00**  
**Date Received: 12/14/23 09:45**

**Lab Sample ID: 570-164573-10**  
**Matrix: Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Turbidity (SM 2130B)	1.0		0.05	NTU			12/14/23 17:25	1
Alkalinity, Total (As CaCO3) (SM 2320B)	71.0		5.00	mg/L			12/15/23 19:17	1
Bicarbonate (as CaCO3) (SM 2320B)	71.0		5.00	mg/L			12/15/23 19:17	1
Specific Conductance (SM 2510B)	121		1.00	umhos/cm			12/15/23 19:17	1
Total Dissolved Solids (SM 2540C)	93.0		10.0	mg/L			12/19/23 15:43	1
pH (SM 4500 H+ B)	7.4	HF	0.01	S.U.			12/15/23 19:17	1
Temperature (SM 4500 H+ B)	22.1	HF	1.0	Deg. C			12/15/23 19:17	1

# QC Sample Results

Client: TEAM Environmental, Inc.  
Project/Site: CG Roxane

Job ID: 570-164573-1

## Method: 300.0 - Anions, Ion Chromatography

**Lab Sample ID: MB 570-393944/5**  
**Matrix: Water**  
**Analysis Batch: 393944**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		1.0	mg/L			12/18/23 18:19	1
Sulfate	ND		1.0	mg/L			12/18/23 18:19	1

**Lab Sample ID: LCS 570-393944/6**  
**Matrix: Water**  
**Analysis Batch: 393944**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	50.0	52.15		mg/L		104	90 - 110
Sulfate	50.0	49.36		mg/L		99	90 - 110

**Lab Sample ID: LCSD 570-393944/7**  
**Matrix: Water**  
**Analysis Batch: 393944**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	50.0	52.23		mg/L		104	90 - 110	0	15
Sulfate	50.0	49.27		mg/L		99	90 - 110	0	15

**Lab Sample ID: 570-164573-8 MS**  
**Matrix: Water**  
**Analysis Batch: 393944**

**Client Sample ID: P-5**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	ND		50.0	53.67		mg/L		105	80 - 120
Sulfate	3.1		50.0	53.99		mg/L		102	80 - 120

**Lab Sample ID: 570-164573-8 MSD**  
**Matrix: Water**  
**Analysis Batch: 393944**

**Client Sample ID: P-5**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	ND		50.0	53.92		mg/L		106	80 - 120	0	20
Sulfate	3.1		50.0	54.30		mg/L		102	80 - 120	1	20

**Lab Sample ID: MB 570-393948/5**  
**Matrix: Water**  
**Analysis Batch: 393948**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		1.0	mg/L			12/18/23 20:18	1
Sulfate	ND		1.0	mg/L			12/18/23 20:18	1

**Lab Sample ID: LCS 570-393948/6**  
**Matrix: Water**  
**Analysis Batch: 393948**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	50.0	49.26		mg/L		99	90 - 110
Sulfate	50.0	49.17		mg/L		98	90 - 110

Eurofins Calscience

# QC Sample Results

Client: TEAM Environmental, Inc.  
Project/Site: CG Roxane

Job ID: 570-164573-1

## Method: 300.0 - Anions, Ion Chromatography

**Lab Sample ID: LCSD 570-393948/7**  
**Matrix: Water**  
**Analysis Batch: 393948**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	50.0	49.21		mg/L		98	90 - 110	0	15
Sulfate	50.0	49.33		mg/L		99	90 - 110	0	15

**Lab Sample ID: 570-164573-4 MS**  
**Matrix: Water**  
**Analysis Batch: 393948**

**Client Sample ID: OW-8us**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	3.7		50.0	53.91		mg/L		100	80 - 120
Sulfate	11		50.0	62.60		mg/L		104	80 - 120

**Lab Sample ID: 570-164573-4 MSD**  
**Matrix: Water**  
**Analysis Batch: 393948**

**Client Sample ID: OW-8us**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	3.7		50.0	54.36		mg/L		101	80 - 120	1	20
Sulfate	11		50.0	62.79		mg/L		104	80 - 120	0	20

## Method: 200.7 Rev 4.4 - Metals (ICP)

**Lab Sample ID: MB 570-392970/1-A**  
**Matrix: Water**  
**Analysis Batch: 394517**

**Client Sample ID: Method Blank**  
**Prep Type: Total Recoverable**  
**Prep Batch: 392970**

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Calcium	ND		2.00	mg/L		12/15/23 06:37	12/19/23 18:19	1
Magnesium	ND		0.500	mg/L		12/15/23 06:37	12/19/23 18:19	1
Sodium	ND		2.00	mg/L		12/15/23 06:37	12/19/23 18:19	1

**Lab Sample ID: LCS 570-392970/2-A**  
**Matrix: Water**  
**Analysis Batch: 394517**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total Recoverable**  
**Prep Batch: 392970**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Calcium	2.50	2.526		mg/L		101	85 - 115
Magnesium	2.50	2.515		mg/L		101	85 - 115
Sodium	5.00	5.407		mg/L		108	85 - 115

**Lab Sample ID: LCSD 570-392970/3-A**  
**Matrix: Water**  
**Analysis Batch: 394517**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total Recoverable**  
**Prep Batch: 392970**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Calcium	2.50	2.457		mg/L		98	85 - 115	3	20
Magnesium	2.50	2.438		mg/L		98	85 - 115	3	20
Sodium	5.00	5.355		mg/L		107	85 - 115	1	20

Eurofins Calscience

# QC Sample Results

Client: TEAM Environmental, Inc.  
Project/Site: CG Roxane

Job ID: 570-164573-1

## Method: 200.7 Rev 4.4 - Metals (ICP) (Continued)

**Lab Sample ID: MB 570-393654/1-A**  
**Matrix: Water**  
**Analysis Batch: 395001**

**Client Sample ID: Method Blank**  
**Prep Type: Total Recoverable**  
**Prep Batch: 393654**

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Calcium	ND		2.00	mg/L		12/18/23 07:06	12/20/23 17:58	1
Magnesium	ND		0.500	mg/L		12/18/23 07:06	12/20/23 17:58	1
Sodium	ND		2.00	mg/L		12/18/23 07:06	12/20/23 17:58	1

**Lab Sample ID: LCS 570-393654/2-A**  
**Matrix: Water**  
**Analysis Batch: 395001**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total Recoverable**  
**Prep Batch: 393654**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Calcium	2.50	2.493		mg/L		100	85 - 115
Magnesium	2.50	2.516		mg/L		101	85 - 115
Sodium	5.00	4.897		mg/L		98	85 - 115

**Lab Sample ID: LCSD 570-393654/3-A**  
**Matrix: Water**  
**Analysis Batch: 395001**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total Recoverable**  
**Prep Batch: 393654**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Calcium	2.50	2.457		mg/L		98	85 - 115	1	20
Magnesium	2.50	2.454		mg/L		98	85 - 115	2	20
Sodium	5.00	4.864		mg/L		97	85 - 115	1	20

**Lab Sample ID: 570-164573-3 MS**  
**Matrix: Water**  
**Analysis Batch: 395001**

**Client Sample ID: OW-7m**  
**Prep Type: Total Recoverable**  
**Prep Batch: 393654**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Calcium	19.7		2.50	22.25	4	mg/L		100	80 - 120
Magnesium	1.54		2.50	3.987		mg/L		98	80 - 120
Sodium	20.3		5.00	25.21	4	mg/L		99	80 - 120

**Lab Sample ID: 570-164573-3 MSD**  
**Matrix: Water**  
**Analysis Batch: 395001**

**Client Sample ID: OW-7m**  
**Prep Type: Total Recoverable**  
**Prep Batch: 393654**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Calcium	19.7		2.50	22.44	4	mg/L		108	80 - 120	1	20
Magnesium	1.54		2.50	3.973		mg/L		97	80 - 120	0	20
Sodium	20.3		5.00	25.40	4	mg/L		103	80 - 120	1	20

## Method: 200.8 - Metals (ICP/MS)

**Lab Sample ID: MB 570-392976/1-A**  
**Matrix: Water**  
**Analysis Batch: 393443**

**Client Sample ID: Method Blank**  
**Prep Type: Total Recoverable**  
**Prep Batch: 392976**

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	ND		0.00200	mg/L		12/15/23 07:09	12/15/23 19:12	1
Arsenic	ND		0.00100	mg/L		12/15/23 07:09	12/15/23 19:12	1
Barium	ND		0.00100	mg/L		12/15/23 07:09	12/15/23 19:12	1

Eurofins Calscience

# QC Sample Results

Client: TEAM Environmental, Inc.  
Project/Site: CG Roxane

Job ID: 570-164573-1

## Method: 200.8 - Metals (ICP/MS) (Continued)

**Lab Sample ID: MB 570-392976/1-A**  
**Matrix: Water**  
**Analysis Batch: 393443**

**Client Sample ID: Method Blank**  
**Prep Type: Total Recoverable**  
**Prep Batch: 392976**

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Beryllium	ND		0.000500	mg/L		12/15/23 07:09	12/15/23 19:12	1
Cadmium	ND		0.00100	mg/L		12/15/23 07:09	12/15/23 19:12	1
Chromium	ND		0.00200	mg/L		12/15/23 07:09	12/15/23 19:12	1
Cobalt	ND		0.00100	mg/L		12/15/23 07:09	12/15/23 19:12	1
Copper	ND		0.00200	mg/L		12/15/23 07:09	12/15/23 19:12	1
Lead	ND		0.00100	mg/L		12/15/23 07:09	12/15/23 19:12	1
Molybdenum	ND		0.00200	mg/L		12/15/23 07:09	12/15/23 19:12	1
Nickel	ND		0.00200	mg/L		12/15/23 07:09	12/15/23 19:12	1
Selenium	ND		0.00200	mg/L		12/15/23 07:09	12/15/23 19:12	1
Silver	ND		0.00100	mg/L		12/15/23 07:09	12/15/23 19:12	1
Thallium	ND		0.00100	mg/L		12/15/23 07:09	12/15/23 19:12	1
Vanadium	ND		0.00200	mg/L		12/15/23 07:09	12/15/23 19:12	1
Zinc	ND		0.0200	mg/L		12/15/23 07:09	12/15/23 19:12	1

**Lab Sample ID: LCS 570-392976/2-A**  
**Matrix: Water**  
**Analysis Batch: 393443**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total Recoverable**  
**Prep Batch: 392976**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Antimony	0.0800	0.07686		mg/L		96	85 - 115
Arsenic	0.0800	0.07787		mg/L		97	85 - 115
Barium	0.0800	0.08355		mg/L		104	85 - 115
Beryllium	0.0800	0.07732		mg/L		97	85 - 115
Cadmium	0.0800	0.08005		mg/L		100	85 - 115
Chromium	0.0800	0.08077		mg/L		101	85 - 115
Cobalt	0.0800	0.08115		mg/L		101	85 - 115
Copper	0.0800	0.08126		mg/L		102	85 - 115
Lead	0.0800	0.08334		mg/L		104	85 - 115
Molybdenum	0.0800	0.08280		mg/L		104	85 - 115
Nickel	0.0800	0.08222		mg/L		103	85 - 115
Selenium	0.0800	0.08088		mg/L		101	85 - 115
Silver	0.0800	0.08099		mg/L		101	85 - 115
Thallium	0.0800	0.08392		mg/L		105	85 - 115
Vanadium	0.0800	0.08141		mg/L		102	85 - 115
Zinc	0.0800	0.07887		mg/L		99	85 - 115

**Lab Sample ID: LCSD 570-392976/3-A**  
**Matrix: Water**  
**Analysis Batch: 393443**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total Recoverable**  
**Prep Batch: 392976**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Antimony	0.0800	0.07892		mg/L		99	85 - 115	3	20
Arsenic	0.0800	0.07676		mg/L		96	85 - 115	1	20
Barium	0.0800	0.08439		mg/L		105	85 - 115	1	20
Beryllium	0.0800	0.07947		mg/L		99	85 - 115	3	20
Cadmium	0.0800	0.07987		mg/L		100	85 - 115	0	20
Chromium	0.0800	0.08162		mg/L		102	85 - 115	1	20
Cobalt	0.0800	0.08197		mg/L		102	85 - 115	1	20
Copper	0.0800	0.08206		mg/L		103	85 - 115	1	20

Eurofins Calscience



# QC Sample Results

Client: TEAM Environmental, Inc.  
Project/Site: CG Roxane

Job ID: 570-164573-1

## Method: 200.8 - Metals (ICP/MS) (Continued)

**Lab Sample ID: LCSD 570-392976/3-A**  
**Matrix: Water**  
**Analysis Batch: 393443**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total Recoverable**  
**Prep Batch: 392976**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Lead	0.0800	0.08395		mg/L		105	85 - 115	1	20
Molybdenum	0.0800	0.08343		mg/L		104	85 - 115	1	20
Nickel	0.0800	0.08324		mg/L		104	85 - 115	1	20
Selenium	0.0800	0.07957		mg/L		99	85 - 115	2	20
Silver	0.0800	0.08243		mg/L		103	85 - 115	2	20
Thallium	0.0800	0.08462		mg/L		106	85 - 115	1	20
Vanadium	0.0800	0.08212		mg/L		103	85 - 115	1	20
Zinc	0.0800	0.07635		mg/L		95	85 - 115	3	20

**Lab Sample ID: MB 570-393649/1-A**  
**Matrix: Water**  
**Analysis Batch: 394174**

**Client Sample ID: Method Blank**  
**Prep Type: Total Recoverable**  
**Prep Batch: 393649**

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	ND		0.00200	mg/L		12/18/23 06:37	12/18/23 19:43	1
Arsenic	ND		0.00100	mg/L		12/18/23 06:37	12/18/23 19:43	1
Barium	ND		0.00100	mg/L		12/18/23 06:37	12/18/23 19:43	1
Beryllium	ND		0.000500	mg/L		12/18/23 06:37	12/18/23 19:43	1
Cadmium	ND		0.00100	mg/L		12/18/23 06:37	12/18/23 19:43	1
Chromium	ND		0.00200	mg/L		12/18/23 06:37	12/18/23 19:43	1
Cobalt	ND		0.00100	mg/L		12/18/23 06:37	12/18/23 19:43	1
Copper	ND		0.00200	mg/L		12/18/23 06:37	12/18/23 19:43	1
Lead	ND		0.00100	mg/L		12/18/23 06:37	12/18/23 19:43	1
Molybdenum	ND		0.00200	mg/L		12/18/23 06:37	12/18/23 19:43	1
Nickel	ND		0.00200	mg/L		12/18/23 06:37	12/18/23 19:43	1
Selenium	ND		0.00200	mg/L		12/18/23 06:37	12/18/23 19:43	1
Silver	ND		0.00100	mg/L		12/18/23 06:37	12/18/23 19:43	1
Thallium	ND		0.00100	mg/L		12/18/23 06:37	12/18/23 19:43	1
Vanadium	ND		0.00200	mg/L		12/18/23 06:37	12/18/23 19:43	1
Zinc	ND		0.0200	mg/L		12/18/23 06:37	12/18/23 19:43	1

**Lab Sample ID: LCS 570-393649/2-A**  
**Matrix: Water**  
**Analysis Batch: 394309**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total Recoverable**  
**Prep Batch: 393649**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Antimony	0.0800	0.07713		mg/L		96	85 - 115
Arsenic	0.0800	0.08210		mg/L		103	85 - 115
Barium	0.0800	0.08202		mg/L		103	85 - 115
Beryllium	0.0800	0.07769		mg/L		97	85 - 115
Cadmium	0.0800	0.08034		mg/L		100	85 - 115
Chromium	0.0800	0.08029		mg/L		100	85 - 115
Cobalt	0.0800	0.07999		mg/L		100	85 - 115
Copper	0.0800	0.08104		mg/L		101	85 - 115
Lead	0.0800	0.08091		mg/L		101	85 - 115
Molybdenum	0.0800	0.08774		mg/L		110	85 - 115
Nickel	0.0800	0.07977		mg/L		100	85 - 115
Selenium	0.0800	0.08309		mg/L		104	85 - 115
Silver	0.0800	0.08048		mg/L		101	85 - 115

Eurofins Calscience

# QC Sample Results

Client: TEAM Environmental, Inc.  
Project/Site: CG Roxane

Job ID: 570-164573-1

## Method: 200.8 - Metals (ICP/MS) (Continued)

**Lab Sample ID: LCS 570-393649/2-A**  
**Matrix: Water**  
**Analysis Batch: 394309**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total Recoverable**  
**Prep Batch: 393649**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Thallium	0.0800	0.07786		mg/L		97	85 - 115
Vanadium	0.0800	0.08078		mg/L		101	85 - 115
Zinc	0.0800	0.07677		mg/L		96	85 - 115

**Lab Sample ID: LCSD 570-393649/3-A**  
**Matrix: Water**  
**Analysis Batch: 394309**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total Recoverable**  
**Prep Batch: 393649**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Antimony	0.0800	0.07742		mg/L		97	85 - 115	0	20
Arsenic	0.0800	0.08150		mg/L		102	85 - 115	1	20
Barium	0.0800	0.08103		mg/L		101	85 - 115	1	20
Beryllium	0.0800	0.07764		mg/L		97	85 - 115	0	20
Cadmium	0.0800	0.08000		mg/L		100	85 - 115	0	20
Chromium	0.0800	0.07923		mg/L		99	85 - 115	1	20
Cobalt	0.0800	0.07951		mg/L		99	85 - 115	1	20
Copper	0.0800	0.08034		mg/L		100	85 - 115	1	20
Lead	0.0800	0.08180		mg/L		102	85 - 115	1	20
Molybdenum	0.0800	0.08683		mg/L		109	85 - 115	1	20
Nickel	0.0800	0.08030		mg/L		100	85 - 115	1	20
Selenium	0.0800	0.08384		mg/L		105	85 - 115	1	20
Silver	0.0800	0.08042		mg/L		101	85 - 115	0	20
Thallium	0.0800	0.07861		mg/L		98	85 - 115	1	20
Vanadium	0.0800	0.08095		mg/L		101	85 - 115	0	20
Zinc	0.0800	0.07605		mg/L		95	85 - 115	1	20

## Method: 245.1 - Mercury (CVAA)

**Lab Sample ID: MB 570-394061/1-A**  
**Matrix: Water**  
**Analysis Batch: 394949**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 394061**

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.000200	mg/L		12/18/23 19:47	12/20/23 21:59	1

**Lab Sample ID: LCS 570-394061/2-A**  
**Matrix: Water**  
**Analysis Batch: 394949**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 394061**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Mercury	0.00800	0.008271		mg/L		103	85 - 115

**Lab Sample ID: LCSD 570-394061/3-A**  
**Matrix: Water**  
**Analysis Batch: 394949**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**  
**Prep Batch: 394061**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Mercury	0.00800	0.008174		mg/L		102	85 - 115	1	10

Eurolins Calscience

# QC Sample Results

Client: TEAM Environmental, Inc.  
Project/Site: CG Roxane

Job ID: 570-164573-1

## Method: SM 2130B - Turbidity

**Lab Sample ID: LCSSRM 570-392805/1**  
**Matrix: Water**  
**Analysis Batch: 392805**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCSSRM Result	LCSSRM Qualifier	Unit	D	%Rec	%Rec Limits
Turbidity	800	800		NTU		99.9	95.0 - 105.0

**Lab Sample ID: LCSSRM 570-392805/2**  
**Matrix: Water**  
**Analysis Batch: 392805**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCSSRM Result	LCSSRM Qualifier	Unit	D	%Rec	%Rec Limits
Turbidity	20.0	20		NTU		100.0	95.0 - 105.0

**Lab Sample ID: LCSSRM 570-392805/3**  
**Matrix: Water**  
**Analysis Batch: 392805**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCSSRM Result	LCSSRM Qualifier	Unit	D	%Rec	%Rec Limits
Turbidity	0.0200	ND		NTU		100.0	0.0 - 200.0

**Lab Sample ID: LCSSRM 570-393270/1**  
**Matrix: Water**  
**Analysis Batch: 393270**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCSSRM Result	LCSSRM Qualifier	Unit	D	%Rec	%Rec Limits
Turbidity	800	800		NTU		100.3	95.0 - 105.0

**Lab Sample ID: LCSSRM 570-393270/2**  
**Matrix: Water**  
**Analysis Batch: 393270**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCSSRM Result	LCSSRM Qualifier	Unit	D	%Rec	%Rec Limits
Turbidity	20.0	20		NTU		100.5	95.0 - 105.0

**Lab Sample ID: LCSSRM 570-393270/3**  
**Matrix: Water**  
**Analysis Batch: 393270**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCSSRM Result	LCSSRM Qualifier	Unit	D	%Rec	%Rec Limits
Turbidity	0.0200	ND		NTU		100.0	0.0 - 200.0

## Method: SM 2320B - Alkalinity

**Lab Sample ID: MB 570-393771/44**  
**Matrix: Water**  
**Analysis Batch: 393771**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Alkalinity, Total (As CaCO3)	ND		5.00	mg/L			12/15/23 17:56	1
Bicarbonate (as CaCO3)	ND		5.00	mg/L			12/15/23 17:56	1

Eurofins Calscience

# QC Sample Results

Client: TEAM Environmental, Inc.  
Project/Site: CG Roxane

Job ID: 570-164573-1

## Method: SM 2320B - Alkalinity

Lab Sample ID: LCS 570-393771/42  
Matrix: Water  
Analysis Batch: 393771

Client Sample ID: Lab Control Sample  
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Alkalinity, Total (As CaCO3)	106	95.33		mg/L		90	78 - 110

Lab Sample ID: LCSD 570-393771/43  
Matrix: Water  
Analysis Batch: 393771

Client Sample ID: Lab Control Sample Dup  
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Alkalinity, Total (As CaCO3)	106	95.50		mg/L		90	78 - 110	0	10

Lab Sample ID: 570-164573-1 DU  
Matrix: Water  
Analysis Batch: 393771

Client Sample ID: PAT-1  
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Alkalinity, Total (As CaCO3)	70.5		70.26		mg/L		0.3	25
Bicarbonate (as CaCO3)	70.5		70.26		mg/L		0.3	25

## Method: SM 2510B - Conductivity, Specific Conductance

Lab Sample ID: MB 570-393772/44  
Matrix: Water  
Analysis Batch: 393772

Client Sample ID: Method Blank  
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Specific Conductance	ND		1.00	umhos/cm			12/15/23 17:56	1

Lab Sample ID: 570-164573-1 DU  
Matrix: Water  
Analysis Batch: 393772

Client Sample ID: PAT-1  
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Specific Conductance	153		153.3		umhos/cm		0.2	25

## Method: SM 2540C - Solids, Total Dissolved (TDS)

Lab Sample ID: MB 570-394354/1  
Matrix: Water  
Analysis Batch: 394354

Client Sample ID: Method Blank  
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	ND		10.0	mg/L			12/19/23 14:56	1

Lab Sample ID: LCS 570-394354/2  
Matrix: Water  
Analysis Batch: 394354

Client Sample ID: Lab Control Sample  
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Dissolved Solids	1000	940.0		mg/L		94	84 - 108

# QC Sample Results

Client: TEAM Environmental, Inc.  
Project/Site: CG Roxane

Job ID: 570-164573-1

## Method: SM 2540C - Solids, Total Dissolved (TDS) (Continued)

**Lab Sample ID: LCSD 570-394354/3**  
**Matrix: Water**  
**Analysis Batch: 394354**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Total Dissolved Solids	1000	946.0		mg/L		95	84 - 108	1	10

**Lab Sample ID: MB 570-394370/1**  
**Matrix: Water**  
**Analysis Batch: 394370**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	ND		10.0	mg/L			12/19/23 15:43	1

**Lab Sample ID: LCS 570-394370/2**  
**Matrix: Water**  
**Analysis Batch: 394370**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Dissolved Solids	1000	914.0		mg/L		91	84 - 108

**Lab Sample ID: LCSD 570-394370/3**  
**Matrix: Water**  
**Analysis Batch: 394370**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Total Dissolved Solids	1000	916.0		mg/L		92	84 - 108	0	10

## Method: SM 4500 H+ B - pH

**Lab Sample ID: 570-164573-1 DU**  
**Matrix: Water**  
**Analysis Batch: 393773**

**Client Sample ID: PAT-1**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
pH	8.0	HF	8.0		S.U.		0.5	25
Temperature	22.1	HF	22.0		Deg. C		0.6	25

# QC Association Summary

Client: TEAM Environmental, Inc.  
Project/Site: CG Roxane

Job ID: 570-164573-1

## HPLC/IC

### Analysis Batch: 393944

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-164573-5	OW-9u	Total/NA	Water	300.0	
570-164573-6	OW-10u	Total/NA	Water	300.0	
570-164573-7	OW-10m	Total/NA	Water	300.0	
570-164573-8	P-5	Total/NA	Water	300.0	
570-164573-9	CMW-2	Total/NA	Water	300.0	
570-164573-10	QCMW	Total/NA	Water	300.0	
MB 570-393944/5	Method Blank	Total/NA	Water	300.0	
LCS 570-393944/6	Lab Control Sample	Total/NA	Water	300.0	
LCSD 570-393944/7	Lab Control Sample Dup	Total/NA	Water	300.0	
570-164573-8 MS	P-5	Total/NA	Water	300.0	
570-164573-8 MSD	P-5	Total/NA	Water	300.0	

### Analysis Batch: 393948

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-164573-1	PAT-1	Total/NA	Water	300.0	
570-164573-2	OW-7u	Total/NA	Water	300.0	
570-164573-3	OW-7m	Total/NA	Water	300.0	
570-164573-4	OW-8us	Total/NA	Water	300.0	
MB 570-393948/5	Method Blank	Total/NA	Water	300.0	
LCS 570-393948/6	Lab Control Sample	Total/NA	Water	300.0	
LCSD 570-393948/7	Lab Control Sample Dup	Total/NA	Water	300.0	
570-164573-4 MS	OW-8us	Total/NA	Water	300.0	
570-164573-4 MSD	OW-8us	Total/NA	Water	300.0	

## Metals

### Prep Batch: 392970

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-164573-2	OW-7u	Total Recoverable	Water	200.7	
570-164573-6	OW-10u	Total Recoverable	Water	200.7	
570-164573-7	OW-10m	Total Recoverable	Water	200.7	
570-164573-8	P-5	Total Recoverable	Water	200.7	
570-164573-10	QCMW	Total Recoverable	Water	200.7	
MB 570-392970/1-A	Method Blank	Total Recoverable	Water	200.7	
LCS 570-392970/2-A	Lab Control Sample	Total Recoverable	Water	200.7	
LCSD 570-392970/3-A	Lab Control Sample Dup	Total Recoverable	Water	200.7	

### Prep Batch: 392976

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-164573-2	OW-7u	Total Recoverable	Water	200.8	
570-164573-6	OW-10u	Total Recoverable	Water	200.8	
570-164573-7	OW-10m	Total Recoverable	Water	200.8	
570-164573-8	P-5	Total Recoverable	Water	200.8	
570-164573-10	QCMW	Total Recoverable	Water	200.8	
MB 570-392976/1-A	Method Blank	Total Recoverable	Water	200.8	
LCS 570-392976/2-A	Lab Control Sample	Total Recoverable	Water	200.8	
LCSD 570-392976/3-A	Lab Control Sample Dup	Total Recoverable	Water	200.8	

### Analysis Batch: 393443

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 570-392976/1-A	Method Blank	Total Recoverable	Water	200.8	392976

Eurofins Calscience

# QC Association Summary

Client: TEAM Environmental, Inc.  
Project/Site: CG Roxane

Job ID: 570-164573-1

## Metals (Continued)

### Analysis Batch: 393443 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LCS 570-392976/2-A	Lab Control Sample	Total Recoverable	Water	200.8	392976
LCSD 570-392976/3-A	Lab Control Sample Dup	Total Recoverable	Water	200.8	392976

### Prep Batch: 393649

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-164573-1	PAT-1	Total Recoverable	Water	200.8	
570-164573-3	OW-7m	Total Recoverable	Water	200.8	
570-164573-4	OW-8us	Total Recoverable	Water	200.8	
570-164573-5	OW-9u	Total Recoverable	Water	200.8	
570-164573-9	CMW-2	Total Recoverable	Water	200.8	
MB 570-393649/1-A	Method Blank	Total Recoverable	Water	200.8	
LCS 570-393649/2-A	Lab Control Sample	Total Recoverable	Water	200.8	
LCSD 570-393649/3-A	Lab Control Sample Dup	Total Recoverable	Water	200.8	

### Prep Batch: 393654

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-164573-1	PAT-1	Total Recoverable	Water	200.7	
570-164573-3	OW-7m	Total Recoverable	Water	200.7	
570-164573-4	OW-8us	Total Recoverable	Water	200.7	
570-164573-5	OW-9u	Total Recoverable	Water	200.7	
570-164573-9	CMW-2	Total Recoverable	Water	200.7	
MB 570-393654/1-A	Method Blank	Total Recoverable	Water	200.7	
LCS 570-393654/2-A	Lab Control Sample	Total Recoverable	Water	200.7	
LCSD 570-393654/3-A	Lab Control Sample Dup	Total Recoverable	Water	200.7	
570-164573-3 MS	OW-7m	Total Recoverable	Water	200.7	
570-164573-3 MSD	OW-7m	Total Recoverable	Water	200.7	

### Prep Batch: 394061

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-164573-1	PAT-1	Total/NA	Water	245.1	
570-164573-2	OW-7u	Total/NA	Water	245.1	
570-164573-3	OW-7m	Total/NA	Water	245.1	
570-164573-4	OW-8us	Total/NA	Water	245.1	
570-164573-5	OW-9u	Total/NA	Water	245.1	
570-164573-6	OW-10u	Total/NA	Water	245.1	
570-164573-7	OW-10m	Total/NA	Water	245.1	
570-164573-8	P-5	Total/NA	Water	245.1	
570-164573-9	CMW-2	Total/NA	Water	245.1	
570-164573-10	QCMW	Total/NA	Water	245.1	
MB 570-394061/1-A	Method Blank	Total/NA	Water	245.1	
LCS 570-394061/2-A	Lab Control Sample	Total/NA	Water	245.1	
LCSD 570-394061/3-A	Lab Control Sample Dup	Total/NA	Water	245.1	

### Analysis Batch: 394174

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-164573-1	PAT-1	Total Recoverable	Water	200.8	393649
570-164573-3	OW-7m	Total Recoverable	Water	200.8	393649
570-164573-4	OW-8us	Total Recoverable	Water	200.8	393649
570-164573-5	OW-9u	Total Recoverable	Water	200.8	393649
570-164573-9	CMW-2	Total Recoverable	Water	200.8	393649
MB 570-393649/1-A	Method Blank	Total Recoverable	Water	200.8	393649

Eurolins Calscience



# QC Association Summary

Client: TEAM Environmental, Inc.  
Project/Site: CG Roxane

Job ID: 570-164573-1

## Metals

### Analysis Batch: 394182

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-164573-2	OW-7u	Total Recoverable	Water	200.8	392976
570-164573-6	OW-10u	Total Recoverable	Water	200.8	392976
570-164573-7	OW-10m	Total Recoverable	Water	200.8	392976
570-164573-8	P-5	Total Recoverable	Water	200.8	392976
570-164573-10	QCMW	Total Recoverable	Water	200.8	392976

### Analysis Batch: 394309

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LCS 570-393649/2-A	Lab Control Sample	Total Recoverable	Water	200.8	393649
LCS 570-393649/3-A	Lab Control Sample Dup	Total Recoverable	Water	200.8	393649

### Analysis Batch: 394517

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-164573-2	OW-7u	Total Recoverable	Water	200.7 Rev 4.4	392970
570-164573-6	OW-10u	Total Recoverable	Water	200.7 Rev 4.4	392970
570-164573-7	OW-10m	Total Recoverable	Water	200.7 Rev 4.4	392970
570-164573-8	P-5	Total Recoverable	Water	200.7 Rev 4.4	392970
570-164573-10	QCMW	Total Recoverable	Water	200.7 Rev 4.4	392970
MB 570-392970/1-A	Method Blank	Total Recoverable	Water	200.7 Rev 4.4	392970
LCS 570-392970/2-A	Lab Control Sample	Total Recoverable	Water	200.7 Rev 4.4	392970
LCS 570-392970/3-A	Lab Control Sample Dup	Total Recoverable	Water	200.7 Rev 4.4	392970

### Analysis Batch: 394949

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-164573-1	PAT-1	Total/NA	Water	245.1	394061
570-164573-2	OW-7u	Total/NA	Water	245.1	394061
570-164573-3	OW-7m	Total/NA	Water	245.1	394061
570-164573-4	OW-8us	Total/NA	Water	245.1	394061
570-164573-5	OW-9u	Total/NA	Water	245.1	394061
570-164573-6	OW-10u	Total/NA	Water	245.1	394061
570-164573-7	OW-10m	Total/NA	Water	245.1	394061
570-164573-8	P-5	Total/NA	Water	245.1	394061
570-164573-9	CMW-2	Total/NA	Water	245.1	394061
570-164573-10	QCMW	Total/NA	Water	245.1	394061
MB 570-394061/1-A	Method Blank	Total/NA	Water	245.1	394061
LCS 570-394061/2-A	Lab Control Sample	Total/NA	Water	245.1	394061
LCS 570-394061/3-A	Lab Control Sample Dup	Total/NA	Water	245.1	394061

### Analysis Batch: 395001

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-164573-1	PAT-1	Total Recoverable	Water	200.7 Rev 4.4	393654
570-164573-3	OW-7m	Total Recoverable	Water	200.7 Rev 4.4	393654
570-164573-4	OW-8us	Total Recoverable	Water	200.7 Rev 4.4	393654
570-164573-5	OW-9u	Total Recoverable	Water	200.7 Rev 4.4	393654
570-164573-9	CMW-2	Total Recoverable	Water	200.7 Rev 4.4	393654
MB 570-393654/1-A	Method Blank	Total Recoverable	Water	200.7 Rev 4.4	393654
LCS 570-393654/2-A	Lab Control Sample	Total Recoverable	Water	200.7 Rev 4.4	393654
LCS 570-393654/3-A	Lab Control Sample Dup	Total Recoverable	Water	200.7 Rev 4.4	393654
570-164573-3 MS	OW-7m	Total Recoverable	Water	200.7 Rev 4.4	393654
570-164573-3 MSD	OW-7m	Total Recoverable	Water	200.7 Rev 4.4	393654

Eurofins Calscience



# QC Association Summary

Client: TEAM Environmental, Inc.  
Project/Site: CG Roxane

Job ID: 570-164573-1

## General Chemistry

### Analysis Batch: 392805

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-164573-2	OW-7u	Total/NA	Water	SM 2130B	
570-164573-6	OW-10u	Total/NA	Water	SM 2130B	
570-164573-7	OW-10m	Total/NA	Water	SM 2130B	
570-164573-8	P-5	Total/NA	Water	SM 2130B	
570-164573-10	QCMW	Total/NA	Water	SM 2130B	
LCSSRM 570-392805/1	Lab Control Sample	Total/NA	Water	SM 2130B	
LCSSRM 570-392805/2	Lab Control Sample	Total/NA	Water	SM 2130B	
LCSSRM 570-392805/3	Lab Control Sample	Total/NA	Water	SM 2130B	

### Analysis Batch: 393270

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-164573-1	PAT-1	Total/NA	Water	SM 2130B	
570-164573-3	OW-7m	Total/NA	Water	SM 2130B	
570-164573-4	OW-8us	Total/NA	Water	SM 2130B	
570-164573-5	OW-9u	Total/NA	Water	SM 2130B	
570-164573-9	CMW-2	Total/NA	Water	SM 2130B	
LCSSRM 570-393270/1	Lab Control Sample	Total/NA	Water	SM 2130B	
LCSSRM 570-393270/2	Lab Control Sample	Total/NA	Water	SM 2130B	
LCSSRM 570-393270/3	Lab Control Sample	Total/NA	Water	SM 2130B	

### Analysis Batch: 393771

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-164573-1	PAT-1	Total/NA	Water	SM 2320B	
570-164573-2	OW-7u	Total/NA	Water	SM 2320B	
570-164573-3	OW-7m	Total/NA	Water	SM 2320B	
570-164573-4	OW-8us	Total/NA	Water	SM 2320B	
570-164573-5	OW-9u	Total/NA	Water	SM 2320B	
570-164573-6	OW-10u	Total/NA	Water	SM 2320B	
570-164573-7	OW-10m	Total/NA	Water	SM 2320B	
570-164573-8	P-5	Total/NA	Water	SM 2320B	
570-164573-9	CMW-2	Total/NA	Water	SM 2320B	
570-164573-10	QCMW	Total/NA	Water	SM 2320B	
MB 570-393771/44	Method Blank	Total/NA	Water	SM 2320B	
LCS 570-393771/42	Lab Control Sample	Total/NA	Water	SM 2320B	
LCSD 570-393771/43	Lab Control Sample Dup	Total/NA	Water	SM 2320B	
570-164573-1 DU	PAT-1	Total/NA	Water	SM 2320B	

### Analysis Batch: 393772

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-164573-1	PAT-1	Total/NA	Water	SM 2510B	
570-164573-2	OW-7u	Total/NA	Water	SM 2510B	
570-164573-3	OW-7m	Total/NA	Water	SM 2510B	
570-164573-4	OW-8us	Total/NA	Water	SM 2510B	
570-164573-5	OW-9u	Total/NA	Water	SM 2510B	
570-164573-6	OW-10u	Total/NA	Water	SM 2510B	
570-164573-7	OW-10m	Total/NA	Water	SM 2510B	
570-164573-8	P-5	Total/NA	Water	SM 2510B	
570-164573-9	CMW-2	Total/NA	Water	SM 2510B	
570-164573-10	QCMW	Total/NA	Water	SM 2510B	
MB 570-393772/44	Method Blank	Total/NA	Water	SM 2510B	
570-164573-1 DU	PAT-1	Total/NA	Water	SM 2510B	

Eurofins Calscience

# QC Association Summary

Client: TEAM Environmental, Inc.  
Project/Site: CG Roxane

Job ID: 570-164573-1

## General Chemistry

### Analysis Batch: 393773

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-164573-1	PAT-1	Total/NA	Water	SM 4500 H+ B	
570-164573-2	OW-7u	Total/NA	Water	SM 4500 H+ B	
570-164573-3	OW-7m	Total/NA	Water	SM 4500 H+ B	
570-164573-4	OW-8us	Total/NA	Water	SM 4500 H+ B	
570-164573-5	OW-9u	Total/NA	Water	SM 4500 H+ B	
570-164573-6	OW-10u	Total/NA	Water	SM 4500 H+ B	
570-164573-7	OW-10m	Total/NA	Water	SM 4500 H+ B	
570-164573-8	P-5	Total/NA	Water	SM 4500 H+ B	
570-164573-9	CMW-2	Total/NA	Water	SM 4500 H+ B	
570-164573-10	QCMW	Total/NA	Water	SM 4500 H+ B	
570-164573-1 DU	PAT-1	Total/NA	Water	SM 4500 H+ B	

### Analysis Batch: 394354

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-164573-1	PAT-1	Total/NA	Water	SM 2540C	
570-164573-4	OW-8us	Total/NA	Water	SM 2540C	
570-164573-5	OW-9u	Total/NA	Water	SM 2540C	
570-164573-9	CMW-2	Total/NA	Water	SM 2540C	
MB 570-394354/1	Method Blank	Total/NA	Water	SM 2540C	
LCS 570-394354/2	Lab Control Sample	Total/NA	Water	SM 2540C	
LCSD 570-394354/3	Lab Control Sample Dup	Total/NA	Water	SM 2540C	

### Analysis Batch: 394370

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-164573-2	OW-7u	Total/NA	Water	SM 2540C	
570-164573-3	OW-7m	Total/NA	Water	SM 2540C	
570-164573-6	OW-10u	Total/NA	Water	SM 2540C	
570-164573-7	OW-10m	Total/NA	Water	SM 2540C	
570-164573-8	P-5	Total/NA	Water	SM 2540C	
570-164573-10	QCMW	Total/NA	Water	SM 2540C	
MB 570-394370/1	Method Blank	Total/NA	Water	SM 2540C	
LCS 570-394370/2	Lab Control Sample	Total/NA	Water	SM 2540C	
LCSD 570-394370/3	Lab Control Sample Dup	Total/NA	Water	SM 2540C	

# Lab Chronicle

Client: TEAM Environmental, Inc.  
Project/Site: CG Roxane

Job ID: 570-164573-1

**Client Sample ID: PAT-1**

**Lab Sample ID: 570-164573-1**

**Date Collected: 12/12/23 10:00**

**Matrix: Water**

**Date Received: 12/14/23 09:45**

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	4 mL	4 mL	393948	12/19/23 06:24	U9XB	EET CAL 4
Instrument ID: IC28										
Total Recoverable	Prep	200.7			50 mL	50 mL	393654	12/18/23 07:06	JP8N	EET CAL 4
Total Recoverable	Analysis	200.7 Rev 4.4		1			395001	12/20/23 19:00	P1R	EET CAL 4
Instrument ID: ICP10										
Total Recoverable	Prep	200.8			50 mL	50 mL	393649	12/18/23 06:37	JP8N	EET CAL 4
Total Recoverable	Analysis	200.8		1			394174	12/18/23 21:27	C0YH	EET CAL 4
Instrument ID: ICPMS10										
Total/NA	Prep	245.1			25 mL	50 mL	394061	12/18/23 19:47	EV3M	EET CAL 4
Total/NA	Analysis	245.1		1			394949	12/20/23 22:38	CS5Z	EET CAL 4
Instrument ID: HG9										
Total/NA	Analysis	SM 2130B		1			393270	12/15/23 15:49	ZVB7	EET CAL 4
Instrument ID: TUR5										
Total/NA	Analysis	SM 2320B		1	10 mL	10 mL	393771	12/15/23 18:04	ZL4M	EET CAL 4
Instrument ID: ManSciMantech										
Total/NA	Analysis	SM 2510B		1			393772	12/15/23 18:04	ZL4M	EET CAL 4
Instrument ID: ManSciMantech										
Total/NA	Analysis	SM 2540C		1	100 mL	1000 mL	394354	12/19/23 14:56	ZL7L	EET CAL 4
Instrument ID: BAL100										
Total/NA	Analysis	SM 4500 H+ B		1			393773	12/15/23 18:04	ZL4M	EET CAL 4
Instrument ID: ManSciMantech										

**Client Sample ID: OW-7u**

**Lab Sample ID: 570-164573-2**

**Date Collected: 12/13/23 09:50**

**Matrix: Water**

**Date Received: 12/14/23 09:45**

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	4 mL	4 mL	393948	12/19/23 06:41	U9XB	EET CAL 4
Instrument ID: IC28										
Total Recoverable	Prep	200.7			50 mL	50 mL	392970	12/15/23 06:37	JP8N	EET CAL 4
Total Recoverable	Analysis	200.7 Rev 4.4		1			394517	12/19/23 19:08	P1R	EET CAL 4
Instrument ID: ICP10										
Total Recoverable	Prep	200.8			50 mL	50 mL	392976	12/15/23 07:09	JP8N	EET CAL 4
Total Recoverable	Analysis	200.8		1			394182	12/18/23 21:02	C0YH	EET CAL 4
Instrument ID: ICPMS10										
Total/NA	Prep	245.1			25 mL	50 mL	394061	12/18/23 19:47	EV3M	EET CAL 4
Total/NA	Analysis	245.1		1			394949	12/20/23 22:40	CS5Z	EET CAL 4
Instrument ID: HG9										
Total/NA	Analysis	SM 2130B		1			392805	12/14/23 17:17	ZVB7	EET CAL 4
Instrument ID: TUR5										
Total/NA	Analysis	SM 2320B		1	10 mL	10 mL	393771	12/15/23 18:18	ZL4M	EET CAL 4
Instrument ID: ManSciMantech										
Total/NA	Analysis	SM 2510B		1			393772	12/15/23 18:18	ZL4M	EET CAL 4
Instrument ID: ManSciMantech										

Eurofins Calscience

# Lab Chronicle

Client: TEAM Environmental, Inc.  
Project/Site: CG Roxane

Job ID: 570-164573-1

## Client Sample ID: OW-7u

## Lab Sample ID: 570-164573-2

Date Collected: 12/13/23 09:50

Matrix: Water

Date Received: 12/14/23 09:45

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 2540C		1	100 mL	1000 mL	394370	12/19/23 15:43	JB	EET CAL 4
Total/NA	Analysis	SM 4500 H+ B		1			393773	12/15/23 18:18	ZL4M	EET CAL 4
Instrument ID: ManSciMantech										

## Client Sample ID: OW-7m

## Lab Sample ID: 570-164573-3

Date Collected: 12/13/23 09:25

Matrix: Water

Date Received: 12/14/23 09:45

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	4 mL	4 mL	393948	12/19/23 07:32	U9XB	EET CAL 4
Instrument ID: IC28										
Total Recoverable	Prep	200.7			50 mL	50 mL	393654	12/18/23 07:06	JP8N	EET CAL 4
Total Recoverable	Analysis	200.7 Rev 4.4		1			395001	12/20/23 19:02	P1R	EET CAL 4
Instrument ID: ICP10										
Total Recoverable	Prep	200.8			50 mL	50 mL	393649	12/18/23 06:37	JP8N	EET CAL 4
Total Recoverable	Analysis	200.8		1			394174	12/18/23 21:29	C0YH	EET CAL 4
Instrument ID: ICPMS10										
Total/NA	Prep	245.1			25 mL	50 mL	394061	12/18/23 19:47	EV3M	EET CAL 4
Total/NA	Analysis	245.1		1			394949	12/20/23 22:42	CS5Z	EET CAL 4
Instrument ID: HG9										
Total/NA	Analysis	SM 2130B		1			393270	12/15/23 15:48	ZVB7	EET CAL 4
Instrument ID: TUR5										
Total/NA	Analysis	SM 2320B		1	10 mL	10 mL	393771	12/15/23 18:26	ZL4M	EET CAL 4
Instrument ID: ManSciMantech										
Total/NA	Analysis	SM 2510B		1			393772	12/15/23 18:26	ZL4M	EET CAL 4
Instrument ID: ManSciMantech										
Total/NA	Analysis	SM 2540C		1	100 mL	1000 mL	394370	12/19/23 15:43	JB	EET CAL 4
Instrument ID: BAL100										
Total/NA	Analysis	SM 4500 H+ B		1			393773	12/15/23 18:26	ZL4M	EET CAL 4
Instrument ID: ManSciMantech										

## Client Sample ID: OW-8us

## Lab Sample ID: 570-164573-4

Date Collected: 12/12/23 11:35

Matrix: Water

Date Received: 12/14/23 09:45

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	4 mL	4 mL	393948	12/19/23 07:49	U9XB	EET CAL 4
Instrument ID: IC28										
Total Recoverable	Prep	200.7			50 mL	50 mL	393654	12/18/23 07:06	JP8N	EET CAL 4
Total Recoverable	Analysis	200.7 Rev 4.4		1			395001	12/20/23 19:11	P1R	EET CAL 4
Instrument ID: ICP10										
Total Recoverable	Prep	200.8			50 mL	50 mL	393649	12/18/23 06:37	JP8N	EET CAL 4
Total Recoverable	Analysis	200.8		1			394174	12/18/23 21:45	C0YH	EET CAL 4
Instrument ID: ICPMS10										

# Lab Chronicle

Client: TEAM Environmental, Inc.  
Project/Site: CG Roxane

Job ID: 570-164573-1

**Client Sample ID: OW-8us**

**Lab Sample ID: 570-164573-4**

**Date Collected: 12/12/23 11:35**

**Matrix: Water**

**Date Received: 12/14/23 09:45**

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	245.1			25 mL	50 mL	394061	12/18/23 19:47	EV3M	EET CAL 4
Total/NA	Analysis	245.1		1			394949	12/20/23 22:44	CS5Z	EET CAL 4
		Instrument ID: HG9								
Total/NA	Analysis	SM 2130B		1			393270	12/15/23 15:51	ZVB7	EET CAL 4
		Instrument ID: TUR5								
Total/NA	Analysis	SM 2320B		1	10 mL	10 mL	393771	12/15/23 18:34	ZL4M	EET CAL 4
		Instrument ID: ManSciMantech								
Total/NA	Analysis	SM 2510B		1			393772	12/15/23 18:34	ZL4M	EET CAL 4
		Instrument ID: ManSciMantech								
Total/NA	Analysis	SM 2540C		1	100 mL	1000 mL	394354	12/19/23 14:56	ZL7L	EET CAL 4
		Instrument ID: BAL100								
Total/NA	Analysis	SM 4500 H+ B		1			393773	12/15/23 18:34	ZL4M	EET CAL 4
		Instrument ID: ManSciMantech								

**Client Sample ID: OW-9u**

**Lab Sample ID: 570-164573-5**

**Date Collected: 12/12/23 12:50**

**Matrix: Water**

**Date Received: 12/14/23 09:45**

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	4 mL	4 mL	393944	12/19/23 00:52	U9XB	EET CAL 4
		Instrument ID: IC27								
Total Recoverable	Prep	200.7			50 mL	50 mL	393654	12/18/23 07:06	JP8N	EET CAL 4
Total Recoverable	Analysis	200.7 Rev 4.4		1			395001	12/20/23 19:14	P1R	EET CAL 4
		Instrument ID: ICP10								
Total Recoverable	Prep	200.8			50 mL	50 mL	393649	12/18/23 06:37	JP8N	EET CAL 4
Total Recoverable	Analysis	200.8		1			394174	12/18/23 21:47	C0YH	EET CAL 4
		Instrument ID: ICPMS10								
Total/NA	Prep	245.1			25 mL	50 mL	394061	12/18/23 19:47	EV3M	EET CAL 4
Total/NA	Analysis	245.1		1			394949	12/20/23 22:46	CS5Z	EET CAL 4
		Instrument ID: HG9								
Total/NA	Analysis	SM 2130B		1			393270	12/15/23 15:52	ZVB7	EET CAL 4
		Instrument ID: TUR5								
Total/NA	Analysis	SM 2320B		1	10 mL	10 mL	393771	12/15/23 18:41	ZL4M	EET CAL 4
		Instrument ID: ManSciMantech								
Total/NA	Analysis	SM 2510B		1			393772	12/15/23 18:41	ZL4M	EET CAL 4
		Instrument ID: ManSciMantech								
Total/NA	Analysis	SM 2540C		1	100 mL	1000 mL	394354	12/19/23 14:56	ZL7L	EET CAL 4
		Instrument ID: BAL100								
Total/NA	Analysis	SM 4500 H+ B		1			393773	12/15/23 18:41	ZL4M	EET CAL 4
		Instrument ID: ManSciMantech								

# Lab Chronicle

Client: TEAM Environmental, Inc.  
Project/Site: CG Roxane

Job ID: 570-164573-1

**Client Sample ID: OW-10u**  
**Date Collected: 12/13/23 11:14**  
**Date Received: 12/14/23 09:45**

**Lab Sample ID: 570-164573-6**  
**Matrix: Water**

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	4 mL	4 mL	393944	12/19/23 01:09	U9XB	EET CAL 4
Instrument ID: IC27										
Total Recoverable	Prep	200.7			50 mL	50 mL	392970	12/15/23 06:37	JP8N	EET CAL 4
Total Recoverable	Analysis	200.7 Rev 4.4		1			394517	12/19/23 19:10	P1R	EET CAL 4
Instrument ID: ICP10										
Total Recoverable	Prep	200.8			50 mL	50 mL	392976	12/15/23 07:09	JP8N	EET CAL 4
Total Recoverable	Analysis	200.8		1			394182	12/18/23 21:04	C0YH	EET CAL 4
Instrument ID: ICPMS10										
Total/NA	Prep	245.1			25 mL	50 mL	394061	12/18/23 19:47	EV3M	EET CAL 4
Total/NA	Analysis	245.1		1			394949	12/20/23 22:48	CS5Z	EET CAL 4
Instrument ID: HG9										
Total/NA	Analysis	SM 2130B		1			392805	12/14/23 17:18	ZVB7	EET CAL 4
Instrument ID: TUR5										
Total/NA	Analysis	SM 2320B		1	10 mL	10 mL	393771	12/15/23 18:48	ZL4M	EET CAL 4
Instrument ID: ManSciMantech										
Total/NA	Analysis	SM 2510B		1			393772	12/15/23 18:48	ZL4M	EET CAL 4
Instrument ID: ManSciMantech										
Total/NA	Analysis	SM 2540C		1	100 mL	1000 mL	394370	12/19/23 15:43	JB	EET CAL 4
Instrument ID: BAL100										
Total/NA	Analysis	SM 4500 H+ B		1			393773	12/15/23 18:48	ZL4M	EET CAL 4
Instrument ID: ManSciMantech										

**Client Sample ID: OW-10m**  
**Date Collected: 12/13/23 10:50**  
**Date Received: 12/14/23 09:45**

**Lab Sample ID: 570-164573-7**  
**Matrix: Water**

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	4 mL	4 mL	393944	12/19/23 01:26	U9XB	EET CAL 4
Instrument ID: IC27										
Total Recoverable	Prep	200.7			50 mL	50 mL	392970	12/15/23 06:37	JP8N	EET CAL 4
Total Recoverable	Analysis	200.7 Rev 4.4		1			394517	12/19/23 19:13	P1R	EET CAL 4
Instrument ID: ICP10										
Total Recoverable	Prep	200.8			50 mL	50 mL	392976	12/15/23 07:09	JP8N	EET CAL 4
Total Recoverable	Analysis	200.8		1			394182	12/18/23 21:06	C0YH	EET CAL 4
Instrument ID: ICPMS10										
Total/NA	Prep	245.1			25 mL	50 mL	394061	12/18/23 19:47	EV3M	EET CAL 4
Total/NA	Analysis	245.1		1			394949	12/20/23 22:50	CS5Z	EET CAL 4
Instrument ID: HG9										
Total/NA	Analysis	SM 2130B		1			392805	12/14/23 17:19	ZVB7	EET CAL 4
Instrument ID: TUR5										
Total/NA	Analysis	SM 2320B		1	10 mL	10 mL	393771	12/15/23 18:56	ZL4M	EET CAL 4
Instrument ID: ManSciMantech										
Total/NA	Analysis	SM 2510B		1			393772	12/15/23 18:56	ZL4M	EET CAL 4
Instrument ID: ManSciMantech										

# Lab Chronicle

Client: TEAM Environmental, Inc.  
Project/Site: CG Roxane

Job ID: 570-164573-1

**Client Sample ID: OW-10m**  
**Date Collected: 12/13/23 10:50**  
**Date Received: 12/14/23 09:45**

**Lab Sample ID: 570-164573-7**  
**Matrix: Water**

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 2540C		1	100 mL	1000 mL	394370	12/19/23 15:43	JB	EET CAL 4
Total/NA	Analysis	SM 4500 H+ B Instrument ID: ManSciMantech		1			393773	12/15/23 18:56	ZL4M	EET CAL 4

**Client Sample ID: P-5**  
**Date Collected: 12/13/23 10:18**  
**Date Received: 12/14/23 09:45**

**Lab Sample ID: 570-164573-8**  
**Matrix: Water**

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0 Instrument ID: IC27		1	4 mL	4 mL	393944	12/19/23 01:42	U9XB	EET CAL 4
Total Recoverable	Prep	200.7			50 mL	50 mL	392970	12/15/23 06:37	JP8N	EET CAL 4
Total Recoverable	Analysis	200.7 Rev 4.4 Instrument ID: ICP10		1			394517	12/19/23 19:42	P1R	EET CAL 4
Total Recoverable	Prep	200.8			50 mL	50 mL	392976	12/15/23 07:09	JP8N	EET CAL 4
Total Recoverable	Analysis	200.8 Instrument ID: ICPMS10		1			394182	12/18/23 21:08	C0YH	EET CAL 4
Total/NA	Prep	245.1			25 mL	50 mL	394061	12/18/23 19:47	EV3M	EET CAL 4
Total/NA	Analysis	245.1 Instrument ID: HG9		1			394949	12/20/23 22:52	CS5Z	EET CAL 4
Total/NA	Analysis	SM 2130B Instrument ID: TUR5		1			392805	12/14/23 17:23	ZVB7	EET CAL 4
Total/NA	Analysis	SM 2320B Instrument ID: ManSciMantech		1	10 mL	10 mL	393771	12/15/23 19:03	ZL4M	EET CAL 4
Total/NA	Analysis	SM 2510B Instrument ID: ManSciMantech		1			393772	12/15/23 19:03	ZL4M	EET CAL 4
Total/NA	Analysis	SM 2540C Instrument ID: BAL100		1	100 mL	1000 mL	394370	12/19/23 15:43	JB	EET CAL 4
Total/NA	Analysis	SM 4500 H+ B Instrument ID: ManSciMantech		1			393773	12/15/23 19:03	ZL4M	EET CAL 4

**Client Sample ID: CMW-2**  
**Date Collected: 12/12/23 09:40**  
**Date Received: 12/14/23 09:45**

**Lab Sample ID: 570-164573-9**  
**Matrix: Water**

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0 Instrument ID: IC27		1	4 mL	4 mL	393944	12/19/23 02:33	U9XB	EET CAL 4
Total Recoverable	Prep	200.7			50 mL	50 mL	393654	12/18/23 07:06	JP8N	EET CAL 4
Total Recoverable	Analysis	200.7 Rev 4.4 Instrument ID: ICP10		1			395001	12/20/23 19:22	P1R	EET CAL 4
Total Recoverable	Prep	200.8			50 mL	50 mL	393649	12/18/23 06:37	JP8N	EET CAL 4
Total Recoverable	Analysis	200.8 Instrument ID: ICPMS10		1			394174	12/18/23 21:50	C0YH	EET CAL 4



# Lab Chronicle

Client: TEAM Environmental, Inc.  
Project/Site: CG Roxane

Job ID: 570-164573-1

**Client Sample ID: CMW-2**

**Lab Sample ID: 570-164573-9**

**Date Collected: 12/12/23 09:40**

**Matrix: Water**

**Date Received: 12/14/23 09:45**

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	245.1			25 mL	50 mL	394061	12/18/23 19:47	EV3M	EET CAL 4
Total/NA	Analysis	245.1		1			394949	12/20/23 22:58	CS5Z	EET CAL 4
		Instrument ID: HG9								
Total/NA	Analysis	SM 2130B		1			393270	12/15/23 15:54	ZVB7	EET CAL 4
		Instrument ID: TUR5								
Total/NA	Analysis	SM 2320B		1	10 mL	10 mL	393771	12/15/23 19:10	ZL4M	EET CAL 4
		Instrument ID: ManSciMantech								
Total/NA	Analysis	SM 2510B		1			393772	12/15/23 19:10	ZL4M	EET CAL 4
		Instrument ID: ManSciMantech								
Total/NA	Analysis	SM 2540C		1	100 mL	1000 mL	394354	12/19/23 14:56	ZL7L	EET CAL 4
		Instrument ID: BAL100								
Total/NA	Analysis	SM 4500 H+ B		1			393773	12/15/23 19:10	ZL4M	EET CAL 4
		Instrument ID: ManSciMantech								

**Client Sample ID: QCMW**

**Lab Sample ID: 570-164573-10**

**Date Collected: 12/13/23 00:00**

**Matrix: Water**

**Date Received: 12/14/23 09:45**

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	4 mL	4 mL	393944	12/19/23 02:50	U9XB	EET CAL 4
		Instrument ID: IC27								
Total Recoverable	Prep	200.7			50 mL	50 mL	392970	12/15/23 06:37	JP8N	EET CAL 4
Total Recoverable	Analysis	200.7 Rev 4.4		1			394517	12/19/23 19:44	P1R	EET CAL 4
		Instrument ID: ICP10								
Total Recoverable	Prep	200.8			50 mL	50 mL	392976	12/15/23 07:09	JP8N	EET CAL 4
Total Recoverable	Analysis	200.8		1			394182	12/18/23 21:11	C0YH	EET CAL 4
		Instrument ID: ICPMS10								
Total/NA	Prep	245.1			25 mL	50 mL	394061	12/18/23 19:47	EV3M	EET CAL 4
Total/NA	Analysis	245.1		1			394949	12/20/23 22:36	CS5Z	EET CAL 4
		Instrument ID: HG9								
Total/NA	Analysis	SM 2130B		1			392805	12/14/23 17:25	ZVB7	EET CAL 4
		Instrument ID: TUR5								
Total/NA	Analysis	SM 2320B		1	10 mL	10 mL	393771	12/15/23 19:17	ZL4M	EET CAL 4
		Instrument ID: ManSciMantech								
Total/NA	Analysis	SM 2510B		1			393772	12/15/23 19:17	ZL4M	EET CAL 4
		Instrument ID: ManSciMantech								
Total/NA	Analysis	SM 2540C		1	100 mL	1000 mL	394370	12/19/23 15:43	JB	EET CAL 4
		Instrument ID: BAL100								
Total/NA	Analysis	SM 4500 H+ B		1			393773	12/15/23 19:17	ZL4M	EET CAL 4
		Instrument ID: ManSciMantech								

**Laboratory References:**

EET CAL 4 = Eurofins Calscience Tustin, 2841 Dow Avenue, Tustin, CA 92780, TEL (714)895-5494



# Accreditation/Certification Summary

Client: TEAM Environmental, Inc.  
Project/Site: CG Roxane

Job ID: 570-164573-1

## Laboratory: Eurofins Calscience

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
California	State	3082	07-31-24

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
SM 4500 H+ B		Water	Temperature

Oregon	NELAP	4175	02-02-24
--------	-------	------	----------

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
SM 2320B		Water	Bicarbonate (as CaCO <sub>3</sub> )
SM 4500 H+ B		Water	Temperature

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# Method Summary

Client: TEAM Environmental, Inc.  
Project/Site: CG Roxane

Job ID: 570-164573-1

Method	Method Description	Protocol	Laboratory
300.0	Anions, Ion Chromatography	EPA	EET CAL 4
200.7 Rev 4.4	Metals (ICP)	EPA	EET CAL 4
200.8	Metals (ICP/MS)	EPA	EET CAL 4
245.1	Mercury (CVAA)	EPA	EET CAL 4
SM 2130B	Turbidity	SM	EET CAL 4
SM 2320B	Alkalinity	SM	EET CAL 4
SM 2510B	Conductivity, Specific Conductance	SM	EET CAL 4
SM 2540C	Solids, Total Dissolved (TDS)	SM	EET CAL 4
SM 4500 H+ B	pH	SM	EET CAL 4
200.7	Preparation, Total Recoverable Metals	EPA	EET CAL 4
200.8	Preparation, Total Recoverable Metals	EPA	EET CAL 4
245.1	Preparation, Mercury	EPA	EET CAL 4

#### Protocol References:

EPA = US Environmental Protection Agency

SM = "Standard Methods For The Examination Of Water And Wastewater"

#### Laboratory References:

EET CAL 4 = Eurofins Calscience Tustin, 2841 Dow Avenue, Tustin, CA 92780, TEL (714)895-5494

# Sample Summary

Client: TEAM Environmental, Inc.  
Project/Site: CG Roxane

Job ID: 570-164573-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
570-164573-1	PAT-1	Water	12/12/23 10:00	12/14/23 09:45
570-164573-2	OW-7u	Water	12/13/23 09:50	12/14/23 09:45
570-164573-3	OW-7m	Water	12/13/23 09:25	12/14/23 09:45
570-164573-4	OW-8us	Water	12/12/23 11:35	12/14/23 09:45
570-164573-5	OW-9u	Water	12/12/23 12:50	12/14/23 09:45
570-164573-6	OW-10u	Water	12/13/23 11:14	12/14/23 09:45
570-164573-7	OW-10m	Water	12/13/23 10:50	12/14/23 09:45
570-164573-8	P-5	Water	12/13/23 10:18	12/14/23 09:45
570-164573-9	CMW-2	Water	12/12/23 09:40	12/14/23 09:45
570-164573-10	QCMW	Water	12/13/23 00:00	12/14/23 09:45

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14





ORIGIN ID:BIHA (760) 872-1033  
RICHARD SHORE  
TEAM ENVIRONMENTAL  
459 W. LINE ST

SHIP DATE: 13DEC23  
ACTWGT: 40.00 LB  
CAD: 4580111/INET4660

BISHOP, CA 93514  
UNITED STATES US


BILL SENDER

TO **SAMPLE RECEIVING**  
**EUROFINS CALSCIENCE**  
**2841 DOW AVENUE**  
**SUITE 100**  
**TUSTIN CA 92780**

(714) 895-5494  
INV  
PO

REF CG ROXANE  
DEPT

5683,027C149AE3



J234023101501uv



THU - 14 DEC 12:00P  
PRIORITY OVERNIGHT

2 of 2  
MPS# 7744 7194 3046  
0263  
Mstr# 7744 7194 3024

0201

DSR  
92780  
CA-US SNA

**92 DTHA**



570-164573 Waybill

**After printing this label:**

1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

**Warning: Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number.**

Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com. FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$1,000, e.g. jewelry, precious metals, negotiable instruments and other items listed in our Service Guide. Written claims must be filed within strict time limits, see current FedEx Service Guide.





ORIGIN ID:BIHA (760) 872-1033  
RICHARD SHORE  
TEAM ENVIRONMENTAL  
459 W. LINE ST

SHIP DATE: 13DEC23  
ACTWGT: 40.00 LB  
CAD: 4580111/INET4660


BISHOP, CA 93514  
UNITED STATES US

BILL SENDER

TO **SAMPLE RECEIVING**  
**EUROFINS CALSCIENCE**  
**2841 DOW AVENUE**  
**SUITE 100**  
**TUSTIN CA 92780**

583J27C149AE3

(714) 895-5494 REF: CG ROXANE  
INV  
PO DEPT




THU - 14 DEC 12:00P  
PRIORITY OVERNIGHT

1 of 2  
TRK# 7744 7194 3024  
0201  
## MASTER ##

DSR  
92780  
CA-US SNA

**92 DTHA**



570-164573 Waybill

**After printing this label:**

1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

**Warning:** Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number.

Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com. FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$1,000, e.g. jewelry, precious metals, negotiable instruments and other items listed in our ServiceGuide. Written claims must be filed within strict time limits, see current FedEx Service Guide.



# Login Sample Receipt Checklist

Client: TEAM Environmental, Inc.

Job Number: 570-164573-1

**Login Number: 164573**

**List Source: Eurofins Calscience**

**List Number: 1**

**Creator: Le, Sunny**

Question	Answer	Comment
Radioactivity wasn't checked or is <math>\leq</math> background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	False	Refer to Job Narrative for details.
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	







Date of Report: 12/19/2023

Naomi Garcia

TEAM Environmental - Bishop  
P O Box 1265  
Bishop, CA 93515

Client Project: CGR-GMMRP  
Pace Project: CG Roxane  
Pace Work Order: 2323213  
Invoice ID: B489069

Enclosed are the results of analyses for samples received by the laboratory on 12/14/2023. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink, appearing to read "Eli Velazquez", positioned above a horizontal line.

Contact Person: Eli Velazquez  
Client Service Rep

A handwritten signature in black ink, appearing to read "Stuart Buttram", positioned above a horizontal line.

Stuart Buttram  
Operations Manager

Certifications: CA ELAP #1186; NV #CA00014; OR ELAP #4032-001; AK UST101

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*  
All results listed in this report are for the exclusive use of the submitting party. Pace Analytical assumes no responsibility for report alteration, separation, detachment or third party interpretation.



## Table of Contents

### Sample Information

Chain of Custody and Cooler Receipt form.....	3
Laboratory / Client Sample Cross Reference.....	5

### Sample Results

<b>2323213-01 - CMW-2</b>	
Water Analysis (General Chemistry).....	7
<b>2323213-02 - OW-8us</b>	
Water Analysis (General Chemistry).....	8
<b>2323213-03 - OW-9u</b>	
Water Analysis (General Chemistry).....	9
<b>2323213-04 - PAT-1</b>	
Water Analysis (General Chemistry).....	10
<b>2323213-05 - OW-7m</b>	
Water Analysis (General Chemistry).....	11
<b>2323213-06 - OW-7u</b>	
Water Analysis (General Chemistry).....	12
<b>2323213-07 - OW-10m</b>	
Water Analysis (General Chemistry).....	13
<b>2323213-08 - OW-10u</b>	
Water Analysis (General Chemistry).....	14
<b>2323213-09 - P-5</b>	
Water Analysis (General Chemistry).....	15
<b>2323213-10 - QCMW</b>	
Water Analysis (General Chemistry).....	16

### Quality Control Reports

<b>Water Analysis (General Chemistry)</b>	
Method Blank Analysis.....	17

### Notes

Notes and Definitions.....	18
----------------------------	----



2323213

# Chain of Custody Form



\*Required Fields **23-23213**

Report To: <b>Client:</b> TEAM Environmental, Inc. <b>Attn.:</b> Naomi Jensen <b>Street Address:</b> 459 West Line Street <b>City:</b> Bishop <b>State:</b> CA <b>Zip:</b> 93514 <b>Phone:</b> (760) 872-1033 <b>Fax:</b> ( ) <b>Email Address:</b> richard@teamenvironmental.com; naomi@le		<b>Project Description:</b> CG Roxane <b>Project Code:</b> CGR-GMMRP <b>Sampler(s):</b> G. Foote/R. Shore		<b>Analysis Requested</b>		<b>Billing</b>	
						Client: * Attn: * Address: * City: * State: * CA Zip: * Are there any tests with holding times? less than or equal to 48 hours? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> NO <small>*Standard Turnaround = 30</small>	
Sample #	Sample Description	Date	Time	Matrix*	Odor	<div style="border: 2px solid red; padding: 5px; margin-bottom: 5px;"> <b>SHORT HOLDING TIME</b>            Cr+6 NO<sub>2</sub> NO<sub>3</sub> OF SS         </div> <div style="border: 2px solid red; padding: 5px;"> <b>DO Cl<sub>2</sub> BOD MBAS O<sub>2</sub></b>   <b>CHK BY: DISTRIBUTION</b>  <div style="border: 1px solid black; display: inline-block; padding: 2px;">             [Signature]           </div> <b>SUB OUT</b> </div>	
-1	CMW-2	12/12/23	0940	GW	✓		
-2	OW-8us	12/12/23	1135	GW	✓		
-3	OW-9u	12/12/23	1250	GW	✓		
-4	PAT-1	12/12/23	1000	GW	✓		
-5	OW-7m	12/13/23	0925	GW	✓		
-6	OW-7u	12/13/23	0950	GW	✓		
-7	OW-10m	12/13/23	1050	GW	✓		
-8	OW-10u	12/13/23	1114	GW	✓		
-9	P-5	12/13/23	1018	GW	✓		
-10	OCMW	12/13/23	0000	GW	✓		

**Matrix Types:** S = Soil SL = Sludge DW = Drinking Water WW = Wastewater GW = Groundwater L = Liquid M = Miscellaneous O = Other

**Turnaround # of working days:**  24 Hr Rush  48 Hr Rush  3-5 Day Rush  Normal (10 - Days)

Lab TAT Approval: \_\_\_\_\_ \*Additional Charges May Apply

<b>Cost Center:</b> 1. Relinquished By: Richard Shore Date: 12/13/23 Time: 1500 2. Relinquished By: [Signature] Date: 12/13/23 Time: 1620 3. Relinquished By: [Signature] Date: 12/13/23 Time: 1620		<b>Global ID:</b> 1. Received By: [Signature] Date: 12/13/23 Time: 1620 2. Received By: [Signature] Date: 12/13/23 Time: 1620 3. Received By: [Signature] Date: 12/13/23 Time: 1620	
--	--	--	--

BC Laboratories, Inc. 4100 Atlas Court - Bakersfield CA 93308 (661) 327-4911 Fax: (661) 327-1918 www.bclabs.com

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. Pace Analytical assumes no responsibility for report alteration, separation, detachment or third party interpretation.

PACE ANALYTICAL		COOLER RECEIPT FORM		Page	Of
Submission #: <u>13-23213</u>					
SHIPPING INFORMATION Fed Ex <input checked="" type="checkbox"/> UPS <input type="checkbox"/> GSO / GLS <input type="checkbox"/> Hand Delivery <input type="checkbox"/> Pace Lab Field Service <input type="checkbox"/> Other <input type="checkbox"/> (Specify) _____			SHIPPING CONTAINER Ice Chest <input checked="" type="checkbox"/> None <input type="checkbox"/> Box <input type="checkbox"/> Other <input type="checkbox"/> (Specify) _____		FREE LIQUID YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> W / S
Refrigerant: Ice <input type="checkbox"/> Blue Ice <input checked="" type="checkbox"/> None <input type="checkbox"/> Other <input type="checkbox"/> Comments:					
Custody Seals: Ice Chest <input type="checkbox"/> Containers <input type="checkbox"/> None <input checked="" type="checkbox"/> Comments:					
All samples received? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> All samples containers intact? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Description(s) match COC? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>					
COC Received <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO		Emissivity: <u>0.97</u> Container: <u>NA</u> Thermometer ID: <u>366</u>		Date/Time <u>12-14-23</u>	
		Temperature: (A) <u>4.9</u> °C / (C) <u>4.6</u> °C		Analyst Init <u>Staff 1020</u>	

SAMPLE CONTAINERS	SAMPLE NUMBERS									
	1	2	3	4	5	6	7	8	9	10
QT PE UNPRES										
4oz / 8oz / 16oz PE UNPRES										
2oz Cr <sup>6+</sup>										
QT INORGANIC CHEMICAL METALS										
INORGANIC CHEMICAL METALS 4oz / 8oz / 16oz										
PT CYANIDE										
PT NITROGEN FORMS										
PT TOTAL SULFIDE										
2oz NITRATE / NITRITE										
PT TOTAL ORGANIC CARBON										
PT CHEMICAL OXYGEN DEMAND										
PA PHENOLICS										
40ml VOA VIAL TRAVEL BLANK										
40ml VOA VIAL										
QT EPA 1664B										
PT ODOR	A	A	A	A	A	A	A	A	A	A
RADIOLOGICAL										
BACTERIOLOGICAL										
40 ml VOA VIAL- 504										
QT EPA 518/608.3/881A										
QT EPA 515.1/8151A										
QT EPA 525.2										
QT EPA 525.2 TRAVEL BLANK										
40ml EPA 547										
40ml EPA 531.1										
8oz EPA 548.1										
QT EPA 549.2										
QT EPA 3015M										
QT EPA 3270C										
8oz / 16oz / 32oz AMBER										
8oz / 16oz / 32oz JAR										
SOIL SLEEVE										
PCB VIAL										
PLASTIC BAG										
TEDLAR BAG										
FERROUS IRON										
ENCORE										
SMART KIT										
SUMMA CANISTER										

Comments: 1, 4, 5, 6, 7 received expired  
 Sample Numbering Completed By: MW Date/Time: 12/14/23 1100  
 A = Actual / C = Corrected



TEAM Environmental - Bishop  
P O Box 1265  
Bishop, CA 93515

**Reported:** 12/19/2023 17:16  
**Project:** CG Roxane  
**Project Number:** CGR-GMMRP  
**Project Manager:** Naomi Garcia

## Laboratory / Client Sample Cross Reference

Laboratory	Client Sample Information		
2323213-01	<b>COC Number:</b> --- <b>Project Number:</b> --- <b>Sampling Location:</b> --- <b>Sampling Point:</b> CMW-2 <b>Sampled By:</b> G. Foote / R. Shore	<b>Receive Date:</b> 12/14/2023 10:20 <b>Sampling Date:</b> 12/12/2023 09:40 <b>Sample Depth:</b> --- <b>Lab Matrix:</b> Water <b>Sample Type:</b> Groundwater	
2323213-02	<b>COC Number:</b> --- <b>Project Number:</b> --- <b>Sampling Location:</b> --- <b>Sampling Point:</b> OW-8us <b>Sampled By:</b> G. Foote / R. Shore	<b>Receive Date:</b> 12/14/2023 10:20 <b>Sampling Date:</b> 12/12/2023 11:35 <b>Sample Depth:</b> --- <b>Lab Matrix:</b> Water <b>Sample Type:</b> Groundwater	
2323213-03	<b>COC Number:</b> --- <b>Project Number:</b> --- <b>Sampling Location:</b> --- <b>Sampling Point:</b> OW-9u <b>Sampled By:</b> G. Foote / R. Shore	<b>Receive Date:</b> 12/14/2023 10:20 <b>Sampling Date:</b> 12/12/2023 12:50 <b>Sample Depth:</b> --- <b>Lab Matrix:</b> Water <b>Sample Type:</b> Groundwater	
2323213-04	<b>COC Number:</b> --- <b>Project Number:</b> --- <b>Sampling Location:</b> --- <b>Sampling Point:</b> PAT-1 <b>Sampled By:</b> G. Foote / R. Shore	<b>Receive Date:</b> 12/14/2023 10:20 <b>Sampling Date:</b> 12/12/2023 10:00 <b>Sample Depth:</b> --- <b>Lab Matrix:</b> Water <b>Sample Type:</b> Groundwater	
2323213-05	<b>COC Number:</b> --- <b>Project Number:</b> --- <b>Sampling Location:</b> --- <b>Sampling Point:</b> OW-7m <b>Sampled By:</b> G. Foote / R. Shore	<b>Receive Date:</b> 12/14/2023 10:20 <b>Sampling Date:</b> 12/13/2023 09:25 <b>Sample Depth:</b> --- <b>Lab Matrix:</b> Water <b>Sample Type:</b> Groundwater	
2323213-06	<b>COC Number:</b> --- <b>Project Number:</b> --- <b>Sampling Location:</b> --- <b>Sampling Point:</b> OW-7u <b>Sampled By:</b> G. Foote / R. Shore	<b>Receive Date:</b> 12/14/2023 10:20 <b>Sampling Date:</b> 12/13/2023 09:50 <b>Sample Depth:</b> --- <b>Lab Matrix:</b> Water <b>Sample Type:</b> Groundwater	
2323213-07	<b>COC Number:</b> --- <b>Project Number:</b> --- <b>Sampling Location:</b> --- <b>Sampling Point:</b> OW-10m <b>Sampled By:</b> G. Foote / R. Shore	<b>Receive Date:</b> 12/14/2023 10:20 <b>Sampling Date:</b> 12/13/2023 10:50 <b>Sample Depth:</b> --- <b>Lab Matrix:</b> Water <b>Sample Type:</b> Groundwater	

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*  
All results listed in this report are for the exclusive use of the submitting party. Pace Analytical assumes no responsibility for report alteration, separation, detachment or third party interpretation.



TEAM Environmental - Bishop  
 P O Box 1265  
 Bishop, CA 93515

**Reported:** 12/19/2023 17:16  
**Project:** CG Roxane  
**Project Number:** CGR-GMMRP  
**Project Manager:** Naomi Garcia

## Laboratory / Client Sample Cross Reference

Laboratory	Client Sample Information		
2323213-08	<b>COC Number:</b> --- <b>Project Number:</b> --- <b>Sampling Location:</b> --- <b>Sampling Point:</b> OW-10u <b>Sampled By:</b> G. Foote / R. Shore	<b>Receive Date:</b> 12/14/2023 10:20 <b>Sampling Date:</b> 12/13/2023 11:14 <b>Sample Depth:</b> --- <b>Lab Matrix:</b> Water <b>Sample Type:</b> Groundwater	
2323213-09	<b>COC Number:</b> --- <b>Project Number:</b> --- <b>Sampling Location:</b> --- <b>Sampling Point:</b> P-5 <b>Sampled By:</b> G. Foote / R. Shore	<b>Receive Date:</b> 12/14/2023 10:20 <b>Sampling Date:</b> 12/13/2023 10:18 <b>Sample Depth:</b> --- <b>Lab Matrix:</b> Water <b>Sample Type:</b> Groundwater	
2323213-10	<b>COC Number:</b> --- <b>Project Number:</b> --- <b>Sampling Location:</b> --- <b>Sampling Point:</b> QCMW <b>Sampled By:</b> G. Foote / R. Shore	<b>Receive Date:</b> 12/14/2023 10:20 <b>Sampling Date:</b> 12/13/2023 00:00 <b>Sample Depth:</b> --- <b>Lab Matrix:</b> Water <b>Sample Type:</b> Groundwater	

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*  
 All results listed in this report are for the exclusive use of the submitting party. Pace Analytical assumes no responsibility for report alteration, separation, detachment or third party interpretation.



TEAM Environmental - Bishop  
 P O Box 1265  
 Bishop, CA 93515

**Reported:** 12/19/2023 17:16  
**Project:** CG Roxane  
**Project Number:** CGR-GMMRP  
**Project Manager:** Naomi Garcia

## Water Analysis (General Chemistry)

<b>Pace Sample ID:</b> 2323213-01	<b>Client Sample Name:</b> CMW-2, 12/12/2023 9:40:00AM, G. Foote / R. Shore
-----------------------------------	---

Constituent	Result	Units	PQL	MDL	Method	MB Bias	Lab Quals	DCN
Odor	ND	Odor Units	1.0	1.0	SM-2150B	ND		1

DCN	Method	Prep Date	Run		Analyst	Instrument	Dilution	QC	
			Date/Time	Date/Time				Batch ID	Prep Method
1	SM-2150B	12/15/23 11:00	12/15/23	11:00	MR3	MANUAL	1	B180230	No Prep

DCN = Data Continuation Number

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.  
 All results listed in this report are for the exclusive use of the submitting party. Pace Analytical assumes no responsibility for report alteration, separation, detachment or third party interpretation.



TEAM Environmental - Bishop  
 P O Box 1265  
 Bishop, CA 93515

**Reported:** 12/19/2023 17:16  
**Project:** CG Roxane  
**Project Number:** CGR-GMMRP  
**Project Manager:** Naomi Garcia

## Water Analysis (General Chemistry)

<b>Pace Sample ID:</b> 2323213-02	<b>Client Sample Name:</b> OW-8us, 12/12/2023 11:35:00AM, G. Foote / R. Shore
-----------------------------------	---

Constituent	Result	Units	PQL	MDL	Method	MB Bias	Lab Quals	DCN
Odor	4.0	Odor Units	1.0	1.0	SM-2150B	ND		1

DCN	Method	Prep Date	Run		Analyst	Instrument	Dilution	QC	
			Date/Time					Batch ID	Prep Method
1	SM-2150B	12/15/23 11:00	12/15/23	11:00	MR3	MANUAL	1	B180230	No Prep

DCN = Data Continuation Number

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.  
 All results listed in this report are for the exclusive use of the submitting party. Pace Analytical assumes no responsibility for report alteration, separation, detachment or third party interpretation.





TEAM Environmental - Bishop  
 P O Box 1265  
 Bishop, CA 93515

**Reported:** 12/19/2023 17:16  
**Project:** CG Roxane  
**Project Number:** CGR-GMMRP  
**Project Manager:** Naomi Garcia

## Water Analysis (General Chemistry)

<b>Pace Sample ID:</b> 2323213-03	<b>Client Sample Name:</b> OW-9u, 12/12/2023 12:50:00PM, G. Foote / R. Shore
-----------------------------------	--

Constituent	Result	Units	PQL	MDL	Method	MB Bias	Lab Quals	DCN
Odor	4.0	Odor Units	1.0	1.0	SM-2150B	ND		1

DCN	Method	Prep Date	Run		Analyst	Instrument	Dilution	QC	
			Date/Time					Batch ID	Prep Method
1	SM-2150B	12/15/23 11:00	12/15/23	11:00	MR3	MANUAL	1	B180230	No Prep

DCN = Data Continuation Number

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.  
 All results listed in this report are for the exclusive use of the submitting party. Pace Analytical assumes no responsibility for report alteration, separation, detachment or third party interpretation.



TEAM Environmental - Bishop  
 P O Box 1265  
 Bishop, CA 93515

**Reported:** 12/19/2023 17:16  
**Project:** CG Roxane  
**Project Number:** CGR-GMMRP  
**Project Manager:** Naomi Garcia

## Water Analysis (General Chemistry)

<b>Pace Sample ID:</b> 2323213-04	<b>Client Sample Name:</b> PAT-1, 12/12/2023 10:00:00AM, G. Foote / R. Shore
-----------------------------------	--

Constituent	Result	Units	PQL	MDL	Method	MB Bias	Lab Quals	DCN
Odor	ND	Odor Units	1.0	1.0	SM-2150B	ND		1

DCN	Method	Prep Date	Run		Analyst	Instrument	Dilution	QC	
			Date/Time	Date/Time				Batch ID	Prep Method
1	SM-2150B	12/15/23 11:00	12/15/23	11:00	MR3	MANUAL	1	B180230	No Prep

DCN = Data Continuation Number

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. Pace Analytical assumes no responsibility for report alteration, separation, detachment or third party interpretation.



TEAM Environmental - Bishop  
 P O Box 1265  
 Bishop, CA 93515

**Reported:** 12/19/2023 17:16  
**Project:** CG Roxane  
**Project Number:** CGR-GMMRP  
**Project Manager:** Naomi Garcia

## Water Analysis (General Chemistry)

<b>Pace Sample ID:</b> 2323213-05	<b>Client Sample Name:</b> OW-7m, 12/13/2023 9:25:00AM, G. Foote / R. Shore
-----------------------------------	---

Constituent	Result	Units	PQL	MDL	Method	MB Bias	Lab Quals	DCN
Odor	ND	Odor Units	1.0	1.0	SM-2150B	ND		1

DCN	Method	Prep Date	Run		Analyst	Instrument	Dilution	QC	
			Date/Time	Date/Time				Batch ID	Prep Method
1	SM-2150B	12/15/23 11:00	12/15/23	11:00	MR3	MANUAL	1	B180230	No Prep

DCN = Data Continuation Number

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*  
 All results listed in this report are for the exclusive use of the submitting party. Pace Analytical assumes no responsibility for report alteration, separation, detachment or third party interpretation.



TEAM Environmental - Bishop  
 P O Box 1265  
 Bishop, CA 93515

**Reported:** 12/19/2023 17:16  
**Project:** CG Roxane  
**Project Number:** CGR-GMMRP  
**Project Manager:** Naomi Garcia

## Water Analysis (General Chemistry)

<b>Pace Sample ID:</b> 2323213-06	<b>Client Sample Name:</b> OW-7u, 12/13/2023 9:50:00AM, G. Foote / R. Shore
-----------------------------------	---

Constituent	Result	Units	PQL	MDL	Method	MB Bias	Lab Quals	DCN
Odor	ND	Odor Units	1.0	1.0	SM-2150B	ND		1

DCN	Method	Prep Date	Run		Analyst	Instrument	Dilution	QC	
			Date/Time	Date/Time				Batch ID	Prep Method
1	SM-2150B	12/15/23 11:00	12/15/23	11:00	MR3	MANUAL	1	B180230	No Prep

DCN = Data Continuation Number

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.  
 All results listed in this report are for the exclusive use of the submitting party. Pace Analytical assumes no responsibility for report alteration, separation, detachment or third party interpretation.



TEAM Environmental - Bishop  
 P O Box 1265  
 Bishop, CA 93515

**Reported:** 12/19/2023 17:16  
**Project:** CG Roxane  
**Project Number:** CGR-GMMRP  
**Project Manager:** Naomi Garcia

### Water Analysis (General Chemistry)

<b>Pace Sample ID:</b> 2323213-07	<b>Client Sample Name:</b> OW-10m, 12/13/2023 10:50:00AM, G. Foote / R. Shore
-----------------------------------	---

Constituent	Result	Units	PQL	MDL	Method	MB Bias	Lab Quals	DCN
Odor	2.0	Odor Units	1.0	1.0	SM-2150B	ND		1

DCN	Method	Prep Date	Run		Analyst	Instrument	Dilution	QC	
			Date/Time					Batch ID	Prep Method
1	SM-2150B	12/15/23 11:00	12/15/23	11:00	MR3	MANUAL	1	B180230	No Prep

DCN = Data Continuation Number

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*  
 All results listed in this report are for the exclusive use of the submitting party. Pace Analytical assumes no responsibility for report alteration, separation, detachment or third party interpretation.



TEAM Environmental - Bishop  
 P O Box 1265  
 Bishop, CA 93515

**Reported:** 12/19/2023 17:16  
**Project:** CG Roxane  
**Project Number:** CGR-GMMRP  
**Project Manager:** Naomi Garcia

## Water Analysis (General Chemistry)

<b>Pace Sample ID:</b> 2323213-08	<b>Client Sample Name:</b> OW-10u, 12/13/2023 11:14:00AM, G. Foote / R. Shore
-----------------------------------	---

Constituent	Result	Units	PQL	MDL	Method	MB Bias	Lab Quals	DCN
Odor	ND	Odor Units	1.0	1.0	SM-2150B	ND		1

DCN	Method	Prep Date	Run		Analyst	Instrument	Dilution	QC	
			Date/Time	Date/Time				Batch ID	Prep Method
1	SM-2150B	12/15/23 11:00	12/15/23	11:00	MR3	MANUAL	1	B180230	No Prep

DCN = Data Continuation Number

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.  
 All results listed in this report are for the exclusive use of the submitting party. Pace Analytical assumes no responsibility for report alteration, separation, detachment or third party interpretation.



TEAM Environmental - Bishop  
 P O Box 1265  
 Bishop, CA 93515

**Reported:** 12/19/2023 17:16  
**Project:** CG Roxane  
**Project Number:** CGR-GMMRP  
**Project Manager:** Naomi Garcia

## Water Analysis (General Chemistry)

<b>Pace Sample ID:</b> 2323213-09	<b>Client Sample Name:</b> P-5, 12/13/2023 10:18:00AM, G. Foote / R. Shore
-----------------------------------	--

Constituent	Result	Units	PQL	MDL	Method	MB Bias	Lab Quals	DCN
Odor	ND	Odor Units	1.0	1.0	SM-2150B	ND		1

DCN	Method	Prep Date	Run		Analyst	Instrument	Dilution	QC	
			Date/Time	Date/Time				Batch ID	Prep Method
1	SM-2150B	12/15/23 11:00	12/15/23	11:00	MR3	MANUAL	1	B180230	No Prep

DCN = Data Continuation Number

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.  
 All results listed in this report are for the exclusive use of the submitting party. Pace Analytical assumes no responsibility for report alteration, separation, detachment or third party interpretation.



TEAM Environmental - Bishop  
 P O Box 1265  
 Bishop, CA 93515

**Reported:** 12/19/2023 17:16  
**Project:** CG Roxane  
**Project Number:** CGR-GMMRP  
**Project Manager:** Naomi Garcia

## Water Analysis (General Chemistry)

<b>Pace Sample ID:</b> 2323213-10	<b>Client Sample Name:</b> QCMW, 12/13/2023 12:00:00AM, G. Foote / R. Shore
-----------------------------------	---

Constituent	Result	Units	PQL	MDL	Method	MB Bias	Lab Quals	DCN
Odor	ND	Odor Units	1.0	1.0	SM-2150B	ND		1

DCN	Method	Prep Date	Run		Analyst	Instrument	Dilution	QC	
			Date/Time	Date/Time				Batch ID	Prep Method
1	SM-2150B	12/15/23 11:00	12/15/23	11:00	MR3	MANUAL	1	B180230	No Prep

DCN = Data Continuation Number

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.  
 All results listed in this report are for the exclusive use of the submitting party. Pace Analytical assumes no responsibility for report alteration, separation, detachment or third party interpretation.





TEAM Environmental - Bishop  
 P O Box 1265  
 Bishop, CA 93515

Reported: 12/19/2023 17:16  
 Project: CG Roxane  
 Project Number: CGR-GMMRP  
 Project Manager: Naomi Garcia

## Water Analysis (General Chemistry)

### Quality Control Report - Method Blank Analysis

Constituent	QC Sample ID	MB Result	Units	PQL	MDL	Lab Quals	Run #
<b>QC Batch ID: B180230</b>							
Odor	B180230-BLK1	ND	Odor Units	1.0	1.0		1

Run #	QC Sample ID	QC Type	Method	Prep Date	Run Date Time	Analyst	Instrument	Dilution
1	B180230-BLK1	PB	SM-2150B	12/15/23	12/15/23 11:00	MR3	MANUAL	1

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.  
 All results listed in this report are for the exclusive use of the submitting party. Pace Analytical assumes no responsibility for report alteration, separation, detachment or third party interpretation.



TEAM Environmental - Bishop  
P O Box 1265  
Bishop, CA 93515

**Reported:** 12/19/2023 17:16  
**Project:** CG Roxane  
**Project Number:** CGR-GMMRP  
**Project Manager:** Naomi Garcia

### Notes And Definitions


MDL Method Detection Limit  
ND Analyte Not Detected  
PQL Practical Quantitation Limit

## **APPENDIX C**

### **STATISTICAL ANALYSIS GRAPHS**

# SODIUM CONCENTRATION OVER TIME


## Cabin Bar Ranch GMMRP Monitoring Points



PAT-1 was not available for sampling during the December 2022 event.

# CHLORIDE CONCENTRATION OVER TIME


## Cabin Bar Ranch GMMRP Monitoring Points



PAT-1 was not available for sampling during the December 2022 event.

# BICARBONATE CONCENTRATION OVER TIME


## Cabin Bar Ranch GMMRP Monitoring Points



PAT-1 was not available for sampling during the December 2022 event.

# TOTAL DISSOLVED SOLIDS CONCENTRATION OVER TIME


## Cabin Bar Ranch GMMRP Monitoring Points



PAT-1 was not available for sampling during the December 2022 event.

# ARSENIC CONCENTRATION OVER TIME

## Cabin Bar Ranch GMMRP Monitoring Points




PAT-1 was not available for sampling during the December 2022 event.



# BARIUM CONCENTRATION OVER TIME

## Cabin Bar Ranch GMMRP Monitoring Points



PAT-1 was not available for sampling during the December 2022 event.