

Dr. Bob Harrington
Inyo County Water Department
135 South Jackson Street
Independence, CA 93526

December 31, 2015

RE: Summary of Hydrologic Monitoring Activities, December 2015
Rose Valley, Inyo County, California
Hay Ranch Project Conditional Use Permit #2007-03

Dear Dr. Harrington:

This letter summarizes hydrologic monitoring activities conducted in December 2015 by TEAM Engineering & Management, Inc. (TEAM), related to the Hay Ranch Water Extraction Project and CUP #2007-03.

Background

As outlined in the Hay Ranch Water Extraction Final EIR's Hydrologic Monitoring and Mitigation Plan (HMMP), *Phase 1: Monitoring System Setup and Supplemental Data Collection* occurred prior to December 25, 2009 at monitoring points throughout Rose Valley. With the initiation of pumping by Coso Operating Company, LLC (COC) on December 25, 2009, the Hay Ranch Water Extraction Project entered into the *Phase 2: Startup Monitoring and Reporting* period. *Phase 3: Model Recalibration and Redefinition of Pumping Rates and Durations* occurred from September 2010 to April 2011, with recalibration of the groundwater model by Daniel B. Stephens & Associates (DBS&A) and with redefinition of pumping rates and durations by Inyo County Water Department (ICWD). With the April 1, 2011 issuance of the ICWD's "Addendum to the HMMP for CUP#2007-003/Coso Operating Company, LLC" (2011 ICWD Addendum) the project entered *Phase 4: Ongoing Monitoring, Mitigation and Reporting*. In August 2013 further model revision occurred with results and new trigger levels detailed in ICWD's August 30, 2013 letter to COC regarding Conditional Use Permit #2007-003/Coso. In June 2014 further model revision was conducted by DBS&A with results and new trigger levels detailed in ICWD's June 27, 2014 letter to COC regarding Conditional Use Permit #2007-003/Coso.

Monitoring and Reporting

During the December 2015 monthly hydrologic data collection event at the monitoring locations in the Rose Valley area, static depth-to-water (DTW) measurements, one visual observation of the Little Lake Ranch (LLR) Siphon Well Outflow and three sets of flow rates were collected by TEAM, as summarized in the attached table (Table 1). Data for this monthly field event was collected on December 16-17, 2015. Pressure transducer data was downloaded from monitoring units, including one "BaroTroll" measuring barometric pressure. Also in December, a DTW measurement at LADWP 816 Well was requested from LADWP personnel.

At the Hay Ranch Property, COC has pumped groundwater from two production wells: Hay Ranch North and Hay Ranch South. For the current calendar year of project pumping (January 2, 2015 to December 16, 2015) a total of approximately 1,540 acre feet (AF) of groundwater have been extracted from the Hay Ranch property (1,468 AF from the Hay Ranch North Well, and 72 AF from the Hay Ranch South Well).

Figure 1 presents the combined amount of groundwater pumped from the Hay Ranch North and South wells, in acre feet, from December 25, 2009 through December 18, 2015 compared to the maximum

allowable pumping amounts. The total amount of groundwater extracted from the Hay Ranch property from December 25, 2009 to December 18, 2015 (Hay Ranch CUP project total) is approximately 15,818 AF. The maximum allowable pumping rate was 3,000 acre-feet per year (AFY) for December 25, 2009 through December 31, 2010; was 4,839 AFY from January 1, 2011 through August 30, 2013; was 3,040 AFY from September 2013 through June 2014; and is 1,614 AFY from July 1, 2014 to June 30, 2016. As indicated on Figure 1, Coso Operating Company has pumped less than the maximum allowable amount of groundwater from the Hay Ranch Wells, for each respective period.

For the current pumping rate period (July 1, 2015 to June 30, 2016) an estimated 747 AF of groundwater, of the 1614 AF allowable have been extracted from the Hay Ranch Property as of December 16, 2015. If pumping continues at current pumping rates (4.4 AF per day) this will equate to approximately 1,614 AF on June 30, 2016.

Trigger Levels and Maximum Acceptable Drawdowns

In Table 1 of the June 27, 2014 ICWD Letter to Coso Operating Company, Drawdown at Cessation of Pumping Trigger Levels (Trigger Levels) and Maximum Acceptable Drawdowns have been set for specific monitoring wells based on a pumping rate of 1,614 AFY starting on July 1, 2014.

Based on data collected by TEAM during the November to December 2015 monitoring period, none of the Trigger Levels were exceeded at Hay Ranch Project monitoring wells which have baselines and trigger levels established (Table 2). No Maximum Acceptable Drawdown levels have been reached during COC pumping.

Operational Notes

During the November to December 2015 monitoring period, the pressure transducer at Coso Junction Store #1 (RV-100) was replaced and now appears to be operating properly.

Data Transmittal

TEAM posted updates to the “Coso” database on the ICWD web server. Current Hay Ranch Project hydrographs in PDF form were uploaded to the ICWD website (www.inyowater.org).

* * * * *

If you have any questions or require additional information, please contact TEAM at your convenience.

Sincerely,

TEAM Engineering & Management, Inc.

Greg M. Foote
Project Scientist

S:\Coso.HRMonitoring Summary_December_2015

TABLE 1
Field Observations of Rose Valley Hydrologic Monitoring Points
December 16-17, 2015

Project Name:	Hay Ranch Project HMMP	Date: November 16-17, 2015
Location:	Rose Valley, Inyo County	
Observer(s):	G. Foote	Page: 1 of 1

Well ID	Monitoring Point	Date	Time	DTW (ft)	Flow (cfs)	GWE (ft amsl)	Method	Transducer Log Interval	Notes
RV-10	Dews	12/16/15	15:21	232.15	NA	3754.77	TEAM manual read	NA	
RV-20	LADWP 816	UA	UA	UA	NA	UA	LADWP manual read	NA	Data provided by LADWP
RV-30	Cal Pumice	12/16/15	9:46	257.77	NA	3248.12	TEAM manual read	Hourly	
RV-40	Dunmovin	NM	NM	NM	NA	NM	TEAM manual read	NA	Discontinued due to new in-well infrastructure
RV-50	Hay Ranch North	12/16/15	13:48	NM	No	NM	TEAM manual read	NA	3,174,718,841 gallons (9743 AF) pumped since 12/25/09
RV-60	Hay Ranch 1A	12/16/15	13:08	201.64	NA	3230.53	TEAM manual read	Hourly	
RV-61	Hay Ranch 1B	12/16/15	13:03	225.62	NA	3206.23	TEAM manual read	Hourly	
RV-62	Hay Ranch 1C	12/16/15	13:59	218.94	NA	3212.56	TEAM manual read	NA	
RV-70	Hay Ranch South	12/16/15	13:50	NM	Yes	NM	TEAM manual read	NA	1,939,376,791 gallons (5952 AF) pumped since 12/25/09
RV-80	Hay Ranch 2A	12/16/15	14:37	202.24	NA	3230.76	TEAM manual read	Hourly	
RV-81	Hay Ranch 2B	12/16/15	14:29	229.51	NA	3203.12	TEAM manual read	Hourly	
RV-82	Hay Ranch 2C	12/16/15	14:25	215.78	NA	3216.32	TEAM manual read	NA	
RV-90	Coso Jct Ranch	12/16/15	10:43	175.33	NA	3227.80	TEAM manual read	NA	
RV-100	Coso Jct Store #1	12/16/15	10:01	147.84	NA	3224.28	TEAM manual read	Hourly	
RV-110	Davis Ranch North Well	12/16/15	10:58	6.57	NA	3886.49	TEAM manual read	Hourly	
RV-111	Davis Ranch South Well	12/16/15	11:10	0.58	NA	3884.58	TEAM manual read	Hourly	Pump installed in DR South well
RV-112	Davis Ranch South Flow	NM	NM	NM	NM	NM	NM	NA	Discontinued: Flow actively managed
RV-120	Red Hill Well (BLM)	12/16/15	10:23	140.77	NA	3200.06	TEAM manual read	Hourly	
RV-130	G-36	12/16/15	13:30	182.23	NA	3197.79	TEAM manual read	NA	
RV-140	Lego	12/16/15	13:19	224.13	NA	3198.72	TEAM manual read	Hourly	
RV-150	Cinder Road	12/16/15	11:46	191.79	NA	3186.17	TEAM manual read	Hourly	
RV-160	18-28 GTH	12/16/15	13:03	174.61	NA	3187.97	TEAM manual read	NA	
RV-170	Fossil Falls Campground	12/16/15	12:04	141.73	NA	3175.04	TEAM manual read	NA	
RV-180	LLR North Well	12/17/15	10:13	40.61	NA	3158.41	TEAM manual read	Hourly	
RV-210	LLR Dock Well	12/17/15	10:58	6.39	NA	3147.75	TEAM manual read	NA	
RV-220	LLR Stilling Well (lake surface)	12/17/15	11:05	3.83	NA	3147.21	TEAM manual read	Hourly	
RV-230	LLR Little Lake Outflow	12/17/15	12:11	NA	0.3	NA	TEAM manual read	Hourly	
RV-240	LLR Coso Springs Flow	12/17/15	11:46	NA	0.39	NA	TEAM manual read	Hourly	
RV-245	LLR North Culvert Flow	12/17/15	12:11	NA	0.9	NA	TEAM manual read	Hourly	
RV-250	LLR Siphon Discharge	12/17/15	12:03	NA	Yes	NA	TEAM visual read	NA	Siphon Well flowing into Pond 2
RV-260	LLR Hotel Well	12/17/15	9:55	0.19	NA	3138.59	TEAM manual read	NA	

NM - not measured; NA - not applicable; IO - Inoperative; UA - Data currently unavailable

DTW - Depth to water in feet (ft) below top of casing or other reference point; a negative DTW indicates that the groundwater elevation is above the surveyed reference point

Flow - In cubic feet per second (cfs)

GWE- Groundwater elevation in feet above mean sea level (ft amsl)

TABLE 2
Hay Ranch Project Groundwater Baselines and Trigger Levels
December 2015


Well ID	Monitoring Point	Baseline GWE ¹ (feet amsl)	Recent Date of Measurement	Recent GWE (feet amsl)	Recent GWE Compared to Baseline (feet)	Trigger Level At Cessation of Pumping ³ (feet)	Recent GWE Compared to Trigger Level (feet)	Recent GWE Above Max DD ² (feet)
RV-80	HR 2A	3240.92	12/16/15	3230.76	-10.16	15.3	5.14	6.34
RV-90	Coso Jct Ranch	3230.65	12/16/15	3227.80	-2.85	9.30	6.45	6.45
RV-100	Coso Jct Store #1	3227.59	12/16/15	3224.28	-3.31	8.30	4.99	5.09
RV-120	Red Hill Well	3200.66	12/16/15	3200.06	-0.60	3.00	2.40	3.20
RV-130	G-36	3198.35	12/16/15	3197.79	-0.56	2.20	1.64	2.74
RV-140	Lego	3199.21	12/16/15	3198.72	-0.49	0.70	0.21	1.91
RV-150	Cinder Road	3186.92	12/16/15	3186.17	-0.75	1.00	0.25	1.55
RV-160	18-28 GTH	3187.67	12/16/15	3187.97	0.30	0.70	1.00	2.40
RV-180	LLR North Well	3158.88	12/17/15	3158.49	-0.39	0.40	0.01	0.91

1) GWE: Groundwater elevation measured in feet above mean sea level. Baseline GWEs set January 2010 and March 2011 and approved by Inyo County Water Department (ICWD)

2) Max DD: Maximum Acceptable Drawdown from Table 1 of ICWD's "June 27, 2014 Conditional Use Permit#2007-003/Coso "

3) Trigger Level at Cessation of Pumping from Table 1 of ICWD's "June 27, 2014 Conditional Use Permit#2007-003/Coso "

FIGURE 1
ACTUAL AND MAXIMUM ALLOWABLE PUMPING AMOUNTS (TOTALS) FOR HAY RANCH PROJECT



Note: The "maximum allowable pumping" is based on a pumping rate of 3000 AF/yr for 12/09 to 12/10, 4839 AF/yr for 1/11 to 8/13, 3040 AF/yr from 9/13 to 6/14, and 1,614 AF/yr from 7/14 to 6/16.