

Dr. Bob Harrington
Inyo County Water Department
135 South Jackson Street
Independence, CA 93526

April 29, 2013

RE: Summary of Hydrologic Monitoring Activities April 2013
Rose Valley, Inyo County, California
Hay Ranch Project Conditional Use Permit #2007-03

Dear Dr. Harrington:

This letter summarizes hydrologic monitoring activities conducted in April 2013 by TEAM Engineering & Management, Inc. (TEAM), related to the Hay Ranch Water Extraction Project and CUP #2007-03.

Background

As outlined in the Hay Ranch Water Extraction Final EIR's Hydrologic Monitoring and Mitigation Plan (HMMP), Phase 1: Monitoring System Setup and Supplemental Data Collection occurred prior to December 25, 2009 at monitoring points throughout Rose Valley. With the initiation of pumping by Coso Operating Company (Coso) on December 25, 2009, the Hay Ranch Water Extraction Project entered into the Phase 2: Startup Monitoring and Reporting period. Phase 3: Model Recalibration and Redefinition of Pumping Rates and Durations occurred from September 2010 to April 2011, with recalibration of the groundwater model by Daniel B. Stephens & Associates (DBS&A) and with redefinition of pumping rates and durations by Inyo County Water Department (ICWD). With the April 1, 2011 issuance of the ICWD's "Addendum to the HMMP for CUP#2007-003/Coso Operating Company, LLC" (2011 ICWD Addendum) the project has entered Phase 4: Ongoing Monitoring, Mitigation and Reporting.

Monitoring and Reporting

During the April 2013 monthly hydrologic data collection event at 30 monitoring locations in the Rose Valley area, static depth-to-water (DTW) measurements, one visual observation of the Little Lake Ranch (LLR) Siphon Well Outflow and four sets of flow rates were collected by TEAM, as summarized in the attached table (Table 1). Data for this monthly field event was collected on April 17 and 18. Pressure transducer data was downloaded from 24 units, including one "BaroTroll" measuring barometric pressure. In April, a DTW measurement at LADWP 816 Well was taken by LADWP personnel.

At the Hay Ranch Property, Coso has pumped groundwater from two production wells: Hay Ranch North and Hay Ranch South. From December 25, 2009 to December 31, 2010, a total of approximately 3067 acre feet (AF) of groundwater were extracted from these two wells (850 AF from the Hay Ranch North Well, and 2217 AF from the Hay Ranch South Well).

For the second and third years of project pumping, January 1, 2011 to January 1, 2013, a total of approximately 6832 AF of groundwater were extracted from the Hay Ranch property (3193 AF from the Hay Ranch North Well, and 3715 AF from the Hay Ranch South Well).

For the current year of project pumping, January 1, 2013 to April 17, 2013, a total of approximately 896 AF of groundwater were extracted from the Hay Ranch property (847 AF from the Hay Ranch North Well, and 49 AF from the Hay Ranch South Well).

Figure 1 presents the combined amount of groundwater pumped from the Hay Ranch North and South wells, in acre feet, from December 25, 2009 through April 17, 2013 compared to a hypothetical pumping amount. The total amount of groundwater extracted from the Hay Ranch property from December 25, 2009 to April 17, 2013 (Hay Ranch CUP project total) is approximately 10,794 AF. The hypothetical pumping amount assumes a pumping rate of approximately 3000 acre-feet per year (AFY) for December 25, 2009 through December 31, 2010 and assumes a pumping rate of approximately 4839 AFY from January 1, 2011 through September, 2013. These hypothetical pumping rates represent the maximum allowable pumping amounts for the 2010-2013 periods.

Trigger Levels and Maximum Acceptable Drawdowns

In Table 2 of the 2011 ICWD Addendum, drawdown at cessation of pumping trigger levels (Trigger Levels) have been set for specific monitoring wells based on an annual pumping rate of 4839 AFY.

Based on the manual DTW data collected by TEAM on April 18, 2013, the Trigger Level for the Little Lake Ranch (LLR) North Well (RV180) has been exceeded. The baseline groundwater elevation (GWE) for LLR North, set by Inyo County Water Department in January 2010, is 3158.88 feet. The GWE at LLR North as measured at 10:05 on April 18 was 3158.86 feet. The Trigger Level for LLR North is 0.00 feet. The LLR North GWE has decreased by 0.02 feet compared to its baseline, exceeding its Trigger Level by 0.02 feet (Table 2). The April 18 LLR North GWE was 1.28 feet above its Maximum Acceptable Drawdown level. ICWD was notified of this exceedance in a timely manner.

Based on data collected by TEAM during the April 2013 monitoring event, no other Trigger Levels or Maximum Acceptable Drawdowns have been exceeded at Hay Ranch Project monitoring wells which have baselines and trigger levels established.

Operational Notes

The two wells on Navy property (Lego Well and 18-28 Well) were unavailable during the April field event. Both of these wells have pressure transducers installed in them, and depth-to-water and pressure transducer downloads will occur during the May field event.

Data Transmittal

TEAM posted updates to the “Coso” database on the ICWD web server. New Hay Ranch Project hydrographs in PDF form were uploaded to the ICWD website (www.inyowater.org).

* * * * *

If you have any questions or require additional information, please contact TEAM at your convenience.

Sincerely,

TEAM Engineering & Management, Inc.

Keith Rainville
Staff Geologist

S:\Coso.HRMonitoring Summary_Apr_13

TABLE 1
Field Observations of Rose Valley Hydrologic Monitoring Points
April 17-18, 2013

Project Name:	Hay Ranch Project HMMP	Date: April 17-18, 2013
Location:	Rose Valley, Inyo County	
Observer(s):	K. Rainville	Page: 1 of 1

Well ID	Monitoring Point	Date	Time	DTW (ft)	Flow (cfs)	GWE (ft amsl)	Method	Transducer Log Interval	Notes
RV-10	Dews	04/17/13	14:20	231.58		3755.34	TEAM manual read	NA	
RV-20	LADWP 816	UA					LADWP manual read	NA	Data provided by LADWP
RV-30	Cal Pumice	04/17/13	10:00	260.45		3245.44	TEAM manual read	Hourly	
RV-40	Dunmovin	04/18/13	9:00	305.95		3241.92	TEAM manual read	NA	
RV-50	Hay Ranch North	04/17/13	11:55	NM	Yes	NM	TEAM manual read	NA	1,583,810,909 gallons (4861 AF) pumped since 12/25/09
RV-60	Hay Ranch 1A	04/17/13	12:05	200.63		3231.54	TEAM manual read	Hourly	
RV-61	Hay Ranch 1B	04/17/13	12:10	232.10		3199.75	TEAM manual read	Hourly	
RV-62	Hay Ranch 1C	04/17/13	12:15	227.37		3204.13	TEAM manual read	Hourly	
RV-70	Hay Ranch South	04/17/13	11:56	NM	No	NM	TEAM manual read	NA	1,933,402,428 gallons (5933 AF) pumped since 12/25/09
RV-80	Hay Ranch 2A	04/17/13	12:35	201.22		3231.78	TEAM manual read	Hourly	
RV-81	Hay Ranch 2B	04/17/13	12:30	223.58		3209.05	TEAM manual read	Hourly	
RV-82	Hay Ranch 2C	04/17/13	12:25	214.49		3217.61	TEAM manual read	Hourly	
RV-90	Coso Jct Ranch	04/17/13	10:15	173.92		3229.21	TEAM manual read	Hourly	
RV-100	Coso Jct Store #1	04/17/13	10:25	146.75		3225.37	TEAM manual read	Hourly	
RV-110	Davis Ranch North Well	04/17/13	13:10	6.54		3886.52	TEAM manual read	Hourly	
RV-111	Davis Ranch South Well	04/17/13	13:20	11.31		3886.75	TEAM manual read	Hourly	
RV-112	Davis Ranch South Flow	04/17/13	13:30	NA	0.01	NA	TEAM manual read	Hourly	
RV-120	Red Hill Well (BLM)	04/17/13	10:45	140.11		3200.72	TEAM manual read	Hourly	
RV-130	G-36	04/17/13	11:05	180.86		3199.16	TEAM manual read	NA	
RV-140	Lego	UA					TEAM manual read	Hourly	Well unavailable during April field event
RV-150	Cinder Road	04/17/13	11:30	191.23		3186.73	TEAM manual read	Hourly	
RV-160	18-28 GTH	UA					TEAM manual read	Hourly	Well unavailable during April field event
RV-170	Fossil Falls Campground	04/17/13	11:20	141.31		3175.46	TEAM manual read	NA	
RV-180	LLR North Well	04/18/13	10:05	40.24		3158.86	TEAM manual read	Hourly	
RV-210	LLR Dock Well	04/18/13	10:15	6.12		3148.02	TEAM manual read	Hourly	
RV-220	LLR Stilling Well (lake surface)	04/18/13	10:20	3.48		3147.56	TEAM manual read	Hourly	
RV-230	LLR Little Lake Outflow	04/18/13	11:00	NA	0.03	NA	TEAM manual read	Hourly	
RV-240	LLR Coso Springs Flow	04/18/13	10:45	NA	0.38	NA	TEAM manual read	Hourly	
RV-245	LLR North Culvert Flow	04/18/13	11:20	NA	1.57	NA	TEAM manual read	Hourly	
RV-250	LLR Siphon Discharge	04/18/13	11:15	NA	Yes	NA	TEAM visual read	NA	Siphon Well flowing into Pond 2
RV-260	LLR Hotel Well	04/18/13	9:42	0.19		3138.59	TEAM manual read	Hourly	

NM - not measured; NA - not applicable; IO - Inoperative; UA - Data currently unavailable

DTW - Depth to water in feet (ft) below top of casing or other reference point; a negative DTW indicates that the groundwater elevation is above the surveyed reference point

Flow - In cubic feet per second (cfs)


GWE- Groundwater elevation in feet above mean sea level (ft amsl)

TABLE 2
Hay Ranch Project Groundwater Baselines and Trigger Levels
April 2013

Well ID	Monitoring Point	Baseline GWE ¹ (feet amsl)	Recent Date of Measurement	Recent GWE (feet amsl)	Recent GWE Compared to Baseline (feet)	Recent GWE Above Max DD ² (feet)	Trigger Level At Cessation of Pumping ³ (feet)	Recent GWE Compared to Trigger Level (feet)
RV-40	Dunmovin	3252.73	04/18/13	3241.92	-10.81	12.49	23.2	12.39
RV-80	HR 2A	3240.92	04/17/13	3231.78	-9.14	18.46	27.6	18.46
RV-90	Coso Jct Ranch	3230.65	04/17/13	3229.21	-1.44	10.26	11.3	9.86
RV-100	Coso Jct Store #1	3227.59	04/17/13	3225.37	-2.22	7.88	9.5	7.28
RV-120	Red Hill Well	3200.66	04/17/13	3200.72	0.06	3.96	1.8	1.86
RV-130	G-36	3198.35	04/17/13	3199.16	0.81	4.21	1.0	1.81
RV-140	Lego	3199.21	03/13/13	3200.00	0.79	3.09	0.0	0.79
RV-150	Cinder Road	3186.92	04/17/13	3186.73	-0.19	2.11	0.2	0.01
RV-160	18-28 GTH	3187.67	03/13/13	3188.59	0.92	3.02	0.0	0.92
RV-180	LLR North Well	3158.88	04/17/13	3158.86	-0.02	1.28	0.0	-0.02

- 1) GWE: Groundwater elevation measured in feet above mean sea level. Baseline GWEs set January 2010 and March 2011 and approved by Inyo County Water Department
2) Max DD: Maximum Acceptable Drawdown from Table 2 of "Addendum to HMMP for CUP#2007-003/Coso Operating Company, LLC"
3) Trigger Level at Cessation of Pumping from Table 2 of "Addendum to HMMP for CUP#2007-003/Coso Operating Company, LLC"

FIGURE 1
HYPOTHETICAL AND ACTUAL HAY RANCH PROJECT PUMPING



Note: Coso Operating Co. initiated Hay Ranch Project pumping on 12/25/09.

The "hypothetical pumping rate" is based on a pumping rate of 3000 AF per year for 12/25/09 to 12/31/10, and 4839 AF per year for 2011 and 2012.